12-06-99

A

Patent
248/037

To: Box Patent Application
Assistant Commissioner for Patents
Washington, D.C. 20231

NEW APPLICATION TRANSMITTAL - UTILITY

Sir:

Transmitted herewith for filing is a **utility** patent application:

Inventor(s): Jerry Pelletier, Philippe Gros, Michael DuBow

Title: DEVELOPMENT OF NOVEL ANTI-MICROBIAL AGENTS BASED ON BACTERIOPHAGE GENOMICS

I. PAPERS ENCLOSED HEREWITH FOR FILING UNDER 37 CFR § 1.53(b):

68 Page(s) of Written Description

6 Page(s) Claims

1 Page(s) Abstract

143 Page(s) Tables

8 Sheets of Drawings ☐ Informal ☒ Formal

II. ADDITIONAL PAPERS ENCLOSED IN CONNECTION WITH THIS FILING:

☐ Declaration

☐ Power of Attorney ☐ Separate ☐ Combined with Declaration

☐ Assignment to _____ and assignment cover sheet

☐ Verified Statement establishing **"Small Entity"** under 37 CFR §§ 1.9 and 1.27

☐ Priority Document No(s):

☐ Information Disclosure Statement w/PTO 1449 ☐ Copy of Citations

☐ Preliminary Amendment

CERTIFICATE OF MAILING
(37 C.F.R. §1.10)

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as 'Express Mail Post Office To Addressee' in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

EL356074807US
Express Mail Label No.

December 02, 1999
Date of Deposit

Wesley B. Ames
Name of Person Mailing Paper

Signature of Person Mailing Paper

☒ Return Postcard

III. THE FILING FEE HAS BEEN CALCULATED AS SHOWN BELOW:

BASIC FILING FEE:								$760.00
Total Claims		-	20	=	0	x	$18.00	$0.00
Independent Claims		-	3	=	0	x	$78.00	$0.00
Multiple Dependent Claims	$260	(if applicable)					☐	$0.00
TOTAL OF ABOVE CALCULATIONS								$760.00
Reduction by ½ for Filing by Small Entity. Note 37 CFR §§ 1.9, 1.27, 1.28. If applicable, Verified Statement must be attached.							☐	$0.00
Misc. Filing Fees (Recordation of Assignment -- $40)								$0.00
TOTAL FEES DUE HEREWITH								$760.00

IV. METHOD OF PAYMENT OF FEES

☐ A check in the amount of _____.

☐ Charge Lyon & Lyon's Deposit Account No. **12-2475** in the amount of _____.

☒ This application is being filed without fee or Declaration under 37 CFR § 1.53.

V. AUTHORIZATION TO CHARGE FEES

The Commissioner is authorized to credit any overpayment and to charge any underpayment to Lyon & Lyon's Deposit Account No. **12-2475** for the following:

☐ 37 CFR § 1.16 – **(Filing fees)**

☐ 37 CFR § 1.17 – **(Any application processing fees)**

☐ 37 CFR § 1.21 – **(Assignment recording fees)**

VI. CORRESPONDENCE ADDRESS

Please send all correspondence to Customer Number 22249:

22249
PATENT TRADEMARK OFFICE

LYON & LYON LLP
Suite 4700
633 W. Fifth Street
Los Angeles, CA 90071

Please direct all inquiries to Richard J. Warburg, Esq., at (858) 552-8400.

Respectfully submitted,

LYON & LYON LLP

Dated: 2 December 1999

By: Wesley B. Ames
Wesley B. Ames
Reg. No. 40,893

APPLICATION

FOR

U.S. LETTERS PATENT

DEVELOPMENT OF NOVEL ANTI-MICROBIAL AGENTS BASED ON BACTERIOPHAGE GENOMICS

CERTIFICATE OF MAILING
(37 C.F.R. §1.10)

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as 'Express Mail Post Office To Addressee' in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

EL356074807US
Express Mail Label No.

Wesley B. Ames
Name of Person Mailing Paper

December 2, 1999
Date of Deposit

Signature of Person Mailing Paper

DESCRIPTION

Development of Novel Anti-Microbial Agents Based on Bacteriophage Genomics

RELATED APPLICATIONS

This application is a continuation-in-part of U.S. Application No. 09/407,804, filed September 28, 1999, entitled DNA SEQUENCES FROM STAPYLOCOCCUS AUREUS BACTERIOPHAGE 77 THAT ENCODE ANTI-MICROBIAL POLYPEPTIDES, and claims the benefit of U.S. Provisional Application No. 60/110,992, filed December 3, 1999, entitled DEVELOPMENT OF NOVEL ANTIMICROBIAL AGENTS BASED ON BACTERIOPHAGE GENOMICS, which are hereby incorporated by reference in their entireties, including drawings.

BACKGROUND OF THE INVENTION

The present invention relates to the field of antibacterial agents and the treatment of infections of animals or other complex organisms by bacteria.

The frequency and spectrum of antibiotic-resistant infections have, in recent years, increased in both the hospital and community. Certain infections have become essentially untreatable and are growing to epidemic proportions in the developing world as well as in institutional settings in the developed world. The staggering spread of antibiotic resistance in pathogenic bacteria has been attributed to microbial genetic characteristics, widespread use of antibiotic drugs, and changes in society that enhance the transmission of drug-resistant organisms. This spread of drug resistant microbes is leading to ever increasing morbidity, mortality and health-care costs.

Ironically, it is the very success of antibiotics, resulting in their widespread use, that has contributed the most to rising numbers of drug resistant bacterial strains. The longer a bacterial strain is exposed to a drug, the more likely it is to acquire resistance. Today, a total of 160 antibiotics, all based on a few basic chemical structures and targeting a small number of metabolic pathways, have found their way to market. Over-prescription of these drugs, as well as the failure of patients to comply with the complete antibiotic regimen, has lead to the rapid emergence of antibiotic resistant strains. Such misuse of prescriptions, careless use of antibiotics in virtually all commercial production of beef and fowl, and changing societal conditions, such as the growth of day-care centers, increased long-term care in hospitals, and increased mobility of the population, has provided an environment

where drug-resistant microbes can emerge and spread. Thus, virtually all common infectious bacteria are becoming, or have already become, resistant to one or more groups of antibiotics. Such resistance now reaches all classes of antibiotics currently in use, including: β-lactams, fluoroquinolones, aminoglycosides, macrolide peptides, chloramphenicol, tetracyclines, rifampicin, folate inhibitors, glycopeptides, and mupirocin.

Over the last 45 years bacteria have adapted genetically to avoid the destruction/alteration of the essential pathways that these chemotherapeutic agents target. Antibiotic resistant bacterial strains are now emerging at a higher rate than the rate at which new antibiotics are being developed. The consequence of this dilemma has been a dramatic increase in the cost of treating infections what would otherwise easily succumb to routine antibiotic therapy. Furthermore, and perhaps most importantly, the emergence of multiple drug resistant pathogenic bacteria has led to a significant increase in morbidity and mortality, particularly in institutional settings.

Most major pharmaceutical companies have on-going drug discovery programs for novel anti-microbials. These are based on screens for small molecule inhibitors (natural products, bacterial culture media, libraries of small molecules, combinatorial chemistry) of crucial metabolic pathways of the micro-organism of interest (*e.g.*, bacteria, fungi, parasites, worms). The screening process is largely for cytotoxic compounds and in most cases is not based on a known mechanism of action of the compounds. Pharmaceutical companies have large programs in this area. Classical drug screening programs are being exhausted and many of these pharmaceutical companies are looking towards rational drug design programs.

Several small to mid-size biotechnology companies as well as large pharmaceutical companies have developed systematic high-throughput sequencing programs to decipher the genetic code of specific micro-organisms of interest. The goal is to identify, through sequencing, unique biochemical pathways or intermediates that are unique to the microorganism. Knowledge of this may, in turn, form the rationale for a drug discovery program based on the mechanism of action of the identified enzymes/proteins. Genome Therapeutics Corp., The Institute for Genome Research, Human Genome Sciences Inc., and other companies have such sequencing programs in place. However, one of the most critical steps in this approach is the ascertainment that the identified proteins and biochemical pathways are 1) non-redundant and essential for bacterial survival, and 2) constitute suitable and accessible targets for drug discovery.

SUMMARY OF THE INVENTION

While animals such as humans are, on occasion, infected by pathogenic bacteria, bacteria also have natural enemies. A number of host-specific viruses, known as bacteriophages or phages, infect and kill bacteria in the natural environment. Such bacteriophages generally have small compact genomes and bacteria are their exclusive hosts. Many known bacteria are host to a large number of bacteriophages that have been described in the literature. During the 1940's - 1960's, phage biology was an area of active research. As a testimony to this, the study of phages which infect and inhibit the enteric bacterium *Escherichia coli* (*E. coli*) contributed much to the early understanding of molecular biology and virology.

This invention utilizes the observation that bacteriophages successfully infect and inhibit or kill host bacteria, targeting a variety of normal host metabolic and physiological traits, some of which are shared by all bacteria, pathogenic and nonpathogenic alike. The term "pathogenic" as used herein denotes a contribution to or implication in disease or a morbid state of an infected organism. The invention thus involves identifying and elucidating the molecular mechanisms by which phages interfere with host bacterial metabolism, an objective being to provide novel targets for drug design. Whether the phage blocks bacterial RNA transcription or translation, or attacks other important metabolic pathways, such as cell wall assembly or membrane integrity, the basic blueprint for a phage's bacteria-inhibiting ability is encoded in its genome and can be unlocked using bioinformatics, functional genomics, and proteomics. By these means, the invention utilizes sequence information from the genomics of bacteriophage to identify novel antimicrobials that can be further used to actively and/or prophylactically treat bacterial infection.

Two important components of the invention thus are: i) the identification of bacteria-inhibiting phage open reading frames ("ORF"s) and corresponding products that can be used to develop antibiotics based on amino acid sequence and secondary structural characteristics of the ORF products, and ii) the use of bacteriophages to map out essential bacterial target genes and homologs, which can in turn lead to the development of suitable anti-microbial agents. These two avenues represent new and general methods for developing novel antimicrobials.

The invention thus concerns the identification of bacteriophage ORFs that supply bacteria-inhibiting functions. In this regard, use of the terms "inhibit", "inhibition", "inhibitory", and "inhibitor" all refer to a function of reducing a biological activity or function. Such reduction in activity or function can, for example, be in connection with a cellular component, *e.g.*, an enzyme, or in

connection with a cellular process, *e.g.*, synthesis of a particular protein, or in connection with an overall process of a cell, *e.g.*, cell growth. In reference to bacterial cell growth, for example, an inhibitory effect (i.e., a bacteria-inhibiting effect) may be bacteriocidal (killing of bacterial cells) or bacteriostatic (i.e., stopping or at least slowing bacterial cell growth). The latter slows or prevents cell growth such that fewer cells of the strain are produced relative to uninhibited cells over a given period of time. From a molecular standpoint, such inhibition may equate with a reduction in the level of, or elimination of, the transcription and/or translation of a specific bacterial target(s), or reduction or elimination of activity of a particular target biomolecule.

It is particularly advantageous to evaluate a plurality of different phage ORFs for inhibitory activity which may be from one, but is preferably from a plurality of different phage. For example, evaluating ORFs from a number of different phage of the same bacterial host provides at least two advantages. One is that the multiple phages will provide identification of a variety of different targets. Second, it is likely that multiple phage will utilize the same cellular target.

As used herein, the terms "bacteriophage" and "phage" are used interchangeably to refer to a virus which can infect a bacterial strain or a number of different bacterial strains.

In the context of this invention, the term "bacteriophage ORF" or ""phage ORF" or similar term refers to a nucleotide sequence in or from a bacteriophage. In connection with a particular ORF, the terms refer an open reading frame which has at least 95% sequence identity, preferably at least 97% sequence identity, more preferably at least 98% sequence identity with an ORF from the particular phage identified herein (e.g., with an ORF as identified herein) or to a nucleic acid sequence which has the specified sequence identify percentage with such an ORF sequence.

A first aspect of the invention thus provides a method for identifying a bacteriophage nucleic acid coding region encoding a product active on an essential bacterial target by identifying a nucleic acid sequence encoding a gene product which provides a bacteria-inhibiting function when the bacteriophage infects a host bacterium, preferably one that is an animal or plant pathogen, more preferably a bird or mammalian pathogen, and most preferably a human pathogen. The bacteriophage is an uncharacterized bacteriophage. Thus, the method excludes, for example, phage λ, ϕx174, m13 and other *E.coli*-specific bacteriophage that have been studied with respect to gene number and/or function. It also excludes, for example, the nucleic acid coding regions described in Tables 13-14, and in preferred embodiments, excludes the phage in which those regions are naturally located. In preferred

embodiments of this and the other aspects of the present invention, the phage is *Staphylococcus aureus* phage 77, 3A, or 96.

In connection with bacteriophage, the term "uncharacterized" means that a certain bacteriophage's genome has not yet been fully identified such that the genes having function involved in inhibiting host cells have not been identified. In particular, phage for which the description of genomic or protein sequence was first provided herein are uncharacterized. Phage sequences for which host bacteria-inhibiting functions have been identified prior to the filing of the present application (or alternatively prior to the present invention) are specifically excluded from the aspects involving utilization of sequences from uncharacterized bacteriophage, except that aspects may involve a plurality of phage where one or more of those phage are uncharacterized and one or more others have been characterized to some extent. A number of different bacteria-inhibiting phage ORFs are indicated in Tables 12-14. The phage ORFs or sequences identified therein are not within the term "uncharacterized; alternatively, in preferred embodiments the phage containing those ORFs are excluded from this term. Further, any additional phage ORFs (or alternatively the phage which contain those ORFs) which have previously been described in the art as bacteria-inhibiting ORFs are expressly excluded; those ORFs or phage are known to those skilled in the art and the exclusion can be made express by specifically naming such ORFs or phage as needed (likewise for uncharacterized targets as described below). For the sake of brevity, such a listing is not expressly presented, as such information is readily available to those skilled in the art.

Stating that an agent or compound is "active on" a particular cellular target, such as the product of a particular gene, means that the target is an important part of a cellular pathway which includes that target and that the agent acts on that pathway. Thus, in some cases the agent may act on a component upstream or downstream of the stated target, including on a regulator of that pathway or a component of that pathway.

By "essential", in connection with a gene or gene product, is meant that the host cannot survive without, or is significantly growth compromised, in the absence depletion, or alteration of functional product. An "essential gene" is thus one that encodes a product that is beneficial, or preferably necessary, for cellular growth *in vitro* in a medium appropriate for growth of a strain having a wild-type allele corresponding to the particular gene in question. Therefore, if an essential gene is inactivated or inhibited, that cell will grow significantly more slowly, preferably less than 20%, more preferably less than 10%, most preferably less than 5% of the growth rate of the uninhibited wild-type, or not at all, in the growth medium. Preferably, in

the absence of activity provided by a product of the gene, the cell will not grow at all or will be non-viable, at least under culture conditions similar to the *in vivo* conditions normally encountered by the bacterial cell during an infection. For example, absence of the biological activity of certain enzymes involved in bacterial cell wall synthesis can result in the lysis of cells under normal osmotic conditions, even though protoplasts can be maintained under controlled osmotic conditions. In the context of the invention, essential genes are generally the preferred targets of antimicrobial agents. Essential genes can encode target molecules directly or can encode a product involved in the production, modification, or maintenance of a target molecule.

A "target" refers to a biomolecule that can be acted on by an exogenous agent, thereby modulating, preferably inhibiting, growth or viability of a cell. In most cases such a target will be a nucleic acid sequence or molecule, or a polypeptide or protein. However, other types of biomolecules can also be targets, *e.g.*, membrane lipids and cell wall structural components.

The term "bacterium" refers to a single bacterial strain, and includes a single cell, and a plurality or population of cells of that strain unless clearly indicated to the contrary. In reference to bacteria or bacteriophage, the term "strain" refers to bacteria or phage having a particular genetic content. The genetic content includes genomic content as well as recombinant vectors. Thus, for example, two otherwise identical bacterial cells would represent different strains if each contained a vector, *e.g.*, a plasmid, with different phage ORF inserts.

Preferred embodiments involve expressing at least one recombinant phage ORF(s) in a bacterial host followed by inhibition analysis of that host. Inhibition following expression of the phage ORF is indicative that the product of the ORF is active on an essential bacterial target. Such evaluation can be carried out in a variety of different formats, such as on a support matrix such as a solidified medium in a petri dish, or in liquid culture. Preferably a plurality of phage ORFs are expressed in at least one bacterium. The plurality of phage ORFs can be from one or a plurality of phage. With respect to a single phage or at least one phage in a plurality of phages, the plurality of expressed ORFs preferably represents at least 10%, more preferably at least 20%, 40%, or 60%, still more preferably at least 80% or 90%, and most preferably at least 95% of the ORFs in the phage genome. Preferably, for a plurality of phage, the plurality of expressed ORFs preferably represents at least 10%, more preferably at least 20%, 40%, or 60%, still more preferably at least 80% or 90%, and most preferably at least 95% of the ORFs in the phage genome of each phage. The plurality of phage ORFs can be expressed in a single bacterium, or in a plurality of

bacteria where one ORF is expressed in each bacterium, or in a plurality of bacteria where a plurality of ORFs are expressed in at least one or in all of the plurality of bacteria, or combinations of these.

In embodiments of the above aspect (as well as in other aspects herein) in which a plurality of phage are utilized, a plurality of phage have the same bacterial host species; have different bacterial host species; or both. The plurality of phage includes at least two different phage, preferably at least 3,4,5,6,8,10,15,20, or more different phage. Indeed, more preferably, the plurality of phage will include 50, 75, 100, or more phage. As described herein, the larger number of phage is useful to provide additional target and target evaluation information useful in developing antibacterial agents, for example, by providing identification of a larger range of bacterial targets, and/or providing further indication of the suitability of a particular target (for example, utilization of a target by a number of different unrelated phage can suggest that the target is particularly stable and accessible and effective) and/or can indicate alternate sites on a target which interact with different inhibitors.

Further embodiments involve confirmation of the inhibitor function of the phage ORF, such as by utilizing or incorporating a control(s) designed to confirm the inhibitory nature of the ORF(s) being evaluated. The control can, for example, be provided by expression of an inactive or partially inactive form of the ORF or ORF product, and/or by the absence of expression of the ORF or ORF product in the same or a closely comparable bacterial strain as that used for expression of the test ORF. The reduced level of activity or the absence of active ORF product in the control will thus not provide the inhibition provided by a corresponding inhibitory ORF, or will provide a distinguishably lower level of inhibition. An inactivated or partially inactivated control has a mutation(s), *e.g.*, in the coding region or in flanking regulatory elements, that reduce(s) or eliminate(s) the normal function of the ORF. Thus, the inhibition of a bacterium following expression of a phage ORF is determined by comparison with the effects of expression of an inactivated ORF or the response of the bacteria in the absence of expression in the same or similar type bacterium. Such determination of inhibition of the bacterium following expression of the ORF is indicative of a bacteria-inhibiting function. These manipulations are routinely understood and accomplished by those of skill in the art using standard techniques. In embodiments utilizing absence of expression of the ORF, the bacteria can, for example, contain an empty vector or a vector which allows expression of an unrelated sequence which is preferably non-inhibitory. Alternatively, the bacteria may have no vector at all. Combinations of such controls or other controls may also be utilized as recognized by those skilled in the art.

In embodiments involving expression of a phage ORF in a bacterial strain, in preferred embodiments that expression is inducible. By "inducible" is meant that expression is absent or occurs at a low level until the occurrence of an appropriate environmental stimulus provides otherwise. For the present invention such induction is preferably controlled by an artificial environmental change, such as by contacting a bacterial strain population with an inducing compound (*i.e.*, an inducer). However, induction could also occur, for example, in response to build-up of a compound produced by the bacteria in the bacterial culture, *e.g.*, in the medium. As uncontrolled or constitutive expression of inhibitory ORFs can severely compromise bacteria to the point of eradication, such expression is therefore undesirable in many cases because it would prevent effective evaluation of the strain and inhibitor being studied. For example, such uncontrolled expression could prevent any growth of the strain following insertion of a recombinant ORF, thus preventing determination of effective transfection or transformation. A controlled or inducible expression is therefore advantageous and is generally provided through the provision of suitable regulatory elements, *e.g.*, promoter/operator sequences that can be conveniently transcriptionally linked to a coding sequence to be evaluated. In most cases, the vector will also contain sequences suitable for efficient replication of the vector in the same or different host cells and/or sequences allowing selection of cells containing the vector, *i.e.*, "selectable markers." Further, preferred vectors include convenient primer sequences flanking the cloning region from which PCR and/or sequencing may be performed.

As knowledge of the nucleotide sequence of phage ORFs is useful, *e.g.*, for assisting in the identification of phage proteins active against essential bacterial host targets, preferred embodiments involve the sequencing of at least a portion of the phage genome in combination with the above methods. This can be done either before or after or independent of expression and inhibition of the ORF in the bacteria, and provides information on the nature and characteristics of the ORF. Such a portion is preferably at least 10%, 20%, 40%, 80%, 90%, or 100% of the phage genome. For embodiments in which a plurality of phage are utilized, preferably each phage is sequenced to an extent as just specified.

Such sequencing is preferably accompanied by computer sequence analysis to define and evaluate ORF(s), ORF products, structural motifs or functional properties of ORF products, and/or their genetic control elements. Thus, certain embodiments incorporate computer sequence analyses or nucleic acid and/or amino acid sequences. Further, existing data banks can provide phage sequence and product information which can be utilized for analysis and identification of ORFs in the sequence. Computer analysis may further employ known homologous sequences from other

species that suggest or indicate conserved underlying biochemical function(s) for the inhibitory or potentially inhibitory ORF sequence(s) being evaluated. This can include the sequences of signature motifs of identified classes of inhibitors.

In the context of the phage nucleic acid sequences, e.g., gene sequences, of this invention, the terms "homolog" and "homologous" denote nucleotide sequences from different bacteria or phage strains or species or from other types of organisms that have significantly related nucleotide sequences, and consequently significantly related encoded gene products, preferably having related function. Homologous gene sequences or coding sequences have at least 70% sequence identity (as defined by the maximal base match in a computer-generated alignment of two or more nucleic acid sequences) over at least one sequence window of 48 nucleotides, more preferably at least 80 or 85%, still more preferably at least 90%, and most preferably at least 95%. The polypeptide products of homologous genes have at least 35% amino acid sequence identity over at least one sequence window of 18 amino acid residues, more preferably at least 40%, still more preferably at least 50% or 60%, and most preferably at least 70%, 80%, or 90%. Preferably, the homologous gene product is also a functional homolog, meaning that the homolog will functionally complement one or more biological activities of the product being compared. For nucleotide or amino acid sequence comparisons where a homology is defined by a % sequence identity, the percentage is determined using BLAST programs (with default parameters (Altschul et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs, Nucleic Acid Res. 25:3389-3402). Any of a variety of algorithms known in the art which provide comparable results can also be used, preferably using default parameters. Performance characteristics for three different algorithms in homology searching is described in Salamov et al., 1999, "Combining sensitive database searches with multiple intermediates to detect distant homologues." *Protein Eng.* 12:95-100. Another exemplary program package is the GCG™ package from the University of Wisconsin.

Homologs may also or in addition be characterized by the ability of two complementary nucleic acid strands to hybridize to each other under appropriately stringent conditions. Hybridizations are typically and preferably conducted with probe-length nucleic acid molecules, preferably 20-100 nucleotides in length. Those skilled in the art understand how to estimate and adjust the stringency of hybridization conditions such that sequences having at least a desired level of complementarity will stably hybridize, while those having lower complementarity will not. For examples of hybridization conditions and parameters, see, *e.g.*,. Maniatis, T. et al. (1989) Molecular Cloning: A Laboratory Manual, Cold Spring Harbor University Press, Cold Spring, N.Y.; Ausubel, F.M. et al. (1994) Current Protocols in Molecular Biology.

John Wiley & Sons, Secaucus, N.J. Homologs and homologous gene sequences may thus be identified using any nucleic acid sequence of interest, including the phage ORFs and bacterial target genes of the present invention.

A typical hybridization, for example, utilizes, besides the labeled probe of interest, a salt solution such as 6xSSC (NaCl and Sodium Citrate base) to stabilize nucleic acid strand interaction, a mild detergent such as 0.5% SDS, together with other typical additives such as Denhardt's solution and salmon sperm DNA. The solution is added to the immobilized sequence to be probed and incubated at suitable temperatures to preferably permit specific binding while minimizing nonspecific binding. The temperature of the incubations and ensuing washes is critical to the success and clarity of the hybridization. Stringent conditions employ relatively higher temperatures, lower salt concentrations, and/or more detergent than do non-stringent conditions. Hybridization temperatures also depend on the length, complementarity level, and nature (ie, "GC content") of the sequences to be tested. Typical stringent hybridizations and washes are conducted at temperatures of at least 40°C, while lower stringency hybridizations and washes are typically conducted at 37°C down to room temperature (~25°C). One of skill in the art is aware that these conditions may vary according to the parameters indicated above, and that certain additives such as formamide and dextran sulphate may also be added to affect the conditions.

By "stringent hybridization conditions" is meant hybridization conditions at least as stringent as the following: hybridization in 50% formamide, 5X SSC, 50 mM NaH_2PO_4, pH 6.8, 0.5% SDS, 0.1 mg/mL sonicated salmon sperm DNA, and 5X Denhart's solution at 42°C overnight; washing with 2X SSC, 0.1% SDS at 45°C; and washing with 0.2X SSC, 0.1% SDS at 45°C.

In sequence comparison analyses, an ORF, or motif, or set of motifs in a bacteriophage sequence can be compared to known inhibitor sequences, *e.g.*, homologous sequences encoding homologous inhibitors of bacterial function. Likewise, the analysis can include comparison with the structure of essential bacterial gene products, as structural similarities can be indicative of similar or replacement biological function. Such analysis can include the identification of a signature, or characteristic motif(s) of an inhibitor or inhibitor class.

Also, the identification of structural motifs in an encoded product, based on nucleotide or amino acid sequence analysis, can be used to infer a biochemical function for the product. A database containing identified structural motifs in a large number of sequences is available for identification of motifs in phage sequences. The database is PROSITE, which is available at www.expasy.ch/cgi~bin/scanprosite. The identification of motifs can, for example, include the identification of signature motifs for a class or classes of inhibitory proteins. Other such databases may also be used.

In aspects and preferred embodiments described herein, in which a bacterium or host bacterium is specified, the bacterium or host bacterium is preferably selected from a pathogenic bacterial species, for example, one selected from Table 1. Preferably, an animal or plant pathogen is used. For animals, preferably the bacterium is a bird or mammalian pathogen, still more preferably a human pathogen.

In aspects and preferred embodiments involving a bacteriophage or sequences from a bacteriophage, one or more bacteriophage are preferably selected from those listed in Table 1 in the Detailed Description below. Those exemplary bacteriophge are readily obtained from the indicated sources.

In some cases, it is advantageous to utilize phage with non-pathogenic host bacteria. The genome, structural motif, ORF, homolog, and other analyses described herein can be performed on such phage and bacteria. Such analysis provides useful information and compositions. The results of such analyses can also be utilized in aspects of the present invention to identify homologous ORFs, especially inhibitor ORFs in phage with pathogenic bacterial hosts. Similarly, identification of a target in a non-pathogenic host can be used to identify homologous sequences and targets in pathogenic bacteria, especially in genetically closely related bacteria. Those skilled in the art are familiar with bacterial genetic relationships and with how to determine relatedness based on levels of genomic identity or other measures of nucleotide sequence and/or amino acid sequence similarity, and/or other physical and culture characteristics such as morphology, nutritional requirements, or minimal media to support growth.

Also in preferred embodiments, an embodiments of this aspect is combined with an embodiment of the following aspect.

A related aspect of the invention provides methods for identifying a target for antibacterial agents by identifying the bacterial target(s) of at least one uncharacterized or untargeted inhibitor protein or RNA from a bacteriophage. Such identification allows the development of antibacterial agents active on such targets. Preferred embodiments for identifying such targets involve the identification of binding of target and phage ORF products to one another. The phage ORF products may be subportions of a larger ORF product that also binds the host target. In preferred embodiments, the phage protein or RNA is from an uncharacterized bacteriophage in Table 1. This aspect preferably includes the identification of a plurality of such targets in one or a plurality of different bacteria, preferably in one or a plurality of bacteria listed in Table 1.

In preferred embodiments of this aspect and other aspects of this invention involving particular phage ORFs or phage sequences, the ORF is *Staphylococcus*

aureus phage 77 ORF 17, 19, 43, 102, 104, or 182 as identified in U.S. application 09/407,804.

As indicated for the above aspect, preferably the method involves the use of a plurality of different phage, and thus a plurality of different phage inhibitors and/or inhibitor ORFs.

In addition to uncharacteized phage ORF products, it is also useful to identify the targets of phage ORF products which are known to be inhibitors of host bacteria, but where the target has not been identified. Thus, such inhibitors can likewise be utilized as "untargeted" inhibitor phage ORFs and ORF products, *e.g.*, proteins or RNAs.

In the context of inhibitor proteins or RNAs from a phage, the term "uncharacterized" means that a bacteria-inhibiting function for the protein has not previously been identified. Preferably, but not necessarily, the sequence of the protein or the corresponding coding region or ORF was not described in the art before the filing of the present application for patent (or alternatively prior to the present invention). Thus, this term specifically excludes any bacteria-inhibiting phage protein and its associated bacterial target which has been identified as inhibitory before the present invention or alternatively before the filing of the present application, for example those identified in Tables 12-14 or otherwise identified herein. For example, from *E. coli*, phage T7 genes 0.7 and 2.0 target the host RNA polymerase, phage T4 gp55/gp33 alter the specificity of host RNA polymerase. The T4 *regB* gene product also targets the host translation apparatus. As with the uncharacterized bacteriophage ORFs or bacteriophage above, for such identified proteins, the sequences encoding those proteins are excluded from the uncharacterized inhibitor proteins.

The term "fragment" refers to a portion of a larger molecule or assembly. For proteins, the term "fragment" refers to a molecule which includes at least 5 contiguous amino acids from the reference polypeptide or protein, preferably at least 8, 10, 12, 15, 20, 30, 50 or more contiguous amino acids. In connection with oligo- or polynucleotides, the term "fragment" refers to a molecule which includes at least 15 contiguous nucleotides from a reference polynucleotide, preferably at least 24, 30, 36, 45, 60, 90, 150, or more contiguous nucleotides.

Preferred embodiments involve identification of binding that include methods for distinguishing bound molecules, for example, affinity chromatography, immunoprecipitation, crosslinking, and/or genetic screen methods that permit protein:protein interactions to be monitored. One of skill in the art is familiar with these techniques and common materials utilized (see, *e.g.*, Coligan, J. et al. (eds.) (1995) Current Protocols in Protein Science, John Wiley & Sons, Secaucus, N.J.).

Genetic screening for the identification of protein:protein interactions typically involves the co-introduction of both a chimeric bait nucleic acid sequence (here, the phage ORF to be tested) and a chimeric target nucleic acid sequence that, when co-expressed and having affinity for one another in a host cell, stimulate reporter gene expression to indicate the relationship. A "positive" can thus suggest a potential inhibitory effect in bacteria. This is discussed in further detail in the Detailed Description section below. In this way, new bacterial targets can be identified that are inhibited by specific phage ORF products or derivatives, fragments, mimetics, or other molecules.

Other embodiments involve the identification and/or utilization of mutant targets by virtue of their host's relatively unresponsive nature in the presence of expression of ORFs previously identified as inhibitory to the non-mutant or wild-type strain. Such mutants have the effect of protecting the host from an inhibition that would otherwise occur and indirectly allow identification of the precise responsible target for follow-up studies and anti-microbial development. In certain embodiments, rescue from inhibition occurs under conditions in which a bacterial target or mutant target is highly expressed. This is performed, for example, through coupling of the sequence with regulatory element promoters, *e.g.*, as known in the art, which regulate expression at levels higher than wild-type, *e.g.*, at a level sufficiently higher that the inhibitor can be competitively bound to the highly expressed target such that the bacterium is detectably less inhibited.

Identification of the bacterial target can involve identification of a phage-specific site of action. This can involve a newly identified target, or a target where the phage site of action differs from the site of action of a previously known antibacterial agent or inhibitor. For example, phage T7 genes 0.7 and 2.0 target the host RNA polymerase, which is also the cellular target for the antibacterial agent, rifampin. To the extent that a phage product is found to act at a different site than previously described inhibitors, aspects of the present invention can utilize those new, phage-specific sites for identification and use of new agents. The site of action can be identified by techniques well-known to those skilled in the art, for example, by mutational analysis, binding competition analysis, and/or other appropriate techniques.

Once a bacterial host target protein or nucleic acid or mutant target sequence has been identified and/or isolated, it too can be conveniently sequenced, sequence analyzed (*e.g.*, by computer), and the underlying gene(s), and corresponding translated product(s) further characterized. Preferred embodiments include such analysis and identification. Preferably such a target has not previously been identified as an appropriate target for antibacterial action.

Certain embodiments include the identification of at least one inhibitory phage ORF or ORF product, *e.g.*, as described for the above aspect, and thus are a combination of the two aspects.

Additionally, the invention provides methods for identifying targets for antibacterial agents by identifying homologs of a *Enterococcus* sp. target of a bacteriophage inhibitory ORF product. Such homologs may be utilized in the various aspects and embodiments described herein as describded for the host *Enterococcus* sp. for bacteriophage 182.

Other aspects of the invention provide isolated, purified, or enriched specific phage nucleic acid and amino acid sequences, subsequences, and homologs thereof for phage selected from uncharacterized phage listed in Table 1, preferably from bacteriophage 77, 3A, 96. For example, such sequences do not include sequences identified in any of Tables 11-14. Such nucleotide sequences are at least 15 nucleotides in length, preferably at least 18, 21, 24, or 27 nucleotides in length, more preferably at least 30, 50, or 90 nucleotides in length. In certain embodiments, longer nucleic acids are preferred, for example those of at least 120, 150, 200, 300, 600, 900 or more nucleotides. Such sequences can, for example, be amplification oligonucleotides (*e.g.*, PCR primers), oligonucleotide probes, sequences encoding a portion or all of a phage-encoded protein, or a fragment or all of a phage-encoded protein. In preferred embodiments, the nucleic acid sequence contains a sequence which is within a length range with a lower length as specified above, and an upper length limit which is no more than 50, 60, 70, 80, or 90% of the length of the corresponding full-length ORF. The upper length limit can also be expressed in terms of the number of base pairs of the ORF (coding region). In preferred embodiments, the nucleic acid sequence is from *Staphylococcus aureus* phage 77 ORF 17, 19, 43, 102, 104, or 182 as identified in U.S. application 09/407,804.

As it is recognized that alternate codons will encode the same amino acid for most amino acids due to the degeneracy of the genetic code, the sequences of this aspect includes nucleic acid sequences utilizing such alternate codon usage for one or more codons of a coding sequence. For example, all four nucleic acid sequences GCT, GCC, GCA, and GCG encode the amino acid, alanine. Therefore, if for an amino acid there exists an average of three codons, a polypeptide of 100 amino acids in length will, on average, be encoded by 3^{100}, or 5×10^{47}, nucleic acid sequences. Thus, a nucleic acid sequence can be modified (*e.g.*, a nucleic acid sequence from a phage as specified above) to form a second nucleic acid sequence encoding the same polypeptide as encoded by the first nucleic acid sequence using routine procedures and without undue experimentation. Thus, all possible nucleic acid sequences that encode the specified amino acid sequences are also fully described herein, as if all

were written out in full, taking into account the codon usage, especially that preferred in the host bacterium. The alternate codon descriptions are available in common texbooks, for example, Stryer, BIOCHEMISTRY 3rd ed., and Lehninger, BIOCHEMISTRY 3rd ed. Codon preference tables for various types of organisms are available in the literature. Sequences with alternate codons at one or more sites can also be utilized in the computer-related aspects and embodiments herein. Because of the number of sequence variations involving alternate codon usage, for the sake of brevity, individual sequences are not separately listed herein. Instead the alternate sequences are described by reference to the natural sequence with replacement of one or more (up to all) of the degenerate codons with alternate codons from the alternate codon table (Table 6), preferably with selection according to preferred codon usage for the normal host organism or a host organism in which a sequence is intended to be expressed. Those skilled in the art also understand how to alter the alternate codons to be used for expression in organisms where certain codons code differently than shown in the "universal" codon table.

For amino acid sequences or polypeptides, sequences contain at least 5 peptide-linked amino acid residues, and preferably at least 6, 7, 10, 15, 20, 30, or 40, amino acids having identical amino acid sequence as the same number of contiguous amino acid residues in a particular phage ORF product. In some cases longer sequences may be preferred, for example, those of at least 50, 60, 70, 80, or 100 amino acids in length. In preferred embodiments, the amino acid sequence contains a sequence which is within a length range with a lower length as specified above, and an upper length limit which is no more than 50, 60, 70, 80, or 90% of the length of the corresponding full-length ORF product. The upper length limit can also be expressed in terms of the number of amino acid residues of the ORF product. In preferred embodiments, the amino acid sequence or polypeptide has bacteria-inhibiting function when expressed or otherwise present in a bacterial cell that is a host for the bacteriophage from which the sequence was derived.

By "isolated" in reference to a nucleic acid is meant that a naturally occurring sequence has been removed from its normal cellular (*e.g.,* chromosomal) environment or is synthesized in a non-natural environment (*e.g.*, artificially synthesized). Thus, the sequence may be in a cell-free solution or placed in a different cellular environment. The term does not imply that the sequence is the only nucleotide chain present, but that it is essentially free (about 90-95% pure at least) of non-nucleotide material naturally associated with it, and thus is distinguished from isolated chromosomes.

The term "enriched" means that the specific DNA or RNA sequence constitutes a significantly higher fraction (2-5 fold) of the total DNA or RNA present

in the cells or solution of interest than in normal or diseased cells or in cells from which the sequence was originally taken. This could be caused by a person by preferential reduction in the amount of other DNA or RNA present, or by a preferential increase in the amount of the specific DNA or RNA sequence, or by a combination of the two. However, it should be noted that enriched does not imply that there are no other DNA or RNA sequences present, just that the relative amount of the sequence of interest has been significantly increased.

The term "significant" is used to indicate that the level of increase is useful to the person making such an increase and an increase relative to other nucleic acids of about at least 2-fold, more preferably at least 5- to 10-fold or even more. The term also does not imply that there is no DNA or RNA from other sources. The other source DNA may, for example, comprise DNA from a yeast or bacterial genome, or a cloning vector such as pUC19. This term distinguishes from naturally occurring events, such as viral infection, or tumor type growths, in which the level of one mRNA may be naturally increased relative to other species of mRNA. That is, the term is meant to cover only those situations in which a person has intervened to elevate the proportion of the desired nucleic acid.

It is also advantageous for some purposes that a nucleotide sequence be in purified form. The term "purified" in reference to nucleic acid does not require absolute purity (such as a homogeneous preparation). Instead, it represents an indication that the sequence is relatively more pure than in the natural environment (compared to the natural level, this level should be at least 2-5 fold greater, *e.g.*, in terms of mg/mL). Individual clones isolated from a cDNA library may be purified to electrophoretic homogeneity. The claimed DNA molecules obtained from these clones could be obtained directly from total DNA or from total RNA. The cDNA clones are not naturally occurring, but rather are preferably obtained via manipulation of a partially purified naturally occurring substance (messenger RNA). The construction of a cDNA library from mRNA involves the creation of a synthetic substance (cDNA) and pure individual cDNA clones can be isolated from the synthetic library by clonal selection of the cells carrying the cDNA library. Thus, the process which includes the construction of a cDNA library from mRNA and isolation of distinct cDNA clones yields an approximately 10^6-fold purification of the native message. Thus, purification of at least one order of magnitude, preferably two or three orders, and more preferably four or five orders of magnitude is expressly contemplated.

The terms "isolated", "enriched", and "purified" as used with respect to nucleic acids, above, may similarly be used to denote the relative purity and abundance of polypeptides (multimers of amino acids joined one to another by α-

carboxyl:α-amino group (peptide) bonds). These, too, may be stored in, grown in, screened in, and selected from libraries using biochemical techniques familiar in the art. Such polypeptides may be natural, synthetic or chimeric and may be extracted using any of a variety of methods, such as antibody immunoprecipitation, other "tagging" techniques, conventional chromatography and/or electrophoretic methods. Some of the above utilize the corresponding nucleic acid sequence.

As indicated above, aspects and embodiments of the invention are not limited to entire genes and proteins. The invention also provides and utilizes fragments and portions thereof, preferably those which are "active" in the inhibitory sense described above. Such peptides or oligopeptides and oligo or polynucleotides have preferred lengths as specified above for nucleic acid and amino acid sequences from phage; corresponding recombinant constructs can be made to express the encoded same. Also included are homologous sequences and fragments thereof.

The nucleotide and amino acid sequences identified herein are believed to be correct, however, certain sequences may contain a small percentage of errors, *e.g.*, 1-5%. In the event that any of the sequences have errors, the corrected sequences can be readily provided by one skilled in the art using routine methods. For example, the nucleotide sequences can be confirmed or corrected by obtaining and culturing the relevant phage, and purifying phage genomic nucleic acids. A region or regions of interest can be amplified, *e.g.*, by PCR from the appropriate genomic template, using primers based on the described sequence. The amplified regions can then be sequenced using any of the available methods (*e.g.*, a dideoxy termination method). This can be done redundantly to provide the corrected sequence or to confirm that the described sequence is correct. Alternatively, a particular sequence or sequences can be identified and isolated as an insert or inserts in a phage genomic library and isolated, amplified, and sequenced by standard methods. Confirmation or correction of a nucleotide sequence for a phage gene provides an amino acid sequence of the encoded product by merely reading off the amino acid sequence according to the normal codon relationships and/or expressed in a standard expression system and the polypeptide product sequenced by standard techniques. The sequences described herein thus provide unique identification of the corresponding genes and other sequences, allowing those sequences to be used in the various aspects of the present invention.

In other aspects the invention provides recombinant vectors and cells harboring at least one of the phage ORFs or portion thereof, or bacterial target sequences described herein. As understood by those skilled in the art, vectors may be provided in different forms, including, for example, plasmids, cosmids, and virus-based vectors. See, *e.g.*, Maniatis, T. et al. (1989) Molecular Cloning: A Laboratory

Manual, Cold Spring Harbor University Press, Cold Spring, N.Y.; See also, Ausubel, F.M. et al. (eds.) (1994) Current Protocols in Molecular Biology. John Wiley & Sons, Secaucus, N.J.

In preferred embodiments, the vectors will be expression vectors, preferably shuttle vectors that permit cloning, replication, and expression within bacteria. An "expression vector" is one having regulatory nucleotide sequences containing transcriptional and translational regulatory information that controls expression of the nucleotide sequence in a host cell. Preferably the vector is constructed to allow amplification from vector sequences flanking an insert locus. In certain embodiments, the expression vectors may additionally or alternativley support expression, and/or replication in animal, plant and/or yeast cells due to the presence of suitable regulatory sequences, *e.g.*, promoters, enhancers, 3' stabilizing sequences, primer sequences, etc. In preferred embodiments, the promoters are inducible and specific for the system in which expression is desired, *e.g.*, bacteria, animal, plant, or yeast. The vectors may optionally encode a "tag" sequence or sequences to facilitate protein purification. Convenient restriction enzyme cloning sites and suitable selective marker(s) are also optionally included. Such selective markers can be, for example, antibiotic resistance markers or markers which supply an essential nutritive growth factor to an otherwise deficient mutant host, *e.g.*, tryptophan, histidine, or leucine in the Yeast Two-Hybrid systems described below.

The term "recombinant vector" relates to a single- or double-stranded circular nucleic acid molecule that can be transfected into cells and replicated within or independently of a cell genome. A circular double-stranded nucleic acid molecule can be cut and thereby linearized upon treatment with appropriate restriction enzymes. An assortment of nucleic acid vectors, restriction enzymes, and the knowledge of the nucleotide sequences cut by restriction enzymes are readily available to those skilled in the art. A nucleic acid molecule encoding a desired product can be inserted into a vector by cutting the vector with restriction enzymes and ligating the two pieces together. Preferably the vector is an expression vector, *e.g.*, a shuttle expression vector as described above.

By " recombinant cell" is meant a cell possessing introduced or engineered nucleic acid sequences, *e.g.*, as described above. The sequence may be in the form of or part of a vector or may be integrated into the host cell genome. Preferably the cell is a bacterial cell.

In another aspect, the invention also provides methods for identifying and/or screening compounds "active on" at least one bacterial target of a bacteriophage inhibitor protein or RNA. Preferred embodiments involve contacting such a bacterial target or targets (e.g., bacterial target proteins) with a test compound, and determining

whether the compound binds to or reduces the level of activity of the bacterial target (*e.g.*, a bacterial target protein). Preferably this is done either *in vivo* (*i.e.*, in a cell-based assay) or *in vitro*, e.g., in a cell-free system under approximately physiological conditions.

The compounds that can be used may be large or small, synthetic or natural, organic or inorganic, proteinaceous or non-proteinaceous. In preferred embodiments, the compound is a peptidomimetic, as described herein, a bacteriophage inhibitor protein or fragment or derivative thereof, preferably an "active portion", or a small molecule.

In particular embodiments, the methods include the identification of bacterial targets or the site of action of an inhibitor on a bacterial target as described above or otherwise described herein.

In embodiments involving binding assays, preferably binding is to a fragment or portion of a bacterial target protein, where the fragment includes less than 90%, 80%, 70%, 60%, 50%, 40%, or 30% of an intact bacterial target protein. Preferably, the at least one bacterial target includes a plurality of different targets of bacteriophage inhibitor proteins, preferably a plurality of different targets. The plurality of targets can be in or from a plurality of different bacteria, but preferably is from a single bacterial species.

A "method of screening" refers to a method for evaluating a relevant activity or property of a large plurality of compounds (e.g., a bacteria-inhibiting activity), rather than just one or a few compounds. For example, a method of screening can be used to conveniently test at least 100, more preferably at least 1000, still more preferably at least 10,000, and most preferably at least 100,000 different compounds, or even more.

In the context of this invention, the term "small molecule" refers to compounds having molecular mass of less than 2000 Daltons, preferably less than 1500, still more preferably less than 1000, and most preferably less than 600 Daltons. Preferably but not necessarily, a small molecule is not an oligopeptide.

In a related aspect or in preferred embodiments, the invention provides a method of screening for potential antibacterial agents by determining whether any of a plurality of compounds, preferably a plurality of small molecules, is active on at least one target of a bacteriophage inhibitor protein or RNA. Preferred embodiments include those described for the above aspect, including embodiments which involve determining whether one or more test compounds bind to or reduce the level of activity of a bacterial target, and embodiments which utilize a plurality of different targets as described above.

The identification of bacteria-inhibiting phage ORFs and their encoded products also provides a method for identifying an active portion of such an encoded product. This also provides a method for identifying a potential antibacterial agent by identifying such an active portion of a phage ORF or ORF product. In preferred embodiments, the identification of an active portion involves one or more of mutational analysis, deletion analysis, or analysis of fragments of such products. The method can also include determination of a 3-dimensional structure of an active portion, such as by analysis of crystal diffraction patterns. In further embodiments, the method involves constructing or synthesizing a peptidomimetic compound, where the structure of the peptidomimetic compound corresponds to the structure of the active portion. In this context, "corresponds" means that the peptidomimetic compound structure has sufficient similarities to the structure of the active portion that the peptidomimetic will interact with the same molecule as the phage protein and preferably will elicit at least one cellular response in common which relates to the inhibition of the cell by the phage protein.

The methods for identifying or screening for compounds or agents active on a bacterial target of a phage-encoded inhibitor can also involve identification of a phage-specific site of action on the target.

Preferably in the methods for identifying or screening for compounds active on such a bacterial target, the target is uncharacterized; the target is from an uncharacterized bacterium from Table 1; the site of action is a phage-specfic site of action.

Further embodiments include the identification of inhibitor phage ORFs and bacterial targets as in aspects above.

An "active portion" as used herein denotes an epitope, a catalytic or regulatory domain, or a fragment of a bacteriophage inhibitor protein that is responsible for, or a significant factor in, bacterial target inhibition. The active portion preferably may be removed from its contiguous sequences and, in isolation, still effect inhibition.

By "mimetic" is meant a compound structurally and functionally related to a reference compound that can be natural, synthetic, or chimeric. In terms of the present invention, a "peptidomimetic," for example, is a compound that mimics the activity-related aspects of the 3-dimensional structure of a peptide or polyeptide in a non-peptide compound, for example mimics the structure of a peptide or active portion of a phage- or bacterial ORF-encoded polypeptide.

A related aspect provides a method for inhibiting a bacterial cell by contacting the bacterial cell with a compound active on a bacterial target of a bacteriophage inhibitor protein or RNA, where the target was uncharacterized. In preferred embodiments, the compound is such a protein, or a fragment or derivative thereof; a

structural mimetic, *e.g.*, a peptidomimetic, of such a protein or fragment; a small molecule; the contacting is performed *in vitro*, the contacting is performed *in vivo* in an infected or at risk organism, *e.g.*, an animal such as a mammal or bird, for example, a human, or other mammal described herein; the bacterium is selected from a genus and/or species listed in Table 1; the bacteriophage inhibitor protein is uncharacterized; and the bacteriophage inhibitor protein is from an uncharacterized phage listed in Table 1.

In the context of targets in this invention, the term "uncharacterized" means that the target was not recognized as an appropriate target for an antibacterial agent prior to the filing of the present application or alternatively prior to the present invention. Such lack of recognition can include, for example, situations where the target and/or a nucleotide sequence encoding the target were unknown, situations where the target was known, but where it had not been identified as an appropriate target or as an essential cellular component, and situations where the target was known as essential but had not been recognized as an appropriate target due to a belief that the target would be inaccessible or otherwise that contacting the cell with a compound active on the target *in vitro* would be ineffective in cellular inhibition, or ineffective in treatment of an infection. Methods described herein utilizing bacterial targets, *e.g.*, for inhibiting bacteria or treating bacterial infections, can also utilize "uncharacterized target sites", meaning that the target has been previously recognized as an appropriate target for an antibacterial agent, but where an agent or inhibitor of the invention is used which acts at a different site than that at which the previously utilized antibacterial agent, *i.e.*, a phage-specific site. Preferably the phage-specific site has different functional characteristics from the previously utilized site. In the context of targets or target sites, the term "phage-specific" indicates that the target or site is utilized by at least one bacteriophage as an inhibitory target and is different from previously identified targets or target sites.

In the context of this invention, the term "bacteriophage inhibitor protein" refers to a protein encoded by a bacteriophage nucleic acid sequence which inhibits bacterial function in a host bacterium. Thus, it is a bacteria-inhibiting phage product.

In the context of this invention, the phrase "contacting the bacterial cell with a compound active on a bacterial target of a bacteriophage inhibitor protein" or equivalent phrases refer to contacting with an isolated, purified, or enriched compound or a composition including such a compound, but specifically does not rely on contacting the bacterial cell with an intact phage which encodes the compound. Preferably no intact phage are involved in the contacting.

Related aspects provide methods for prophylactic or therapeutic treatment of a bacterial infection by administering to an infected, challenged or at risk organism a

therapeutically or prophylactically effective amount of a compound active on a target of a bacteriophage inhibitor protein or RNA, or as described for the previous aspect. Preferably the bacterium involved in the infection or risk of infection produces the identified target of the bacteriophage inhibitor protein or alternatively produces a homologous target compound. In preferred embodiments, the host organism is a plant or animal, preferably a mammal or bird, and more preferably, a human or other mammal described herein. Preferred embodiments include, without limitation, those as described for the preceding aspect.

Compounds useful for the methods of inhibiting, methods of treating, and pharmaceutical compositions can include novel compounds, but can also include compounds which had previously been identified for a purpose other than inhibition of bacteria. Such compounds can be utilized as described and can be included in pharmaceutical compositions.

In preferred embodiments of this and other aspects of the invention utilizing bacterial target sequences of a bacteriiophage inhibitory ORF product, the target sequence is encoded by a *Staphylococcus* nucleic acid coding sequence, preferably *S. aureus*. Possible target sequences are described herein by reference to sequence source sites.

The amino acid sequence of a polypeptide target is readily provided by translating the corresponding coding region. For the sake of brevity, the sequences are not reproduced herein. For the sake of brevity, the sequences are described by reference to the GenBank entries instead of being written out in full herein. In cases where the TIGR or GenBank entry for a coding region is not complete, the complete sequence can be readily obtained by routine methods, e.g., by isolating a clone in a phage host genomic library, and sequencing the clone insert to provide the relevant coding region. The boundaries of the coding region can be identified by conventional sequence analysis and/or by expression in a bacterium in which the endogenous copy of the coding region has been inactivated and using subcloning to identify the functional start and stop codons for the coding region.

In the context of nucleic acid or amino acid sequences of this invention, the term "corresponding" indicates that the sequence is at least 95% identical, preferably at least 97% identical, and more preferably at least 99% identical to a sequence from the specified phage genome, a ribonucleotide equivalent, a degenerate equivalent (utilizing one or more degenerate codons), or a homologous sequence, where the homolog provides functionally equivalent biological function.

By "treatment" or "treating" is meant administering a compound or pharmaceutical composition for prophylactic and/or therapeutic purposes. The term "prophylactic treatment" refers to treating a patient or animal that is not yet infected

but is susceptible to or otherwise at risk of a bacterial infection. The term "therapeutic treatment" refers to administering treatment to a patient already suffering from infection.

The term "bacterial infection" refers to the invasion of the host organism, animal or plant, by pathogenic bacteria. This includes the excessive growth of bacteria which are normally present in or on the body of the organism, but more generally, a bacterial infection can be any situation in which the presence of a bacterial population(s) is damaging to a host organism. Thus, for example, an organism suffers from a bacterial population when excessive numbers of a bacterial population are present in or on the organism's body, or when the effects of the presence of a bacterial population(s) is damaging to the cells, tissue, or organs of the organism.

The terms "administer", "administering", and "administration" refer to a method of giving a dosage of a compound or composition, *e.g.*, an antibacterial pharmaceutical composition, to an organism. Where the organism is a mammal, the method is, *e.g.*, topical, oral, intravenous, transdermal, intraperitoneal, intramuscular, or intrathecal. The preferred method of administration can vary depending on various factors, *e.g.*, the components of the pharmaceutical composition, the site of the potential or actual bacterial infection, the bacterium involved, and the infection severity.

The term "mammal" has its usual biological meaning referring to any organism of the Class Mammalia of higher vertebrates that nourish their young with milk secreted by mammary glands, *e.g.*, mouse, rat, and, in particular, human, bovine, sheep, swine, dog, and cat.

In the context of treating a bacterial infection a "therapeutically effective amount" or "pharmaceutically effective amount" indicates an amount of an antibacterial agent, *e.g.*, as disclosed for this invention, which has a therapeutic effect. This generally refers to the inhibition, to some extent, of the normal cellular functioning of bacterial cells that renders or contributes to bacterial infection.

The dose of antibacterial agent that is useful as a treatment is a "therapeutically effective amount." Thus, as used herein, a therapeutically effective amount means an amount of an antibacterial agent that produces the desired therapeutic effect as judged by clinical trial results and/or animal models. This amount can be routinely determined by one skilled in the art and will vary depending on several factors, such as the particular bacterial strain involved and the particular antibacterial agent used.

In connection with claims to methods of inhibiting bacteria and therapeutic or prophylactic treatments, "a compound active on a target of a bacteriophage inhibitor protein" or terms of equivalent meaning differ from administration of or contact with

an intact phage naturally encoding the full-length inhibitor compound. While an intact phage may conceivably be incorporated in the present methods, the method at least includes the use of an active compound as specified different from a full length inhibitor protein naturally encoded by a bacteriophage and/or a delivery or contacting method different from administration of or contact with an intact phage encoding the full-length protein. Similarly, pharmaceutical compositions described herein at least include an active compound different from a full-length inhibitor protein naturally encoded by a bacteriophage or such a full-length protein is provided in the composition in a form different from being encoded by an intact phage. Preferably the methods and compositions do not include an intact phage.

In accord with the above aspects, the invention also provides antibacterial agents and compounds active on bacterial targets of bacteriophage inhibitor proteins or RNAs, where the target was uncharacterized as indicated above. As previously indicated, such active compounds include both novel compounds and compounds which had previously been identified for a purpose other than inhibition of bacteria. Such previously identified biologically active compounds can be used in embodiments of the above methods of inhibiting and treating. In preferred embodiments, the targets, bacteriophage, and active compound are as described herein for methods of inhibiting and methods of treating. Preferably the agent or compound is formulated in a pharmaceutical composition which includes a pharmaceutically acceptable carrier, excipient, or diluent. In addition, the invention provides agents, compounds, and pharmaceutical compositions where an active compound is active on an uncharacterized phage-specific site.

In preferred embodiments, the target is as described for embodiments of aspects above.

Likewise, the invention provides a method of making an antibacterial agent. The method involves identifying a target of a bacteriophage inhibitor polypeptide or protein or RNA, screening a plurality of compounds to identify a compound active on the target, and synthesizing the compound in an amount sufficient to provide a therapeutic effect when administered to an organism infected by a bacterium naturally producing the target. In preferred embodiments, the identification of the target and identification of active compounds include steps or methods and/or components as described above (or otherwise herein) for such identification. Likewise, the active compound can be as described above, including fragments and derivatives of phage inhibitor proteins, peptidomimetics, and small molecules. As recognized by those skilled in the art, peptides can be synthesized by expression systems and purified, or can be synthesized artificially.

As indicated above, sequence analysis of nucleotide and/or amino acid sequences can beneficially utilize computer analysis. Thus, in additional aspects the invention provides computer-related hardware and media and methods utilizing and incorporating sequence data from uncharacterized phage, *e.g.*, uncharacterized phage listed in Table 1, preferably at least one of bacteriophage 77, 3A, and 96, (*Staphylococcus aureus* phage). In general, such aspects can facilitate the above described aspects. Various embodiments involve the analysis of genetic sequence and encoded products, as applied to the evaluating bacteriophage inhibitor ORFs and compounds and fragments related thereto. The various sequence analyses, as well as function analyses, can be used separately or in combination, as well as in preceding aspects and embodiments. Use in combination is often advantageous as the additional information allows more efficient prioritizing of phage ORFs for identification of those ORFs that provide bacteria-inhibiting function.

In one aspect, the invention provides a computer-readable device which includes at least one recorded amino acid or nucleotide sequence corresponding to one of the specified phage and a sequence analysis program for analyzing a nucleotide and/or amino acid sequence. The device is arranged such that the sequence information can be retrieved and analyzed using the analysis program. The analysis can identify, for example, homologous sequences or the indicated %s of the phage genome and structural motifs. Preferably the sequence includes at least 1 phage ORF or encoded product, more preferably at least 10%, 20%, 30%, 40%, 50%, 70%, 90%, or 100% of the genomic phage ORFs and/or equivalent cDNA, RNA, or amino acid sequences. Preferably the sequence or sequences in the device are recorded in a medium such as a floppy disk, a computer hard drive, an optical disk, computer random access memory (RAM), or magnetic tape. The program may also be recorded in such medium. The sequences can also include sequences from a plurality of different phage.

In this context, the term "corresponding" indicates that the sequence is at least 95% identical, preferably at least 97% identical, and more preferably at least 99% identical to a sequence from the specified phage genome, a ribonucleotide equivalent, a degenerate equivalent (utilizing one or more degenerate codons), or a homologous sequence, where the homolog provides functionally equivalent biological function.

Similarly, the invention provides a computer analysis system for identifying biologically important portions of a bacteriophage genome. The system includes a data storage medium, *e.g.*, as identified above, which has recorded thereon a nucleotide sequence corresponding to at least a portion of at least one uncharacterized bacteriophage genome, a set of program instructions to allow searching of the sequence or sequences to analyze the sequence, and an output device where the

portion includes at least the sequence length as specified in the preceding aspect. The output device is preferably a printer, a video display, or a recording medium. More one than one output device may be included. For each of the present computer-related asepcts, the bacteriophage are preferably selected from the uncharacterized phage listed in Table 1, more preferably from bacteriophage 77, 3A, and 96.

In keeping with the computer device aspects, the invention also provides a method for identifying or characterizing a bacteriophage ORF by providing a computer-based system for analyzing nucleotide or amino acid sequences, *e.g.*, as describe above. The system includes a data storage medium which has recorded a sequences or sequences as described for the above devices, a set of instructions as in the preceding aspect, and an output device as in the preceding aspect. The method further involves analyzing at least one sequence, and outputting the analysis results to at least one output device.

In preferred embodiments, the analysis identifies a sequence similarity or homology with a sequence or sequences selected from bacterial ORFs encoding products with related biological function; ORFs encoding known inhibitors; and essential bacterial ORFs. Preferably the analysis identifies a probable biological function based on identification of structural elements or characteristic or signature motifs of an encoded product or on sequence similarity or homology. Preferably the uncharacterized bacteriophage is from Table 1, more preferably at least one of bacteriophage 77, 3A, and 96. In preferred embodiments, the method also involves determining at least a portion of the nucleotide sequence of at least one uncharacterized bacteriophage as indicated, and recording that sequence on data storage medium of the computer-based system.

As used in the claims to describe the various inventive aspects and embodiments, "comprising" means including, but not limited to, whatever follows the word "comprising". Thus, use of the term "comprising" indicates that the listed elements are required or mandatory, but that other elements are optional and may or may not be present. By "consisting of" is meant including, and limited to, whatever follows the phrase "consisting of". Thus, the phrase "consisting of" indicates that the listed elements are required or mandatory, and that no other elements may be present. By "consisting essentially of" is meant including any elements listed after the phrase, and limited to other elements that do not interfere with or contribute to the activity or action specified in the disclosure for the listed elements. Thus, the phrase "consisting essentially of" indicates that the listed elements are required or mandatory, but that other elements are optional and may or may not be present depending upon whether or not they affect the activity or action of the listed elements.

Further embodiments will be apparent from the following Detailed Description and from the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGURE 1A and 1B are flow schematics showing the manipulations necessary to convert pT0021, an arsenite inducible vector containing the luciferase gene, into pTHA or pTM, two *ars* inducible vectors. Vector pTHA contains BamH I, Sal I, and Hind III cloning sites and a downstream HA epitope tag. Vector pTM contains Bam HI and Hind III cloning sites and no HA epitope tag.

FIGURE 2 is a schematic representation of the cloning steps involved to place the DNA segments of any of ORFs 17/ 19/ 43/ 102/104/182 or other sequences into pTHA to assess inhibitory potential. For subcloning into pTM or pT0021, Individual ORFs were amplified by the PCR using oligonucleotides targeting the ATG and stop codons of the ORFs. Using this strategy, Bam HI and Hind III sites were positioned immediately upstream or downstream, respectively of the start and stop codons of each ORF. Following digestion with Bam HI and Hind III, the PCR fragments were subcloned into the same sites of pT0021 or pTM. Clones were verified by PCR and direct sequencing.

FIGURE 3 shows a schematic representation of the functional assays used to characterize the bactericidal and bacteriostatic potential of all predicted ORFs (>33 amino acids) encoded by bacteriophage 77. Fig. 3A) Functional assay on semi-solid support media. Fig. 3B) Functional assay in liquid culture.

FIGURE 4A, B, and C is a bar graph showing the results of a screen in liquid media to assess bacteriostatic or bactericidal activity of 93 predicted ORFs (>33 amino acids) encoded by bacteriophage 77. Growth inhibition assays were performed as detailed in the Detailed Description. The relative growth of Staphylococcus aureus transformants harboring a given bacteriophage 77 ORF (identified on the bottom of the graph), in the absence or presence of arsenite, is plotted relative to growth of a Staphylococcus aureus transformant containing ORF 5, a non-toxic bacteriophage 77

ORF (which is set at 100%). Each bar represents the average obtained from three Staph A transformants grown in duplicate. Bacteriophage 77 ORFs showing significant growth inhibition are plotted in red and consist or ORF 17, 19, 102, 104, and 182.

FIGURE 5 shows a block diagram of major components of a general purpose computer.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The invention may be more clearly understood from the following description. The tables will first be briefly described.

Table 1 is a listing of a large number of available bacteriophage that can be readily obtained and used in the present invention.

Table 2 shows the complete nucleotide sequence of the genome of *Staphylococcus aureus* bacteriophage 77.

Table 3 shows a list of all the ORFs from Bacteriophage 77 that were screened in the functional assay to identify those with anti-microbial activity.

Table 4 shows the predicted nucleotide sequence, predicted amino acid sequence, and physiochemical parameters of ORF 17/ 19/ 43/ 102/ 104/ 182]. These include the primary amino acid sequence of the predicted protein, the average molecular weight, amino acid composition, theoretical pI, hydrophobicity map, and predicted secondary structure map.

Table 5 shows homology search results. BLAST analysis was performed with ORFs 17/ 19/ 43/ 102/ 104/ 182 against NCBI non-redundant nucleotide and Swissprot databases. The results of this search indicate that: I) ORF 17 has no significant homology to any gene in the NCBI non-NCBI non-redundant nucleotide database, II) ORF 19 has significant homology to one gene in the NCBI non-redundant nucleotide database - the gene encoding ORF 59 of bacteriophage phi PVL, III) ORF 43 has significant homology to one gene in the NCBI non-redundant nucleotide database - the gene encoding ORF 39 of phi PVL, IV) ORF 102 has significant homology to one gene in the NCBI non-redundant nucleotide database - the gene encoding ORF 38 of phi PVL, V) ORF 104 has no significant homology to

any gene in the NCBI non-redundant nucleotide database, VI) ORF 182 has significant homology to one gene in the NCBI non-redundant nucleotide database - the gene encoding ORF 39 of phi PVL.

Table 6 is a table from Alberts et al., MOLECULAR BIOLOGY OF THE CELL 3rd ed., showing the redundancy of the "universal" genetic code.

Table 7 shows the complete nucleotide sequence of *Staphylococcus aureus* bacteriophage 3A.

Table 8 is a listing of the ORFs identified in *Staphylococcus aureus* bacteriophage 3A.

Table 9 shows the complete nucleotide sequence of *Staphylococcus aureus* bacteriophage 96.

Table 10 is a listing of the ORFs identified in *Staphylococcus aureus* bacteriophage 96.

Table 11 is a listing of sequences deposited in the NCBI public database (GeneBank) for bacteriophage listed in Table 1.

Table 12 is a listing of phage which encode a known lysis function , including the identified lysis gene.

Table 13 is a listing of bacteriophage which encode holin genes, where holin genes encode proteins which form pores and eventually enable other enzymes to kill the host bacterium.

Table 14 is a listing of bacteriophage which encode kil genes.

Table 15 is a list of *Staphylococcus aureus* sequences which may include sequences from genes coding for target sequences for the phage 77-encoded antimicrobial proteins or peptides.

Background:

As indicated in the Summary above, the present invention is concerned with the use of bacteriophage coding sequences and the encoded polypeptides or RNA transcripts to identify bacterial targets for potential new antibacterial agents. Thus, the invention concerns the selection of relevant bacteria. Particularly relevant bacteria are those which are pathogens of a complex organism such as an animal, *e.g.*, mammals, reptiles, and birds, and plants. However, the invention can be applied to any bacterium (whether pathogenic or not) for which bacteriophage are available or which are found to have cellular components closely homologous to components targeted by phage of another bacterium, *e.g.*, a pathogenic bacterium, *e.g.*, a pathogenic bacterium.

Thus, the invention also concerns the bacteriophage which can infect a selected bacterium. Identification of ORFs or products from the phage which inhibit the host bacterium both provides an inhibitor compound and allows identification of the bacterial target affected by the phage-encoded inhibitor. Such targets are thus identified as potential targets for development of other antibacterial agents or inhibitors and the use of those targets to inhibit those bacteria. As indicated above, even if such a target is not initially identified in a particular bacterium, such a target can still be identified if a homologous target is identified in another bacterium. Usually, but not necessarily, such another bacterium would be a genetically closely related bacterium. Indeed, in some cases, a phage-encoded inhibitor can also inhibit such a homologous bacterial cellular component.

The demonstration that bacteriophage have adapted to inhibiting a host bacterium by acting on a particular cellular component or target provides a strong indication that that component is an appropriate target for developing and using antibacterial agents, *e.g.*, in therapeutic treatments. Thus, the present invention provides additional guidance over mere identification of bacterial essential genes, as the present invention also provides an indication of accessability of the target to an inhibitor, and an indication that the target is sufficiently stable over time (*e.g.*, not subject to high rates of mutation) as phage acting on that target were able to develop and persist. Thus, the present invention identifies a subset of essential cellular components which are particularly likely to be appropriate targets for development of antibacterial agents.

The invention also, therefore, concerns the development or identification of inhibitors of bacteria, in addition to the phage-encoded inhibitory proteins (or RNA transcripts), which are active on the targets of bacteriophage-encoded inhibitors. As described herein, such inhibitors can be of a variety of different types, but are preferably small molecules.

The following description provides preferred methods for developing the various aspects of the invention. However, as those skilled in the art will readily recognize, other approaches can be used to obtain and process relevant information. Thus the invention is not limited to the specifically described methods. In addition, the following description provides a set of steps in a particular order. That series of steps describes the overall development involved in the present invention. However, it is clear that individual steps or portions of steps may be usefully practiced separately, and, further, that certain steps may be performed in a different order or even bypassed if appropriate information is already available or is provided by other sources or methods.

Selecting and Growing Phage, and Isolating DNA

Conceptually, the first step involves selecting bacterial hosts of interest. Preferably, but not necessarily, such hosts will be pathogens of clinical importance. Alternatively, because bacteria all share certain fundamental metabolic and structural features, these features can be targeted for study in one strain, for example a nonpathogenic one, and extrapolated to similarly succeed in pathogenic ones. Nonpathogenic strains may also exhibit initial advantages in being not only less dangerous, but also, for example, in having better growth and culturing characteristics and/or better developed molecular biology techniques and reagents. Consequently, advantageously the invention provides the ability target virtually any bacteria, but preferably pathogenic bacteria, with antimicrobial compounds designed and/or developed using bacteriophage inhibitory proteins and peptides from phage with non-pathogenic and/or pathogenic hosts.

We have selected *Staphylococcus aureus*, *Streptococcus pneumoniae*, various *Enterococci*, and *Pseudomonas aeruginosa* as initial exemplary pathogens. These bacteria are a major cause of morbidity and mortality in hospital-based infections, and the appearance of antibiotics resistance in all three organisms makes it increasingly difficult to treat benign infections involving these organisms. Such infections can include, for example, otitis media, sinusitis, and skin, and airway infections (Neu, H.C. (1992). *Science* 257, 1064-1073). However, the approach described below is clearly applicable to any human bacterial pathogens including but not restricted to *Mycobacterium tuberculosis*, *Nesseria gonorrhoeae*, *Haemophilus influenza*, *Acinobacter*, *Escherichia coli*, *Shigella dysenteria*, *Streptococcus pyogenes*, *Helicobacter pylori*, and *Mycoplasma* species. This invention can also be applied to the discovery of anti-bacterial compounds directed against pathogens of animals other than humans, for example, sheep, cattle, swine, dogs, cats, birds, and reptiles. Similarly, the invention is not limited to animals, but also applies to plants.

The bacteria are grown according to standard methodologies employed in the art, including solid, semi-solid or liquid culturing, which procedures can be found in or extrapolated from standard sources such as Maloy, S.R., Stewart, V.J., and Taylor, R.K. Genetic Analysis of Pathogenic Bacteria (1996) Cold Spring Harbor Laboratory Press, or Maniatis, T. et al. (1989) Molecular Cloning: A Laboratory Manual, Cold Spring Harbor University Press, Cold Spring, N.Y.; or Ausubel, F.M. et al. (1994) Current Protocols in Molecular Biology. John Wiley & Sons, Secaucus, N.J. Culture conditions are selected which are adapted to the particular bacterium generally using culture conditions known in the art as appropriate, or adaptations of those conditions.

Nucleic acids within these bacteria can be routinely extracted through common procedures such as described in the above-referenced manuals and as generally known

to those skilled in the art. Those nucleic acid stocks can then be used to practice the other inventive aspects described below.

Selection and Growth of Bacteriophage, and Isolation of DNA

The second step involves assembling a group of bacteriophages (phage collection) for each of the targeted bacterial hosts. While the invention can be utilized with a single bacteriophage for a pathogen or other bacterium, it is preferable to utilize a plurality of phage for each bacterium, as comparisons between a plurality of such phage provides useful additional information. Non-limiting examples of phage and sources for some of the above-mentioned pathogenic bacteria are found in Table 1. The criteria used to select such phages is that they are infectious for the microbe targeted, and replicate in, lyse, or otherwise inhibit growth of the bacterium in a measurable fashion. These phages can be very different from one another (representing different families), as judged by criteria such as morphology (head, tail, plate, etc.), and similarity of genome nucleotide sequence (cross-hybridization). Since such diverse bacteriophages are expected to block bacterial host metabolism and ultimately inhibit by a variety of mechanisms, their combined study will lead to the identification of different mechanisms by which the phages independently inhibit bacterial targets. Examples include degradation of host DNA (Parson K.A., and Snustad, D.P. (1975). *J. Virol.* 15, 221-444) and inhibition of host RNA transcription (Severinova, E., Severinov, K. and Darst, S.A. (1998*). J.Mol. Biol.* 279, 9-18). This, in turn, yields novel information on phage proteins that can inhibit the targeted microbe. As explained below, this 1) forms the basis of novel drug discovery efforts based on knowledge of the primary amino acid sequence of the phage inhibitor protein (*e.g.*, peptide fragments or peptidomimetics) and/or 2) leads to the identification of bacterial biochemical pathways, the proteins of which are essential or significant for survival of the targeted microbe, and which enzymatic steps or chemical reactions can be targeted by classical drug discovery methods using molecular inhibitors, for example, small molecule inhibitors.

Bacteriophage are generally either of two types, lytic or filamentous, meaning they either outright destroy their host and seek out new hosts after replication, or else continuously propogate and extrude progeny phage from the same host without destroying it. Regardless of the phage life cycle and type, preferred embodiments incorporate phage which impede cell growth in measurable fashion and preferably stop cell growth. To this end, lytic phage are preferred, although certain nonlytic species may also suffice, *e.g.*, if sufficiently bacteriostatic.

Various procedures that are commonly understood by those of skill in the art can be routinely employed to grow, isolate, and purify phage. Such procedures are

exemplified by those found in such common laboratory aids such as Maloy, S.R., Stewart, V.J., and Taylor, R.K. Genetic Analysis of Pathogenic Bacteria (1996) Cold Spring Harbor Laboratory Press; Maniatis, T. et al. (1989) Molecular Cloning: A Laboratory Manual, Cold Spring Harbor University Press, Cold Spring, N.Y.; and Ausubel, F.M. et al. (eds.) (1994) Current Protocols in Molecular Biology. John Wiley & Sons, Secaucus, N.J. The techniques generally involve the culturing of infected bacterial cells that are lysed naturally and/or chemically assisted, for example, by the use of an organic solvent such as chloroform that destroys the host cells thereby liberating the phage within. Following this, the cellular debris is centrifuged away from the supernatant containing the phage particles, and the phage then subsequently and selectively precipitated out of the supernatant using various methods usually employing the use of alcohols and/or other chemical compounds such as polyethylene glycol (PEG). The resulting phage can be further purified using various density gradient/centrifugation methodologies. The resulting phage are then chemically lysed, thereby releasing their nucleic acids that can be conveniently precipitated out of the supernatant to yield a viral nucleic acid supply of the phage of interest.

Exemplary bacteriophage are indicated in Table 1, along with sources where those phage may be obtained.

Exemplary bacteria include the reference bacteria for the identified viral strains, available from the same sources.

Characterizing Bacteriophage Genomes for ORFs

The third step involves systematically characterizing the genetic information contained in the phage genome. Within this genetic information is the sequence of all RNAs and proteins encoded by the phage, including those that are essential or instrumental in inhibiting their host. This characterization is preferably done in a systematic fashion. For example, this can be done by first isolating high molecular weight genomic DNA from the phage using standard bacterial lysis methods, followed by phage purification using density gradient ultracentrifugation, and extraction of nucleic acid from the purified phage preparation. The high molecular weight DNA is then analyzed to determine its size and to evaluate a proper strategy for its sequencing. The DNA is broken down into smaller size fragments by sonication or partial digestion with frequently cutting restriction enzymes such as Sau3A to yield predominantly 1 to 2 kilobase length DNA, which DNA can then be resolved by gel electrophoresis followed by extraction from the gel.

The ends of the fragments are enzymatically treated to render them suitable for cloning and the pools of fragments are cloned in a bacterial plasmid to generate a

library of the phage genome. Several hundred of these random DNA fragments contained in the plasmid vector are isolated as clones after introduction into an appropriate bacterium, usually *Escherichia coli*. They are then individually expanded in culture and the DNA from each individual clone is purified. The nucleotide sequences of the inserts of these clones are determined by standard automated or manual methods, using oligonucleotide primers located on either side of the cloning site to direct polymerase mediated sequencing (*e.g.*, the Sanger sequencing method or a modification of that method). Other sequencing methods can also be used.

The sequence of individual clones is then deposited in a computer, and specific software programs (for example Sequencher™, Gene Codes Corp.) are used to look for overlap between the various sequences, resulting in ordering of contig sequences and ultimately providing the complete sequence of the entire bacteriophage genome (one such example is given in Table 2 for *Staphylococcus aureus* bacteriophage 77). This complete nucleotide sequence is preferably determined with a redundancy of 3- to 5-fold (number of independent sequencing events covering the same region) in order to minimize sequencing errors.

Preferably, the bacterial strain used as a phage host should not possess any other innate plasmids, transposons, or other phage or incompatible sequences that would complicate or otherwise make the various manipulations and analyses more difficult.

Commercially available computer software programs are used to translate the nucleotide sequence of the phage to identify all protein sequences encoded by the phage (hereafter called open reading frames or ORFs). As phages are known to transcribe their genome into RNA from both strands, in both directions, and sometimes in more than one frame for the same sequence, this exercise is done for both strands and in all six possible reading frames. As evolutionary constraints have forced the phage to conserve all of its vital protein sequences in as small a genome as possible, it is straightforward to identify all the proteins encoded by the phage by simple examination of the 6 translation frames of the genome. Once these ORFs are identified, they are cataloged into a phage proteome database (Table 3 lists ORFs identified from phage 77). This analysis is preferably performed for each phage under study. The process of ORF identification can be varied depending on the desired results. For example, the minimum length for the putative encoded polypeptide can be varied, and/or putative coding regions that have an associated Shine-Dalgarno sequence can be selected. In the case of phage 77 ORFs, such parameter adjustment was performed and resulted in the identification of ORFs as listed herein. Different parameters had resulted in the identification of the ORFs listed in the preceding U.S.

Provisional Application 60/110,992, filed December 3, 1998, which is hereby incorporated by reference in its entirety.

Correlation of exemplary ORFs identified in that provisional application and as identified herein are shown in the following table:

ORF ID from 60/110,992	Genomic position	a.a. size	Start codon	ORF ID from 09/407,804	Genomic position	a.a. size	Start codon
77ORF016	2369-24024	251	TTG	77ORF017	23269-23982	237	ATG
77ORF019	39845-40501	218	ATA	77ORF019	39851-40501	216	ATG
77ORF050	29268-29564	98	ATG	77ORF182	29268-29564	98	ATG
77ORF050	29268-29564	98	ATG	77ORF043	29304-29564	86	ATG
77ORF067	34312-34551	79	CTG	77ORF104	34393-34551	52	ATG
77ORF146	29051-29212	53	ATG	77ORF102	29051-29212	53	ATG

Identifying and Characterizing Inhibitory Phage ORFs

The fourth step entails identifying the phage protein or proteins or RNA transcripts that have the ability to inhibit their bacterial hosts. This can be accomplished, for example, by either or both of two non-mutually exclusive methods. The first method makes use of bioinformatics. Over the past few years, a large amount of nucleotide sequence information and corresponding translated products have become available through large genome sequencing projects for a variety of organisms including mammals, insects, plants, unicellular eukaryotes (yeast and fungi), as well as several bacterial genomes such as *E. coli*, *Mycobacterium tuberculosis*, *Bacillus subtilis*, *Staphylococcus aureus* and many others. Such sequences have been deposited in public databases (for example, non-redundant sequence database at GenBank and SwissProt protein sequence database) (http://www.ncbi.nlm.nih.gov)) and can be freely accessed to compare any specific query sequence to those present in such databases. For example, GenBank contains over 1.6 billion nucleotides corresponding to 2.3 million sequence records. Several computer programs and servers (*e.g.*, TBLASTN) have been created to allow the rapid identification of homology between any given sequence from one organism to that of another present in such databases, and such programs are public and available free of charge.

In addition, it has been well established that basic biochemical pathways can be conserved in very distant organisms (for example bacteria and man), and that the proteins performing the various enzymatic steps in these pathways are themselves conserved at the amino acid sequence level. Thus, proteins performing similar functions (*e.g.* DNA repair, RNA transcription, RNA translation) have frequently preserved key structural signatures, identifiable by similarities across regions of

proteins (domains and motifs). The antimicrobials of the present invention will preferably target features and targets that are highly characteristic or conserved in microbes, and not higher organisms.

Most genomes encode individual proteins or groups of proteins that can be assembled into protein families that have been evolutionarily conserved. Therefore, similarity between a new query sequence and that of a member of a protein family (reference sequences from public databases) can immediately suggest a biochemical function for the novel query sequence, which in our case is a phage ORF.

The sequence homology between individual members of evolutionarily distant members of a protein family is usually not randomly distributed along the entire length of the sequence but is often clustered into "motifs". These correspond to key three-dimensional folds that form key catalytic and/or regulatory structures that perform key biochemical function(s) for the group of proteins. Commercially available computer software programs can identify such motifs in a new query sequence, again providing functional information for the query sequence. Such structural and functional motifs have also been derived from the combined analysis of primary sequence databases (protein sequences) and protein structure databases (X-ray crystallography, nuclear magnetic resonance) using so-called "threading" methods (Rost B,l and Sander C. (1996).*Ann. Rev. Biophy. Biomol. Struct.* 25, 113-136).

Such motifs and folds are themselves deposited in public databases which can be directly accessed (for example, SwissProt database; 3D-ALI at EMBL, Heidelberg; PROSITE). This basic exercise leads to a structural homology map in which each of the phage ORFs has been probed for such similarities, and where initial structural and functional hits are identified (selected examples of sequence homologies detected between individual ORFs from the genome of *Staphylococcus aureus* bacteriophage 77 and sequences deposited in public databases are shown in Table 5; listed are the proteins showing homologies and the TBLASTN scores quantifying the degree of sequence similarity between the two compared sequences).

This analysis can point out phage proteins with similarity to proteins from other phages (such as those for *E. coli*) playing an important role in the basic biochemical pathways of the phage (such as DNA replication, RNA transcription, tRNAs, coat protein and assembly). Selected examples of such proteins are shown in Tble 5. Therefore, this analysis enables identification and elimination of non-essential ORFs as candidates for an inhibitor function, as well as the identification of (potentially) useful ones.

In addition, this analysis can point out specific ORFs as possible inhibitor ORFs. For example these ORFs may encode proteins or enzymes that alter bacterial cell structure, metabolism or physiology, and ultimately viability. Examples of such

proteins present in the genome of *Staphylococcus aureus* bacteriophage 77 include orf14 (deoxyuridine triphosphatase from bacteriophage T5), and orf15 (sialidase).

In addition, it is well known that bacterial and eukaryotic viruses can usurp pathways from their host in order to use them to their advantage in blocking host cellular pathways upon infection. The phage can achieve this, for example, by overexpressing part or whole host-related sequences which are themselves regulating or rate limiting in key biochemical pathways of the host. The identification of sequence similarity between phage ORFs and bacterial host genome sequences will be highly indicative of such a mechanism (Selected examples of such homologies are listed in Table 5, e.g. orf4 (homologous to autolysin), orf20 (hypothetical protein from *Staphyloccus aureus*) and orf29 (hypothetical protein from *Staphyloccus aureus*). These ORFs can be analyzed by a standard biochemical approach to directly test their inhibitor functions (*e.g.*, as described below).

Alternatively, a homology search may reveal that a given phage ORF is related to a protein present in the databases having an activity known to be inhibitory, (*e.g.* inhibitor of host RNA polymerase by *E. coli* bacteriophage T7. Such a finding would implicate the phage ORF product in a related activity. This will also suggest that a new antimicrobial could be derived by a mimetic approach (*e.g.,* peptidomimetic) imitating this function or by a small molecule inhibitor to the bacterial target of the phage ORF, or any steps in the relevant host metabolic pathway, *e.g.*, high throughput screening of small molecule libraries. Selected examples of such similarity between ORFs of *Staphyloccus aureus* bacteriophage 77 and proteins with inhibitor functions for bacterial hosts are listed in Table 5. These include orf9 (similar to bacteriophage P1 *kilA* function), and orf4 (autolysin of *Staphylococcus aureus*, amidase enzymatic activity).

A reason for the biochemical study of individual ORFs for inhibitor function is that their expression or overexpression will block cellular pathways of the host, ultimately leading to arrest and/or inhibition of host metabolism. In addition, such ORFs can alter host metabolism in different ways, including modification of pathogenicity. Therefore, individual ORFs identified above are expressed, preferably overexpressed, in the host and the effect of this expression or overexpression on host metabolism and viability is measured. This approach can be systematically applied to every ORF of the phage, if necessary, and does not rely on the absolute identification of candidate ORFs by bioinformatics. Individual ORFs are resynthesized from the phage genomic DNA, *e.g.*, by the polymerase chain reaction (PCR), preferably using oligonucleotide primers flanking the ORF on either side. These single ORFs are preferably engineered so that they contain appropriate cloning sites at their extremities to allow their introduction into a new bacterial expression plasmid, allowing

propagation in a standard bacterial host such as *E. coli,* but containing the necessary information for plasmid replication in the target microbe such as *S. aureus* (hereafter referred to as shuttle vector). Shuttle vectors and their use are well known in the art.

Such shuttle vectors preferably also contain regulatory sequences that allow inducible expression of the introduced ORF. As the candidate ORF may encode an inhibitor function that will eliminate the host, it is beneficial that it not be expressed prior to testing for activity. Thus, screening for such sequences when expressed in a constitutive fashion is less likely to be successful when the inhibitor is lethal. In the exemplary inducible system presented in Figures 1A, 1B, and 2, regulatory sequences from the *ars* operon of *S. aureus* are used to direct individual ORF expression in *S. aureus.* The *ars* operon encodes a series of proteins which normally mediate the extrusion of arsenite and other trivalent oxyanions from the cells when they are exposed to such toxic substances in their environment. The operon encoding this detoxifying mechanism is normally silent and only induced when arsenite-related compounds are present. (Tauriainen, S. et al. (1997) *App. Env. Microb.*, Vol. 63, No. 11, p. 4456-4461.)

Therefore, individual phage ORFs can be expressed in *S. aureus* in an inducible fashion by adding to the culture medium non-toxic arsenite concentrations during the growth of individual *S. aureus* clones expressing such individual phage ORFs. Toxicity of the phage inhibitor ORF for the host is monitored by reduction or arrest of growth under induction conditions, as measured by optical density in liquid culture or after plating the induced cultures on solid medium. Subsequently, interference of the phage ORF with the host biochemical pathways ultimately leading to reduced or arrested host metabolism can be measured by pulse-chase experiments using radiolabeled precursors of either DNA replication, RNA transcription, or protein synthesis.

Those skilled in the art are familiar with a variety of other inducible systems which can also be used for the controlled expression of phage ORFs, including, for example, lactose (see *e.g.*, Stratagene's LacSwitch™II system; La Jolla, CA) and tetracycline-based systems (see, *e.g.* Clontech's Tet On/Tet Off™ system; Palo Alto, CA). The arsenite-inducible system described is further depicted in Figures 1A, 1B, and 2.

The selection or construction of shuttle vectors and the selection and use of inducible systems are well known and thus other shuttle vectors appropriate for other bacteria can be readily provided by those skilled in the art.

Standard methodologies for expressing proteins from constructs, and isolating and manipulating those proteins, for example in cross-linking and affinity chromatography studies, may be found in various commonly available and known

laboratory manuals. See, *e.g.*, Current Protocols in Protein Science, John Wiley & Sons, Secaucus, N.J., and Maniatis, T. et al. (1989) Molecular Cloning: A Laboratory Manual, Cold Spring Harbor University Press, Cold Spring, N.Y.

It has been found that certain phage or other viruses inhibit host cells, at least in part, by producing an antisense RNA which binds to and inhibits translation from a bacterial RNA seqeunce. Thus, in the case of potentially inhibitor RNA transcripts encoded by the phage genome, a strong indicator of a possible inhibitory function is provided by the identification of phage sequence which is the identical to or fully complementary (or with only a small percentage of mismatch, *e.g.*, <10%, preferably less than 5%, most preferably less than 3%, to a bacterial sequence. This approach is convenient in the case of bacteria which have been essentially completely sequenced, as the comparison can be performed by computer using public database information.

The inhibitory effect of the transcript can be confirmed using expression of the phage sequence in a host bacterium. If needed, such inhibitory can also be tested by transfecting the cells with a vector which will transcribe the phage sequence to form RNA in such manner that the RNA produced will not be translated into a polypeptide. Inhibition under such conditions provides a strong indication that the inhibition is due to the transcript rather than to an encoded polypeptide.

In an alternative, the expression of an ORF in a host bacterium is found to be inhibitory, but the inhibition if found to be due to an RNA product of the genomic coding region. For antisense inhibition, the sequence of the bacterial target nucleic acid sequence can be identified by inspection of the phage sequence, and the full sequence of the relevant coding region for the bacterial product can be found from a database of the bacterial genomic sequence or can be isolated by standard techniques (*e.g.*, a clone in a genomic library can be isolated which contains the full bacterial ORF, and then sequenced).

In either case, the identification of a target which is inhibited by an RNA transcript produced by a phage provides both the possible inhibition of bacteria naturally containing the same target nucleic acid sequence, as well as the ability to use the target sequence in screening for other types of compounds which will act directly on the target nucleic acid sequence or on a polypeptide product expressed or regulated, at least in part, by the target of the inhibitory phage RNA.

In some cases it will be found that the target of an inhibitory phage RNA or protein has previously been found to be a target of an inhibitory phage RNA or protein has previously been found to be a target for an antibacterial agent. In such cases, the phage inhibitor can still provide useful information if it is found that the phage-encoded product acts at a different site than the previously identified antibacterial agent or inhibitor, *i.e.*, acts at a phage-specific site. For many targets,

action at a different site provides highly beneficial characteristics and/or information. For example, an alternate site of inhibitor action can at least partially overcome a resistance mechanism in a bacterium. As an illustration, in many cases, resistance is due, in large part, to altered binding characteristics of the immediate target to the antibacterial agent. The altered binding is due to a structural change which prevents or destabilizes the binding. However, the structural change is frequently quite local, so that compounds which bind at different local sites will b unaffected or affected to a much lesser degree. Indeed, in some cases the local sites will be on a different molecule and so may be completely unaffected by the local structural change creating resistance to the original agent(s). An example of resistance due to altered binding is provided by methicillin-resistant *Staphylococcus aureus*, in which the resistance is due to an altered penicillin-binding protein.

In other cases, a new site of action can have improved accessibility as compared to a site acted on by a previously identified agent. This can, for example, assist in allowing effective treatment at lower doses, or in allowing access by a larger range of types of compounds, potentially allowing identification of more potential active agents.

Another advantage is that the structural characteristics of a different site of action will lead to identification and/or development of inhibitors with different structures and different pharmacological parameter. This can allow a greater range of possibilities when selecting an antibacterial agent.

Yet further, different sites often produce different inhibitory characteristics in the target organism. This is commonly the case for multi-domain target proteins. Thus, inhibition targeting an alternate site can produce more efficacious action, *e.g.*, faster killing, slower development of resistance, lower numbers of surviving cells, and different secondary effects (for example, different nutrient utilization).

Validating Identified Inhibitory Phage ORFs

A fifth step involves validating the identified phage inhibitor ORF by independent methods, and delineating further possible smaller segments of the ORFs that have inhibitory activity. Several methods exist to validate the role of the identified ORF as an inhibitor ORF.

One example utilizes the creation of a mutant variant of the phage ORF in which the candidate ORF carries a partial or complete loss-of-function mutation that is measurable as compared with the non-mutant ORF. Comparison of the effects of expression of the loss of function mutant with the normal ORF provides confirmation of the identification of an inhibitor ORF where the loss of function mutant provides a

measurably lower level of inhibition, preferably no inhibition. The loss of function may be conditional, *e.g.*, temperature sensitive.

Once validation of the inhibitor ORF is achieved, a bi-directional deletion analysis can be carried out using the same experimental system to identify the minimal polypeptide segment that has inhibitor activity. This may be carried out by a variety of means, *e.g.*, by exonuclease or PCR methodologies, and is used to determine if a relatively small segment of the ORF (*i.e.*, the product of the ORF) still possesses inhibitory activity when isolated away from its native sequence. If so, a portion of the ORF encoding this "active portion" can be used as a template for the synthesis of novel anti-microbial agents and further allowing derivation of the peptide sequence, *e.g.*, using modified peptides and/or peptidomimetics.

In creation of certain peptidomimetics, the peptide backbone is transformed into a carbon-based hydrophobic structure that can retain inhibitor activity against the bacterium. This is done by standard medicinal chemistry methods, typically monitored by measuring growth inhibition of the various molecules in liquid cultures or on solid medium. These mimetics can also represent lead compounds for the development of novel antibiotics.

Recently, a major effort has been undertaken by the pharmaceutical industry and their biotechnology partners for the sequencing of bacterial pathogen genomes. The rationale is that the systematic sequencing of the genome will identify all of the bacterial proteins and therefore this proteome will be the target for designing novel inhibitor antibiotics. Although systematic, this approach has several major problems. The first is that analysis of primary amino acid sequences of bacterial proteins does not immediately reveal which protein will be essential for viability of the bacterium, and target validation is thus a major issue. The second problem is one of redundancy, as several biochemical pathways are either structurally duplicated in bacteria (different isoforms of the same enzyme), or functionally duplicated by the presence of salvage pathways in the event of a metabolic block in one pathway (different nutritional conditions). The third is that even a valid target may not be structurally or functionally amenable to inhibition by small molecules because of inaccessibility (sequestration of target).

Therefore, there is considerable interest within the pharmaceutical and biotechnology industry in identifying key targets for drug discovery amongst the mass of novel targets generated by large-scale genomic sequencing projects.

On the other hand, and underscoring the instant invention, the phages herein described have, over millions of years, evolved specific mechanisms to target such key biochemical pathways and proteins. In the few cases where inhibition by phages has been elucidated (*e.g.*, see ref. 3), such bacterial targets are invariably rate-limiting

in their respective biochemical pathways, are not redundant, and/or are readily accessible for inhibition by the phage (or by another inhibitory compound). Therefore, the sixth step of this invention involves identifying the host biochemical pathways and proteins that are targeted by the phage inhibitory mechanisms.

Identifying, Validating, and Characterizing Bacterial Host Target Proteins and Affected Pathways

A rationale for this step is that the inhibitor ORF product from the phage physically interacts with and/or modifies certain microbial host components to block their function. Exemplary approaches which can be used to identify the host bacterial pathways and proteins that interact with, and preferably also are inhibited by, phage ORF product(s) are described below.

The first approach is a genetic screen to determine physiological protein:protein interaction, for example, using a yeast two hybrid system. In this assay, the phage ORF is fused to the carboxyl terminus of the yeast Gal4 activation domain II (amino acids 768-881) to create a bait vector. A cDNA library of cloned *S. aureus* sequences which have been engineered into a plasmid where the *S. aureus* sequences are fused to the DNA binding domain of Gal4 is also generated. These plasmids are introduced alone, or in combination, into yeast strain Y190 - previously engineered with chromosomally integrated copies of the *E. coli lacZ* and the selectable HIS3 genes, both under Gal4 regulation (Durfee, T., Becherer, K., Chen, P.-L., Yeh, S.-H., Yang, Y., Kilburn, A.E., Lee, W.-H., and Elledge, S.J. (1993). *Genes & Dev.* 7, 555-569). If the two proteins expressed in yeast interact, the resulting complex will activate transcription from promoters containing Gal4 binding sites. A *lacZ* and His3 gene, each driven by a promoter containing Gal4 binding sites, have been integrated into the genome of the host yeast system used for measuring protein-protein interactions. Such a system provides a physiological environment in which to detect potential protein interactions. This system has been extensively used to identify novel protein-protein interaction partners and to map the sites required for interaction (for example, to identify interacting partners of translation factors (Qiu, H., Garcia-Barrio, M.T., and Hinnebusch, A.G. (1998). *Mol & Cell Biology* 18, 2697-2711), transcription factors (Katagiri, T., Saito, H., Shinohara, A., Ogawa, H., Kamada, N., Nakamura ,Y., and Miki, Y. (1998). Genes, *Chromosomes & Cancer* 21, 217-222), and proteins involved in signal transduction (Endo, T.A., Masuhara, M., Yokouchi,

M., Suzuki, R., Sakamoto, H., Mitsui, K., Matsumoto, A., Tanimura, S., Ohtsubo, M., Misawa, H., Miyazaki, T., Leonor N., Taniguchi, T., Fujita, T., Kanakura, Y., Komiya, S., and Yoshimura, A. *Nature.* 387, 921-924). This approach has also been used in many published reports to identify interaction between mammalian viral and mammalian cell proteins.

For example, the non-structural protein NS1 of parvovirus is essential for viral DNA amplification and gene expression and is also the major cytopathic effector of these viruses. A yeast two-hybrid screen with NS1 identified a novel cellular protein of unknown function that interacts with NS-1, called SGT, for small glutamine-rich tetratricopeptide repeat (TPR)-containing protein (Cziepluch C. Kordes E. Poirey R. Grewenig A. Rommelaere, J, and Jauniaux JC. (1998) *J Virol.* 72, 4149-4156). In another screen, the adenovirus E3 protein was recently shown to interact with a novel tumor necrosis factor alpha-inducible protein and to modulate some of the activities of E3 (Li Y. Kang J. and Horwitz M.S. (1998). *Mol & Cell Biol.* 18, 1601-1610). In yet another recent screen, the herpes simplex virus 1 alpha regulatory protein ICP0 was found to interact with (and stabilize) the cell cycle regulator cyclin D3 (Kawaguchi Y. Van Sant C. and Roizman B. (1997). *J Virol.* 71,7328-7336).

Another two-hybrid system for identifying protein:protein interactions is commercially available from STRATEGENE™ as the CYTO-TRAP™ system (Chang et al., *Strategies Newsletter* 11(3), 65-68 (1998)(from Stratagene)). The system is a yeast-based method for detecting protein:protein interactions *in vivo*, using activation of the Ras signal transduction cascade by localizing a signal pathway component, human Sos (hSos), to its activation site in the yeast plasma membrane. The system uses a temperature-sensitive *Saccharomyces cerevisiae* mutant, strain cdc25H, which contains a point mutation at amino acid residue 1328 of the cdc25 gene. This gene encodes a guanyl nucleotide exchange factor which binds and activates Ras, leading to cell growth. The mutation in the cdc25 gene prevents host growth at 37°C, but at a permissive temperature of 25°C, growth is normal. The system utilizes the ability of (hSos) to complement the cdc25 defect and activate the yeast Ras signaling pathway. Once (hSos) is expressed and localized to the plasma membrane, the cdc25H yeast strain grows at 37°C. Localizing hSos to the plasma membrane occurs through a protein:protein interaction. A protein of interest, or bait, is expressed as a fusion protein with hSos. The library, or target proteins are

expressed with the myristylation membrane-localization signal. The yeast cells are then incubated under restrictive conditions (37°C). If the bait and the target protein interact, the hSos protein is recruited to the membrane, activating the Ras signaling pathway and allowing the cdc25H yeast strain to grow at the restrictive temperature.

The second approach is based on identifying protein:protein interactions between the phage ORF product and bacterial *S. aureus,* e.g., proteins using a biochemical approach based, for example, on affinity chromatography. This approach has been used, for example, to identify interactions between lambda phage proteins and proteins from their *E. coli* host (Sopta, M., Carthew, R.W., and Greenblatt, J. (1985) *J. Biol. Chem.* 260, 10353-10369). The phage ORF is fused to a peptide tag (*e.g.* glutathione-S-transferase ("GST"), 6xHIS, ("HIS") and/or calmodulin binding protein ("CPB")) within a commercially available plasmid vector that directs high level expression on induction of a suitably responsive promoter driving the fusion's expression. The translated fusion protein is expressed in *E. coli*, purified, and immobilized on a solid phase matrix via, for example the tag. Total cell extracts from the host bacterium, *e.g.*, *S. aureus*, are then passed through the affinity matrix containing the immobilized phage ORF fusion protein; host proteins retained on the column are then eluted under different conditions of ionic strength, pH, detergents etc., and characterized by gel electrophoresis and other techniques. Appropriate controls are run to guard against nonspecific binding to the resin. Target proteins thus recovered should be enriched for the phage protein/peptide of interest and are subsequently electrophoretically or otherwise separated, purified, sequenced, or biochemically analyzed. Usually sequencing entails individual digestion of the proteins to completion with a protease (*e.g.*-trypsin), followed by molecular mass and amino acid composition and sequence determination using, for example, mass spectrometry, *e.g.*, by MALDI-TOF technology (Qin, J., Fenyo, D., Zhao, Y., Hall, W.W., Chao, D.M., Wilson, C.J., Young, R.A. and Chait, B.T. (1997). *Anal. Chem.* 69, 3995-4001).

The sequence of the individual peptides from a single protein are then analyzed by the bioinformatics approach described above to identify the *S. aureus* protein interacting with the phage ORF. This analysis is performed by a computer search of the *S. aureus* genome for an identified sequence. Alternatively, all tryptic peptide fragments of the *S. aureus* genome can be predicted by computer software,

and the molecular mass of such fragments compared to the molecular mass of the peptides obtained from each interacting protein eluted from the affinity matrix. The responsible gene sequence can be obtained, for example by using synthetic degenerate nucleic acid sequences to pull out the corresponding homologous bacterial sequence. Alternatively, antibodies can be generated against the peptide and used to isolate nascent peptide/mRNA transcript complexes, from which the mRNA can be reverse transcribed, cloned, and further characterized using the procedures discussed herein.

A variety of other binding assay methods are known in the art and can be used to identify interactions between phage proteins and bacterial proteins or other bacterial cell components. Such methods which allow or provide identification of the bacterial component can be used in this invention for identifying putative targets.

Validation of the interaction between the phage ORF product and the bacterial proteins or other components can be obtained by a second independent assay (*e.g.*, co-immunoprecipitation or protein-protein crosslinking experiments (Qiu, H., Garcia-Barrio, M.T., and Hinnebusch, A.G. (1998). *Mol & Cell Biology* 18, 2697-2711; Brown, S. and Blumenthal, T. (1976). *Proc. Natl. Acad. Sci. USA* 73, 1131-1135)).

Finally, the essential nature of the identified bacterial proteins is preferably determined genetically by creating a constitutive or inducible partial or complete loss-of-function mutation in the gene encoding the identified interacting bacterial protein. This mutant is then tested for bacterial survival and replication.

The protein target of the phage inhibitor function can also be identified using a genetic approach. Two exemplary approaches will be delineated here. The first approach involves the overexpression of a predetermined phage inhibitor protein in mutagenized host bacteria, *e.g.*, *S. aureus,* followed by plating the cells and searching for colonies that can survive the inhibitor. These colonies will then be grown, their DNA extracted and cloned into an expression vector that contains a replicon of a different incompatibility group, and preferably having a different selectible marker than the plasmid expressing the phage inhibitor. Thus, host DNA fragments from the mutant that can protect the cell from phage ORF inhibition can be sequenced and compared with that of the bacterial host to determine in which gene the mutation lies. This approach allows rapid determination of the targets and pathways that are affected by the inhibitor.

Alternatively, the bacterial targets can be determined in the absence of selecting for mutations using an approach known as "multicopy suppression". In this approach, the DNA from the wild type host is cloned into an expression vector that can coexist, as previously described, with one containing a predetermined phage inhibitor. Those plasmids that contain host DNA fragments and genes that protect the host from the phage inhibitor can then be isolated and sequenced to identify putative targets and pathways in the host bacteria.

Regardless of the specific mode of identification, screening assays may additionally utilize gene fusions to specific "reporter genes" to identify a bacterial gene(s) whose expression is affected when the host target pathway is affected by the phage inhibitor. Such gene fusions can be used to search a number of small molecule compounds for inhibitors that may affect this pathway and thus cause cell inhibition. This approach will allow the screening of a large number of molecules on petri dishes or 96-well format by monitoring for a simple color change in the bacterial colonies. In this manner, we can validate host targets and classes of compounds for further study and clinical development. These inhibitors also represent lead compounds for the development of other antibiotics.

Bioinformatics and comparative genomics are preferably then applied to the identified bacterial gene products to predict biochemical function. The biochemical activity of the protein can be verified *in vitro* in cell free assays or *in vivo* in intact cells. *In vitro* biochemical assays utilizing cell-free extracts or purified protein are established as a basis for the screening and development of inhibitors.

These inhibitors, preferably small molecule inhibitors, may comprise peptides, antibodies, products from natural sources such as fungal or plant extracts or small molecule organic compounds. In general, small molecule organic compounds are preferred. These compounds may, for example, be identified within large compound libraries, including combinatorial libraries. For example, a plurality of compounds, preferably a large number of compounds can be screened to determine whether any of the compounds binds or otherwise disrupts or inhibits the identified bacterial target. Compounds identified as having any of these activities can then be evaluated further in cell culture and/or animal model systems to determine the pharmacological properties of the compound, including the specific anti-microbial ability of the compound.

For mixtures of natural products, including crude preparations, once a preparation or fraction of a preparation is shown the have an anti-microbial activity, the active substance can be isolated and identified using techniques well known in the art, if the compound is not already available in a purified form.

Identified compounds possessing anti-microbial activity and similar compounds having structural similarity can be further evaluated and, if necessary, derivatized according to synthesis and/or modification methods available in the art selected as appropriate for the particular starting molecule.

Derivatization of identified anti-microbials

In cases where the identified anti-microbials above might represent peptidal compunds, the *in vivo* effectiveness of such compounds may be advantageously enhanced by chemical modification using the natural polypeptide as a starting point and incorporating changes that provide advantages for use, for example, increased stability to proteolytic degradation, reduced antigenicity, improved tissue penetration, and/or improved delivery characteristics.

In addition to active modifications and derivative creations, it can also be useful to provide inactive modifications or derivatives for use as negative controls or introduction of immunologic tolerance. For example, a biologically inactive derivative which has essentially the same epitopes as the corresponding natural antimicrobial can be used to induce immunological tolerance in a patient being treated. The induction of tolerance can then allow uninterrupted treatment with the active anti-microbial to continue for a significantly longer period of time.

Modified anti-microbial polypeptides and derivatives can be produced using a number of different types of modifications to the amino acid chain. Many such methods are known to those skilled in the art. The changes can include, for example, reduction of the size of the molecule, and/or the modification of the amino acid sequence of the molecule. In addition, a variety of different chemical modifications of the naturally occurring polypeptide can be used, either with or without modifications to the amino acid sequence or size of the molecule. Such chemical modifications can, for example, include the incorporation of modified or non-natural amino acids or non-amino acid moieties during synthesis of the peptide chain, or the post-synthesis modification of incorporated chain moieties.

The oligopeptides of this invention can be synthesized chemically or through an appropriate gene expression system. Synthetic peptides can include both naturally occurring amino acids and laboratory synthesized, modified amino acids.

Also provided herein are functional derivatives of anti-microbial proteins or polypeptides. By "functional derivative" is meant a "chemical derivative," "fragment," "variant," "chimera," or "hybrid" of the polypeptide or protein, which terms are defined below. A functional derivative retains at least a portion of the function of the protein, for example reactivity with a specific antibody, enzymatic activity or binding activity.

A "chemical derivative" of the complex contains additional chemical moieties not normally a part of the protein or peptide. Such moieties may improve the molecule's solubility, absorption, biological half-life, and the like. The moieties may alternatively decrease the toxicity of the molecule, eliminate or attenuate any undesirable side effect of the molecule, and the like. Moieties capable of mediating such effects are disclosed in Alfonso and Gennaro (1995). Procedures for coupling such moieties to a molecule are well known in the art. Covalent modifications of the protein or peptides are included within the scope of this invention. Such modifications may be introduced into the molecule by reacting targeted amino acid residues of the peptide with an organic derivatizing agent that is capable of reacting with selected side chains or terminal residues, as described below.

Cysteinyl residues most commonly are reacted with alpha-haloacetates (and corresponding amines), such as chloroacetic acid or chloroacetamide, to give carboxymethyl or carboxyamidomethyl derivatives. Cysteinyl residues also are derivatized by reaction with bromotrifluoroacetone, chloroacetyl phosphate, N-alkylmaleimides, 3-nitro-2-pyridyl disulfide, methyl 2-pyridyl disulfide, p-chloro-mercuribenzoate, 2-chloromercuri-4-nitrophenol, or chloro-7-nitrobenzo-2-oxa-1,3-diazole.

Histidyl residues are derivatized by reaction with diethylprocarbonate at pH 5.5-7.0 because this agent is relatively specific for the histidyl side chain. Para-bromophenacyl bromide also is useful; the reaction is preferably performed in 0.1 M sodium cacodylate at pH 6.0.

Lysinyl and amino terminal residues are reacted with succinic or other carboxylic acid anhydrides. Derivatization with these agents has the effect of

reversing the charge of the lysinyl residues. Other suitable reagents for derivatizing primary amine- containing residues include imidoesters such as methyl picolinimidate; pyridoxal phosphate; pyridoxal; chloroborohydride; trinitrobenzenesulfonic acid; O-methylisourea; 2,4 pentanedione; and transaminase-catalyzed reaction with glyoxylate.

Arginyl residues are modified by reaction with one or several conventional reagents, among them phenylglyoxal, 2,3-butanedione, 1,2-cyclohexanedione, and ninhydrin. Derivatization of arginine residues requires that the reaction be performed in alkaline conditions because of the high pK_a of the guanidine functional group. Furthermore, these reagents may react with the groups of lysine as well as the arginine alpha-amino group.

Tyrosyl residues are well-known targets of modification for introduction of spectral labels by reaction with aromatic diazonium compounds or tetranitromethane. Most commonly, N-acetylimidizol and tetranitromethane are used to form O-acetyl tyrosyl species and 3-nitro derivatives, respectively.

Carboxyl side groups (aspartyl or glutamyl) are selectively modified by reaction carbodiimide (R'-N-C-N-R') such as 1-cyclohexyl-3-(2-morpholinyl(4-ethyl) carbodiimide or 1-ethyl-3-(4-azonia-4,4-dimethylpentyl) carbodiimide. Furthermore, aspartyl and glutamyl residues are converted to asparaginyl and glutaminyl residues by reaction with ammonium ions.

Glutaminyl and asparaginyl residues are frequently deamidated to the corresponding glutamyl and aspartyl residues. Alternatively, these residues are deamidated under mildly acidic conditions. Either form of these residues falls within the scope of this invention.

Derivatization with bifunctional agents is useful, for example, for cross-linking component peptides to each other or the complex to a water-insoluble support matrix or to other macromolecular carriers. Commonly used cross-linking agents include, for example, 1,1-bis (diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, for example, esters with 4-azidosalicylic acid, homobi-functional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), and bifunctional maleimides such as bis-N-maleimido-1,8-octane. Derivatizing agents such as methyl-3-[p-azidophenyl) dithiolpropioimidate yield photoactivatable intermediates that are capable of forming

crosslinks in the presence of light. Alternatively, reactive water-insoluble matrices such as cyanogen bromide-activated carbohydrates and the reactive substrates described in U.S. Patent Nos. 3,969,287; 3,691,016; 4,195,128; 4,247,642; 4,229,537; and 4,330,440 are employed for protein immobilization.

Other modifications include hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl or threonyl residues, methylation of the alpha-amino groups of lysine, arginine, and histidine side chains (Creighton, T.E., *Proteins: Structure and Molecular Properties*, W.H. Freeman & Co., San Francisco, pp. 79-86 (1983)), acetylation of the N-terminal amine, and, in some instances, amidation of the C-terminal carboxyl groups.

Such derivatized moieties may improve the stability, solubility, absorption, biological half life, and the like. The moieties may alternatively eliminate or attenuate any undesirable side effect of the protein complex. Moieties capable of mediating such effects are disclosed, for example, in Alfonso and Gennaro (1995).

The term "fragment" is used to indicate a polypeptide derived from the amino acid sequence of the protein or polypeptide having a length less than the full-length polypeptide from which it has been derived. Such a fragment may, for example, be produced by proteolytic cleavage of the full-length protein. Preferably, the fragment is obtained recombinantly by appropriately modifying the DNA sequence encoding the proteins to delete one or more amino acids at one or more sites of the C-terminus, N-terminus, and/or within the native sequence.

Another functional derivative intended to be within the scope of the present invention is a "variant" polypeptide which either lacks one or more amino acids or contains additional or substituted amino acids relative to the native polypeptide. The variant may be derived from a naturally occurring polypeptide by appropriately modifying the protein DNA coding sequence to add, remove, and/or to modify codons for one or more amino acids at one or more sites of the C-terminus, N-terminus, and/or within the native sequence.

A functional derivative of a protein or polypeptide with deleted, inserted and/or substituted amino acid residues may be prepared using standard techniques well-known to those of ordinary skill in the art. For example, the modified components of the functional derivatives may be produced using site-directed mutagenesis techniques (as exemplified by Adelman et al., 1983, *DNA* 2:183;

Sambrook et al., 1989) wherein nucleotides in the DNA coding sequence are modified such that a modified coding sequence is produced, and thereafter expressing this recombinant DNA in a prokaryotic or eukaryotic host cell, using techniques such as those described above. Alternatively, components of functional derivatives of complexes with amino acid deletions, insertions and/or substitutions may be conveniently prepared by direct chemical synthesis, using methods well-known in the art.

Insofar as other anti-microbial inhibitor compounds identified by the invention described herein may not be peptidal in nature, other chemical techniques exist to allow their suitable modification, as well, and according the desirable principles discussed above.

Administration and Pharmaceutical Compositions

For the therapeutic and prophylactic treatment of infection, the preferred method of preparation or administration of anti-microbial compounds will generally vary depending on the precise identity and nature of the anti-microbial being delivered. Thus, those skilled in the art will understand that administration methods known in the art will also be appropriate for the compounds of this invention.

The particularly desired anti-microbial can be administered to a patient either by itself, or in pharmaceutical compositions where it is mixed with suitable carriers or excipient(s). In treating an infection, a therapeutically effective amount of an agent or agents is administered. A therapeutically effective dose refers to that amount of the compound that results in amelioration of one or more symptoms of bacterial infection and/or a prolongation of patient survival or patient comfort.

Toxicity, therapeutic and prophylactic efficacy of anti-microbials can be determined by standard pharmaceutical procedures in cell cultures and/or experimental organisms such as animals, *e.g.,* for determining the LD_{50} (the dose lethal to 50% of the population) and the ED_{50} (the dose therapeutically effective in 50% of the population). The dose ratio between toxic and therapeutic effects is the therapeutic index and it can be expressed as the ratio LD_{50}/ED_{50}. Compounds which exhibit large therapeutic indices are preferred. The data obtained from these cell culture assays and animal studies can be used in formulating a range of dosage for use in humans. The dosage of such compounds lies preferably within a range of

circulating concentrations that include the ED_{50} with little or no toxicity. The dosage may vary within this range depending upon the dosage form employed and the route of administration utilized.

For any compound identified and used in the method of the invention, the therapeutically effective dose can be estimated initially from cell culture assays. Such information can be used to more accurately determine useful doses in organisms such as plants and animals, preferably mammals, and most preferably humans. Levels in plasma may be measured, for example, by HPLC or other means appropriate for detection of the particular compound.

The exact formulation, route of administration and dosage can be chosen by the individual physician in view of the patient's condition (see *e.g.* Fingl et. al., in The Pharmacological Basis of Therapeutics, 1975, Ch. 1 p.1).

It should be noted that the attending physician would know how and when to terminate, interrupt, or adjust administration due to toxicity, organ dysfunction, or other systemic malady. Conversely, the attending physician would also know to adjust treatment to higher levels if the clinical response were not adequate (precluding toxicity). The magnitude of an administered dose in the management of the disorder of interest will vary with the severity of the condition to be treated and the route of administration. The severity of the condition may, for example, be evaluated, in part, by standard prognostic evaluation methods. Further, the dose and perhaps dose frequency, will also vary according to the age, body weight, and response of the individual patient. A program comparable to that discussed above also may be used in veterinary or phyto medicine.

Depending on the specific infection target being treated and the method selected, such agents may be formulated and administered systemically or locally, i.e., topically. Techniques for formulation and administration may be found in Alfonso and Gennaro (1995). Suitable routes may include , for example, oral, rectal, transdermal, vaginal, transmucosal, intestinal, parenteral, intramuscular, subcutaneous, or intramedullary injections, as well as intrathecal, intravenous, or intraperitoneal injections.

For injection, the agents of the invention may be formulated in aqueous solutions, preferably in physiologically compatible buffers such as Hanks' solution, Ringer's solution, or physiological saline buffer. For transmucosal administration,

penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art.

Use of pharmaceutically acceptable carriers to formulate identified anti-microbials of the present invention into dosages suitable for systemic administration is within the scope of the invention. With proper choice of carrier and suitable manufacturing practice, the compositions of the present invention, in particular those formulated as solutions, may be administered parenterally, such as by intravenous injection. Appropriate compounds can be formulated readily using pharmaceutically acceptable carriers well known in the art into dosages suitable for oral administration. Such carriers enable the compounds of the invention to be formulated as tablets, pills, capsules, liquids, gels, syrups, slurries, suspensions and the like, for oral ingestion by a patient to be treated.

Agents intended to be administered intracellularly may be administered using techniques well known to those of ordinary skill in the art. For example, such agents may be encapsulated into liposomes, then administered as described above. Liposomes are spherical lipid bilayers with aqueous interiors. All molecules present in an aqueous solution at the time of liposome formation are incorporated into the aqueous interior. The liposomal contents are both protected from the external microenvironment and, because liposomes fuse with cell membranes, are efficiently delivered into the cell cytoplasm. Additionally, due to their hydrophobicity, small organic molecules may be directly administered intracellularly.

Pharmaceutical compositions suitable for use in the present invention include compositions wherein the active ingredients are contained in an effective amount to achieve the intended purpose. Determination of the effective amounts is well within the capability of those skilled in the art.

In addition to the active ingredients, these pharmaceutical compositions may contain suitable pharmaceutically acceptable carriers comprising excipients and auxiliaries which facilitate processing of the active compounds into preparations which can be used pharmaceutically. The preparations formulated for oral administration may be in the form of tablets, dragees, capsules, or solutions, including those formulated for delayed release or only to be released when the pharmaceutical reaches the small or large intestine.

The pharmaceutical compositions of the present invention may be manufactured in a manner that is itself known, *e.g.*, by means of conventional mixing, dissolving, granulating, dragee-making, levitating, emulsifying, encapsulating, entrapping or lyophilizing processes.

Pharmaceutical formulations for parenteral administration include aqueous solutions of the active anti-microbial compounds in water-soluble form. Alternatively, suspensions of the active compounds may be prepared as appropriate oily injection suspensions. Suitable lipophilic solvents or vehicles include fatty oils such as sesame oil, or synthetic fatty acid esters, such as ethyl oleate or triglycerides, or liposomes. Aqueous injection suspensions may contain substances which increase the viscosity of the suspension, such as sodium carboxymethyl cellulose, sorbitol, or dextran. Optionally, the suspension may also contain suitable stabilizers or agents which increase the solubility of the compounds to allow for the preparation of highly concentrated solutions.

Pharmaceutical preparations for oral use can be obtained by combining the active compounds with solid excipient, optionally grinding a resulting mixture, and processing the mixture of granules, after adding suitable auxiliaries, if desired, to obtain tablets or dragee cores. Suitable excipients are, in particular, fillers such as sugars, including lactose, sucrose, mannitol, or sorbitol; cellulose preparations such as, for example, maize starch, wheat starch, rice starch, potato starch, gelatin, gum tragacanth, methyl cellulose, hydroxypropylmethyl-cellulose, sodium carboxymethylcellulose, and/or polyvinylpyrrolidone (PVP). If desired, disintegrating agents may be added, such as the cross-linked polyvinyl pyrrolidone, agar, or alginic acid or a salt thereof such as sodium alginate.

Dragee cores are provided with suitable coatings. For this purpose, concentrated sugar solutions may be used, which may optionally contain gum arabic, talc, polyvinyl pyrrolidone, carbopol gel, polyethylene glycol, and/or titanium dioxide, lacquer solutions, and suitable organic solvents or solvent mixtures. Dyestuffs or pigments may be added to the tablets or dragee coatings for identification or to characterize different combinations of active compound doses.

Pharmaceutical preparations which can be used orally include push-fit capsules made of gelatin, as well as soft, sealed capsules made of gelatin and a plasticizer, such as glycerol or sorbitol. The push-fit capsules can contain the active

ingredients in admixture with filler such as lactose, binders such as starches, and/or lubricants such as talc or magnesium stearate and, optionally, stabilizers. In soft capsules, the active compounds may be dissolved or suspended in suitable liquids, such as fatty oils, liquid paraffin, or liquid polyethylene glycols. In addition, stabilizers may be added.

The above methodologies may be employed either actively or prophylactically against an infection of interest.

Computer-related Aspects and Embodiments

In addition to the provision of compounds as chemical entities, nucleotide sequences, or fragments thereof at least 95%, preferably at least 97%, more preferably at least 99%, and most preferably at least 99.9% identical to phage inhibitor sequences can also be provided in a variety of additional media to facilitate various uses.

Thus, as used in this section, "provided" refers to an article of manufacture, rather than an actual nucleic acid molecule, which contains a nucleotide sequence of the present invention; *e.g.*, a nucleotide sequence of an exemplary bacteriophage or a sequence encoding a bacterial target or a fragment thereof, preferably a nucleotide sequence at least 95%, more preferably at least 99% and most preferably at least 99.9% identical to such a bacteriophage or bacterial sequence, for example, to a polynucleotide of an unsequenced phage listed in Table 1, preferably of bacteriophage 77 (*S. aureus* host) or bacteriophage 3A (*S.aureus* host) or bacteriophage 96 (*S. aureus* host). Such an article provides a large portion of the particular bacteriophage genome or bacterial gene and parts thereof (*e.g.*, a bacteriophage open reading frame (ORF)) in a form which allows a skilled artisan to examine and/or analyze the sequence using means not directly applicable to examining the actual genome or gene or subset thereof as it exists in nature or in purified form as a chemical entity.

In one application of this aspect, a nucleotide sequence of the present invention can be recorded on computer readable media. As used herein, "computer readable media" refers to any medium that can be read and accessed directly by a computer. Such media include, but are not limited to: magnetic storage media, such as floppy discs, hard disc storage medium, magnetic tape; optical storage media such as CD-ROM; electrical storage media such as RAM and ROM; and hybrids of these categories, such as magnetic/optical storage media. A skilled artisan can readily appreciate how any of the presently known computer readable mediums can be used to create an article of manufacture which includes one or more computer readable media having recorded thereon a nucleotide sequence or sequences of the present invention. Likewise, it will be clear to those of skill how additional computer

readable media that may be developed also can be used to create analogous manufactures having recorded thereon a nucleotide sequence of the present invention.

As used herein, "recorded" refers to a process for storing information on computer readable medium. A skilled artisan can readily adopt any of the presently known methods for recording information on computer readable medium to generate manufactures comprising the nucleotide sequence information of the present invention.

A variety of data storage structures are available to a skilled artisan for creating a computer readable medium having recorded thereon a nucleotide sequence of the present invention. The choice of the data storage structure will generally be based on the means chosen to access the stored information. In addition, a variety of data processor programs and formats can be used to store the nucleotide sequence information of the present invention on computer readable medium. The sequence information can, for example, be presented in a word processing test file, formatted in commercially available software such as WordPerfect and Microsoft Word, or represented in the form of an ASCII file, stored in a database application, such as DB2, Sybase, Oracle, or the like. A skilled artisan can readily adapt any number of data processor structuring formats (*e.g.*, text file or database) in order to obtain computer readable medium having recorded thereon the nucleotide sequence information of the present invention.

Computer software is publicly available which allows a skilled artisan to access sequence information provided in a computer readable medium. Thus, by providing in computer readable form a nucleotide sequence of an unsequenced bacteriophage, such as an exemplary bacteriophage listed in Table 1 or of a sequence encoding a bacterial target or a fragment thereof, preferably a nucleotide sequence at least 95%, more preferably at least 99% and most preferably at least 99.9% identical to such a bacteriophage or bacterial sequence, for example, to a polynucleotide of bacteriophage 77 (*S. aureus* host) or bacteriophage 3A (*S.aureus* host) or bacteriophage 96 (*S. aureus* host), the present invention enables the skilled artisan to routinely access the provided sequence information for a wide variety of purposes.

Those skilled in the art understand that software can implement a variety of different search or analysis software which implement sequence search and analysis algorithms, *e.g.*, the BLAST (Altschul et al., J. Mol. Biol. 215:403410 (1990) and BLAZE (Brutlag et al., Comp. Chem 17:203-207 (1993)) search algorithms. For example, such search algorithms can be implemented on a Sybase system and used to identify open reading frames (ORFs) within the bacteriophage genome which contain homology to ORFs or proteins from other viruses, e.g, other bacteriophage, and other organisms, *e.g.*, the host bacterium. Among the ORFs discussed herein are protein

encoding fragments of the bacteriophage genomes which encode bacteria-inhibiting proteins or fragments.

The present invention further provides systems, particularly computer-based systems, which contain the sequence information described. Such systems are designed to identify, among other things, useful fragments of the bacteriophage genomes.

As used herein, "a computer-based system" refers to the hardware, software, and data storage media used to analyze the nucleotide sequence information of the present invention. The minimum hardware of the computer-based systems of the present invention comprises a central processing unit (CPU), input device, output device, and data storage medium or media. A skilled artisan will readily recognize that any of the currently available general purpose computer-based system are suitable for use in the present invention, as well as a variety of different specialized or dedicated computer-based systems.

As stated above, the computer-based systems of the present invention comprise data storage media having stored therein a nucleotide sequence of the present invention and the necessary hardware and software for supporting and implementing a search and/or analysis program.

As used herein, "data storage media" refers to memory which can store nucleotide sequence information of the present invention, or a memory access means which can access manufactures having recorded thereon the nucleotide sequence information of the present invention.

As used herein, "search program" refers to one or more programs which are implemented on the computer-based system to compare a target sequence or target structural motif with the sequence information stored within the data storage means. Search means are used to identify fragments or regions of the present gnomic sequences which match a particular target sequence or target motif. A variety of known algorithms are disclosed publicly and a variety of commercially available software for conducting search means are and can be used in the computer-based systems of the present invention. Examples of such software includes, but is not limited to, MacPattern (EMBL), BLASTN and BLASTX (NCBIA). A skilled artisan can readily recognize that any one of the available algorithms or implementing software packages for conducting homology searches and/or sequence analyses can be adapted for use in the present computer-based systems.

As used herein in connection with sequence searches and analyses, a "target sequence" can be any DNA or amino acid sequence of six or more nucleotides or two or more amino acids. A skilled artisan can readily recognize that the longer a target sequence is, the less likely a target sequence will be present as a random occurrence in

the database. Also, the target sequence length is preferably selected to include sequence corresponding to a biologically relevant portion of an encoded product, for example a region which is expected to be conserved across a range of source organisms. Preferably the sequence length of a target polypeptide sequence is from 5-100 amino acids, more preferably 7-50 or 7-100 amino acids, and still more preferably 10-80 or 10-100 amino acids. Preferably the sequence length of a target polynucleotide sequence is from 15-300 nucleotide residues, more preferably from 21-240 or 21-300, and still more preferably 30-150 or 30-300 nucleotide residues. However, it is well recognized that searches for commercially important fragments, such as sequence fragments involved in gene expression and protein processing, may be of shorter length. Likewise, it may be desirable to search and/or analyze longer sequences.

As used herein, "a target structural motif," or "target motif," refers to any rationally selected sequence or combination of sequences in which the sequence(s) are chosen based on a three-dimensional configuration which is formed upon the folding of the target motif. There are a variety of target motifs known in the art. Protein target motifs include, but are not limited to, enzymatic active sites and signal sequences. Nucleic acid target motifs include, but are not limited to promoter sequences, hairpin structures and inducible expression elements (protein binding sequences).

A variety of structural formats for the input and output devices can be used to input and output the information in the computer-based systems of the present invention. A preferred format for an output device ranks fragments of the bacteriophage or bacterial sequences possessing varying degrees of homology to the target sequence or target motif. Such presentation provides a skilled artisan with a ranking of sequences which contain various amounts of the target sequence or target motif and identifies the degree of homology contained in the identified fragment.

A variety of comparing methods and/or devices and/or formats can be used to compare a target sequence or target motif with the sequence stored in data storage media to identify sequence fragments of the bacteriophage or bacterium in question. One skilled in the art can readily recognize that any one of the publicly available homology search programs can be used as the search program for the computer-based systems of the present invention. Of course, suitable proprietary systems that may be known to those of skill, or later developed, also may be employed in this regard.

Figure 5 provides a block diagram of a computer system illustrative of embodiments of this aspect of present invention. The computer system 102 includes a processor 106 connected to a bus 104. Also connected to the bus 104 are a main memory 108 (preferably implemented as random access memory, RAM) and a variety

of secondary storage devices 110, such as a hard drive 112 and a removable medium storage device 114. The removable medium storage device114 may represent, for example, a floppy disk drive, a CD-ROM drive, a magnetic tape drive, etc. A removable storage medium 116 (such as a floppy disk, a compact disk, a magnetic tape, etc.) containing control logic and/or data recorded therein may be inserted into the removable medium storage device 114. The computer system 102 includes appropriate software for reading the control logic and/or the data from the removable medium storage device 114, once it is inserted into the removable medium storage device 114.

A nucleotide sequence of the present invention may be stored in a well-known manner in the main memory 108, any of the secondary storage devices 110, and/or a removable storage medium 116. During execution, software for accessing and processing the sequence (such as search tools, comparing tools, etc.) reside in main memory 108, in accordance with the requirements and operating parameters of the operating system, the hardware system and the software program or programs.

The data storage medium in which the sequence is embodied and the central processor need not be part of a single stand-alone computer, but may be separated so long as data transfer can occur. For example, the processor or processors being utilized for a search or analysis can be part of one general purpose computer, and the data storage medium can be part of a second general purpose computer connected to a network, or the data storage medium can be part of a network server. As another example the data storage medium can be part of a computer system or network accessible over telephone lines or other remote connection method.

EXAMPLES

Example 1: Propagation of Bacteriophage 77 of *Staphylococcus aureus*

Bacterial propagating strain and Bacteriophage:

The Staphylococcus aureus propagating strain 77 (PS 77) was used as a host to propagate its respective phage 77 (ATCC # 27699-B1).

Purification of bacteriophage and prepration of phage DNA:

The propagation method was carried out by using the agar layer method described by Swanstörm and Adams (Swanström, M. and Adams, M.H. (1951). Agar layer method for production of high titer phage stocks. *Proc. Soc. Exptl. Biol. & Med.* **78:** 372-375). Briefly, the PS 77 strain was grown overnight at 37°C in Nutrient broth [NB: 3 g Bacto Beef Extract, 5 g Bacto Peptone per liter, (Difco Laboratories)]. The culture was then diluted 20x in NB and incubated at 37°C until the OD_{540}= .2. The suspension ($15x10^7$ Bacteria) was then mixed with $15x10^5$ phage particles to give a ratio of 100 bacteria/phage particle in the presence of 400 µg/ml of $CaCl_2$. After incubation of 15 min at room temperature, 7.5 ml of melted soft agar (NB supplemented with 0.6% of agar), were added to the mixture and poured onto the surface of 100 mm nutrient agar plates (3 g Bacto Beef Extract, 5 g Bacto Peptone and 15 g of Bacto Agar per liter) and incubated overnight at 30°C. To collect the lysate, 20 ml of NB were added to each plate and the soft agar layer was collected by scrapping off with a clean microscope slide and shaken vigorously for 5 min to break up the agar. The mixture was then centrifuged for 10 min at 4,000 rpm and the supernatent (lysate) is collected and subjected to a treatment with 10 µg /ml of DNase I and RNase A for 30 min at 37°C. To precipitate the phages particles, 10% (w/v) of PEG 8000 and 0.5 M of NaCl were added to the lysate and the mixture was incubated on ice for 16 h. The phages were recovered by centrifugation at 4,000 rpm for 20 min at 4°C on a GS-6R table top centrifuge (Beckman) . The pellet was resuspended with 2 ml of phage buffer (1 mM $MgSO_4$, 5 mM $MgCl_2$, 80 mM NaCl and .1% Gelatin). The phage suspension was extracted with 1 volume of chloroform and purified by centrifugation using a TLS 55 rotor and the Optima TLX ultracentrifuge (Beckman), for 2 h at 28,000 Rpm at 4°C in preformed cesium chloride gradient as described in Sambrook et al. (Sambrook, J., Fritsch, E.F. and Maniatis, T (1989). Molecular

cloning: A laboratory Manual. Cold Spring Harbor Laboratory, New York. Cold Spring Harbor Laboratory Press). Banded phages were collected and ultracentrifuged again on an isopycnic cesium chloride gradient at 40,000 rpm for 24 h rpm at 4°C using a TLV rotor (Beckman). The phage was dialyzed for 4 h at room temperature against 4 L of dialysis buffer consisting of 10 mM NaCl, 50 mM Tris-HCl pH 8 and 10 mM $MgCl_2$. Phage DNA was prepared from the phages by adding 20 mM EDTA, 50 mg/ml Proteinase K and 0.5% SDS and incubating for 1 h at 65°C, followed by successive extractions with 1 volume of phenol, 1 volume of phenol-chloroform and 1 volume of chloroform. The DNA was then dialyzed overnight at 4°C against 4 L of T.E (10 mM Tris $_{8.0}$, 1mM EDTA).

Example 2: Preparation of Bacteriophage 77 DNA for Sequencing

Sonication of DNA:

4 µg of phage DNA was diluted in 200 µl of T.E pH 8.0 in a 1.5 ml Eppendorf tube and sonication was performed (550 Sonic Dismembrator, Fisher Scientific). Samples were sonicated under an amplitude of 3 µm with bursts of 5 s spaced by 15 s cooling in ice/water for 3 to 4 cycles and size-fractioned on 1% agarose gels. Fractions ranging from 1 to 2 kbp were isolated and gel purified by using the Qiagen kit according to the instructions of the manufacturer (Qiagen) and eluted in 50 µl of Tris 1mM, pH 8.5.

Repair of fragmented DNA ends:

The ends of the sonicated DNA fragments were repaired with a combination of T4 DNA polymerase and Klenow as follows. Reactions were performed in a final volume of 100 µl containing DNA, 10 mM Tris-HCl pH 8.0, 50 mM NaCl, 10 mM $MgCl_2$, 1 mM DTT, 5 µg BSA, 100 µM of each dNTP and 15 units of T4 DNA polymerase (New England Biolabs) for 20 min at 12°C followed by addition of 12.5 units of Klenow large fragment (New England Biolabs) for 15 min at room temperature. The reaction was stopped by two phenol/chloroform extractions and the DNA was ethanol precipitated and resuspended in 20 µl of H_2O.

Cloning into pKSII and transformation:

Blunt-ended DNA fragments were cloned by ligation directly into *Hin*II (New England Biolabs) and calf intestinal phosphatase (New England Biolabs)-treated pKSII vector (Stratagene). A typical reaction contained 100 ng of vector, 2 to 5 µl of repaired sonicated phage DNA in a final volume of 20 µl containing, 800 units of T4 DNA ligase (New England Biolabs) for overnight at 16 °C. Transformation and selection of positive clones was performed in the host strain DH10 β of E.coli using ampicillin as a selective antibiotic as described in Sambrook et al. (*supra*)

Preparation of sequencing templates:

Recombinant clones were picked from agar plates into 96-well plates. The presence of foreign insert was confirmed by PCR analysis using T3 and T7 primers. PCR amplification of foreign insert was performed in a 15-µl reaction volume containing 10 mM Tris (pH 8.3), 50 mM KCl, 1.5 mM $MgCl_2$, 0.02% gelatin, 1 µM primer, 187.5 µM each dNTP, and 0.75 units *Taq* polymerase (BRL). The thermocycling parameters were as follows: 2 min initial denaturation at 94°C for 2 min, followed by 20 cycles of 30 sec denaturation at 94°C, 30 sec annealing at 58°C, and 2 min extension at 72°C, followed by a single extension step at 72°C for 10 min. Clones with insert sizes of 1 to 2 kbp were selected and miniprep DNA of the selected clones were prepared using QIAprep spin miniprep kit (Qiagen).

Example 3: DNA Sequencing

DNA sequencing:

The ends of each recombinant clone were sequenced on an ABI 377-36 automated sequencer with two types of chemistry: ABI prism bigdye primer or ABI prism bigdye terminator cycle sequencing ready reaction kit (Applied Biosystems). To ensure co-linearity of the sequence data and the genome, all regions of phage genome were sequenced at least once from both directions on two separate clones. In areas that this criteria was not met, a sequencing primer was selected and phage DNA was used directly as sequencing template employing ABI prism bigdye terminator cycle sequencing ready reaction kit.

Sequence contig assembly:

Sequence contigs were assembled using Sequencher 3.1 software (GeneCodes). To close contig gaps, sequencing primers were selected near the edge of the contigs. Phage DNA was used directly as sequencing template employing ABI prism bigdye terminator cycle sequencing ready reaction kit.

The sequence obtained for phage 77 is shown in Table 2. The sequences for phage 3A and 96 were obtained by similar sequencing methods; the sequences of those phage genomes are shown in Tables 7 & 9 respectively.

Example 4: Sequence Analysis

Sequence analysis:

An implementation of the publicly available program SEQUIN, available for download at ftp://negi.nlm.nih.gov/sequin/, was used on phage genome sequence to identify all putative ORFs larger than 33 codons. A listing of such ORFs for *S. aureus* phage 77 is shown in Table 3, with predicted amino acid sequences for selected ORFs shown in Table 4. Listings of ORFs for phage 3A and 96 are provided in Tables 8 and 10 respectively. A variety of other ORF identification could be used as alternatives and are known to those skilled in the art. Sequence homology searches for each ORF are then carried out using a standard implementation of blast programs. Downloaded public databases used for sequence analysis include:

non-redundant GenBank (ftp://ncbi.nlm.nih.gov/blast/db/nr.Z),
Swissprot (ftp://ncbi.nlm.nih.gov/blast/db/swissprot.Z);
vector (ftp://ncbi.nlm.nih.gov/blast/db/vector.Z);
pdbaa databases (ftp://ncbi.nlm.nih.gov/blast/db/pdbaa.Z);
staphylococcus aureus NCTC 8325 (ftp://ftp.genome.ou.edu/pub/staph/staph-1k.fa);
streptococcus pyogenes (ftp://ftp.genome.ou.edu/pub/strep/strep-1k.fa);
streptococcus pneumoniae
(ftp://ftp.tigr.org/pub/data/s_pneumoniae/gsp.contigs.112197.Z);
mycobacterium tuberculosis CSU#9
(ftp://ftp.tigr.org/pub/data/m_tuberculosis/TB_091097.Z); and
pseudomonas aeruginosa (http://www.genome.washington.edu/pseudo/data.html).

Exemplary results of homology searches are shown in Table 5 for bacteriophage 77.

Example 5: Identification of Cecropin Signature Motif in *Staphylococcus aureus* Bacteriophage 3A ORF

The genome for *S. aureus* bacteriophage 3A was determined and the sequence was analyzed essentially as described for bacteriophage 77 in the examples above. Upon blast analysis of the identified open reading frames of phage 3A, the presence of an amino acid sequence corresponding to a cecropin signature motif was observed. This motif (WDGHKTLEK) is located at position aa 481-489. Cecropins were originally identified in proteins from the cecropia moth and are recognized as potent antibacterial proteins that constitute an important part of the cell-free immunity of insects. Cecropins are small proteins (31-39 amino acid residues) that are active against both Gram-positive and Gram-negative bacteria by disrupting the bacterial membranes. Although the mechanisms by which the cecropons cause cell death are not fully understood, it is generally thought to involve channel formation and membrane destabilization.

The identification of a motif corresponding to a known inhibitor suggests that the product of ORF002 is also an inhibitory compound. Such inhibitory activity can be confirmed as described herein or by other methods known in the art. Confirmation of the inhibitory activity would indicate that the ORF product could serve as the basis for construction of mimetic compounds and other inhibitors directed to the target of the ORF002 product.

Boman & Hultmark, 1987, *Ann. Rev. Microbiol.* 41:103-126.

Boman, 1991, *Cell* 65:205-207.

Boman et al., 1991, *Eur. J. Bioichem.* 201:23-31.

Wang et al., *J. Biol. Chem.* 273:27438-27448.

Example 6: Bacteriophage 77 ORF Expression

Bacteriophage ORFs are prepared and expressed as generally described in the Detailed Description above, utilizing a shuttle expression vector with a locus for insertion of a phage ORF subject to inducible expression in an appropriate host bacterium.

Preparation of shuttle expression vector:

The shuttle vector pT0021, in which the firefly luciferase (*lucFF*) expression is controlled by the *ars* promoter/operator from a *S. aureus* plasmid (Tauriainen, S., Karp, M., Chang, W and Virta, M. (1997). Recombinant luminescent bacteria for measuring bioavailable arsenite and antimonite. *Appl. Environ. Microbiol.* **63**:4456-4461), was modified as below to suit our specific application. Two oligonucleotides corresponding to the influenza HA tag were synthesized. The sense strand HA tag sequence (with *BamH*I, *Sal*I and *Hind*III cloning sites) is:
5'-gatcccggtcgaccaagcttTACCCATACGACGTCCCAGACTACGCCAGCTGA-3';
the antisense strand HA tag sequence (with *Hind*III cloning site) is:
5'-agctTCAGCTGGCGTAGTCTGGGACGTCGTATGGGTAaagcttggtcgaccgg-3'.
The two HA tag oligonucleotides were annealed following a standard protocol (*supra*) and ligated to pT0021 vector that was digested with *BamH*I and *Hind*III (the *lucFF* gene was released from the vector and replaced by the HA tag). This modified shuttle vector containing the *ars* promoter, *arsR* gene and HA tag was named pTHA vector.

Cloning of ORFs with a Shine-Dalgarno sequence:

ORFs with a Shine-Dalgarno sequence were selected for functional analysis of bacterial killing. Each ORF, from initiation codon to last codon (excluding the stop codon), was PCR amplified from phage genomic DNA. For PCR amplification of ORFs, each sense strand primer starts at the initiation codon and is preceded by a *BamH*I restriction site and each antisense strand starts at the last codon (excluding the stop codon) and is preceded by a *Sal* I restriction site. PCR product of each ORF was gel purified and digested with *BamH*I and *Sal*I overnight. The digested PCR product was then gel purified, ligated into *BamH*I and *Sal*I digested pTHA vector, and used to transform bacterial strain DH10β. As a result, HA tag is inframe with the ORF and a fusion protein with ORF begins at N-terminal and HA tag ends at the C-terminal is produced. Recombinant ORF clones were picked and their sizes were confirmed by PCR analysis using primers flanking the cloning site. The sequence fidelity of cloned ORFs was verified by DNA sequencing using the same primers as used for PCR. In the cases that the verification of ORFs could not be achieved by one path of sequencing using primers flanking the cloning site, internal primers were selected and used for sequencing.

Transformation of *Staphylococcus aureus* with expression constructs

Staphylococcus aureus strain RN4220 (Kreiswirth et al., 1983, *Nature* 305:709-712) was used as a recipient for the expression of recombinant plasmids. Electroporation was performed essentially as previously described (Schenk and Laddaga, 1992, *FEMS Microbiology Letters* 94:133-138). Selection of recombinant clones was performed on Luria-Broth agar (LB-agar) plates containing 30 μg/ml of Kanamycin.

Chemical inducers

Sodium arsenite ($NaAsO_2$), sodium arsenate (Na_2HAsO_4), and antimony potassium tartrate ($K(SbO)C_4H_4O_6$) were purchased from Sigma (Sigma-Aldrich Canada LTD, Oakville) and were used as heavy metals to induce gene expression from the *ars* promoter/operator.

Induction of gene expression from the *ars* operon

Cells containing different recombinant plasmids were grown overnight at 37°C in LB medium supplemented with 30 μg/ml of Kanamycin. The cells were then diluted to the mid log phase (OD_{540} approx. 0.2) with fresh LB media containing Kanamycin and transferred to 96-well microtitration plates (100 μl/well). Inducers were then added at different final concentrations (ranging from 2.5 to 10 μM) and the culture was incubated for an additional 2 h at 37°C. Control cultures without inducers were cultured in separate wells. The effect of expression of the phage 77 ORFs on bacterial cell growth was then monitored by measuring the OD540 and comparing the rate of growth of the culture containing inducer to the rate of growth of the culture not containing inducer. As positive controls for growth inhibition, the *kilA* gene of phage lambda (Reisinger et al., 1993, *Virology* 193:1033-1036), and the *holin/lsinI* genes of the *Staphylococcus aureus* phage Twort (Loessner et al., 1998, *FEMS Microbiology Letters* 162:265-274) were subcloned into the *ars* inducible vector and included in separate wells of the microtitration plate.

Expression of ORFs from a large variety of other phage can be accomplished using the above vector, or other vector adapted for an appropriate bacterium and preferably for inducible expression of the insert ORF or ORFs.

All patents and publications mentioned in the specification are indicative of the levels of skill of those skilled in the art to which the invention pertains. All

references cited in this disclosure are incorporated by reference to the same extent as if each reference had been incorporated by reference in its entirety individually.

One skilled in the art would readily appreciate that the present invention is well adapted to carry out the objects and obtain the ends and advantages mentioned, as well as those inherent therein. The specific methods and compositions described herein as presently representative of preferred embodiments are exemplary and are not intended as limitations on the scope of the invention. Changes therein and other uses will occur to those skilled in the art which are encompassed within the spirit of the invention are defined by the scope of the claims.

It will be readily apparent to one skilled in the art that varying substitutions and modifications may be made to the invention disclosed herein without departing from the scope and spirit of the invention. For example, those skilled in the art will recognize that the invention may suitably be practiced using a variety of different bacteria, bacteriophage, and sequencing methods within the general descriptions provided.

The invention illustratively described herein suitably may be practiced in the absence of any element or elements, limitation or limitations which is not specifically disclosed herein. Thus, for example, in each instance herein any of the terms "comprising," "consisting essentially of" and "consisting of" may be replaced with either of the other two terms. The terms and expressions which have been employed are used as terms of description and not of limitation, and there is not intention that in the use of such terms and expressions of excluding any equivalents of the features shown and described or portions thereof, but it is recognized that various modifications are possible within the scope of the invention claimed. Thus, it should be understood that although the present invention has been specifically disclosed by preferred embodiments and optional features, modification and variation of the concepts herein disclosed may be resorted to by those skilled in the art, and that such modifications and variations are considered to be within the scope of this invention as defined by the appended claims.

In addition, where features or aspects of the invention are described in terms of Markush groups or other grouping of alternatives, those skilled in the art will recognize that the invention is also thereby described in terms of any individual member or subgroup of members of the Markush group or other group. For example, if there are alternatives A, B, and C, all of the following possibilities are included: A separately, B separately, C separately, A and B, A and C, B and C, and A and B and C. Thus, for example, for the bacteria and phage specified herein, the embodiments expressly include any subset or subgroup of those bacteria and/or phage. While each

such subset or subgroup could be listed separately, for the sake of brevity, such a listing is replaced by the present description.

Thus, additional embodiments are within the scope of the invention and within the following claims.

CLAIMS

What is claimed is:

1. A method for identifying a bacteriophage coding region encoding a product active on an essential bacterial target, comprising identifying a nucleic acid sequence encoding a gene product which provides a bacteria-inhibiting function when said bacteriophage infects a host bacterium,

wherein said bacteriophage is uncharacterized and said host bacterium is a pathogenic bacterium.

2. The method of claim 1, further comprising expressing a recombinant bacteriophage ORF in cells of a bacterial strain, wherein inhibition of said cells following expression of said ORF is indicative that said product is active on an essential bacterial target.

3. The method of claim 2, wherein inhibition of said bacterium following expression of said ORF is determined by comparison with the growth or viability of said bacterium following expression of an inactivated mutant form of said ORF or in the absence of expression of said ORF, and wherein inhibition of said bacterium following expression of said ORF is indicative that said product is active on an essential bacterial target.

4. The method of claim 2, wherein expression of said ORF is inducible.

5. The method of claim 1, further comprising confirming the inhibitor function of said ORF.

6. The method of claim 5, wherein said confirming comprises expressing a loss-of-function mutant form of said ORF in said host bacterium.

7. A method for identifying a potential target for antibacterial agents, comprising determining the bacterial target of an uncharacterized bacteriophage inhibitor protein.

8. The method of claim 7, wherein said determining comprises identifying at least one bacterial protein which binds to said bacteriophage inhibitor protein or a fragment thereof.

9. A method for identifying a potential target for antibacterial agents, comprising determining the bacterial target of an uncharacterized bacteriophage inhibitor protein.

10. The method of claim 9, wherein said determining comprises identifying at least one bacterial protein which binds to said bacteriophage inhibitor protein or a fragment thereof.

11. The method of claim 9, wherein said determining comprises identifying at least one protein:protein interaction using a genetic screen.

12. The method of claim 9, wherein said determining further comprises identifying a bacterial nucleic acid sequence encoding a polypeptide target of said bacteriophage inhibitor protein.

13. The method of claim 12, wherein said nucleic acid sequence is identified by determining at least a portion of the amino acid sequence of a bacterial protein target, and identifying a bacterial nucleic acid sequence which encodes said protein target.

14. The method of claim 9, further comprising identifying a bacteriophage ORF which encodes a product having a bacteria-inhibiting function.

15. The method of claim 14, wherein said identifying a phage ORF comprises expressing at least one bacteriophage ORF in a bacterium, wherein inhibition of said bacterium following said expression is indicative that said ORF encodes a bacteria-inhibiting function.

16. An isolated, purified, or enriched nucleic acid sequence at least 15 nucleotides in length, wherein said sequence corresponds to at least a portion of a bacteriophage sequence, and wherein said bacteriophage is selected from the group consisting of *Staphylococcus aureus* bacteriophage 77, 3A, and 96.

17. The nucleic acid sequence of claim 16, wherein said nucleic acid sequence corresponds to at least a portion of a nucleic acid sequence which encodes a product which provides a bacteria-inhibiting function.

18. The nucleic acid sequence of claim 16, wherein said nucleic acid sequence is transcriptionally linked with regulatory sequences enabling induction of expression of said sequence.

19. An isolated, purified, or enriched polypeptide comprising at least a portion of a protein providing a bacteria-inhibiting function, wherein said polypeptide is normally encoded by a bacteriophage selected from the group consisting of *Staphylococcus aureus* bacteriophage 77, 3A, and 96.

20. The polypeptide of claim 19, wherein said polypeptide provides said bacteria-inhibiting function.

21. A recombinant vector comprising a bacteriophage ORF corresponding to an ORF from a bacteriophage having a pathogenic bacterial host, wherein said bacterial host is selected from the group consisting of uncharacterized bacteria of Table 1.

22. A recombinant cell comprising a vector, wherein said vector comprises an ORF from a bacteriophage having a pathogenic bacterial host, wherein said bacterial host is selected from the group consisting of bacterial species of Table 1.

23. A method for identifying an antibacterial agent, comprising identifying an active portion of a product of a bacteria-inhibiting ORF of a bacteriophage.

24. The method of claim 23, further comprising constructing a synthetic peptidomimetic molecule, wherein the structure of said molecule corresponds to the structure of said active portion.

25. A method for identifying a compound active on a target of a bacteriophage inhibitor protein, comprising the step of

contacting a bacterial target protein with a test compound; and

determining whether said compound binds to or reduces the level of activity of said target protein,

wherein binding of said compound with said target protein or a reduction of the level of activity of said protein is indicative that said compound is active on said target and wherein said target is uncharacterized.

26. A method of screening for potential antibacterial agents, comprising the step of determining whether any of a plurality of compounds is active on a target of a bacteriophage inhibitor protein,

wherein said target is naturally produced by a pathogenic bacterium.

27. A method for inhibiting a bacterium , comprising the step of;

contacting said bacterium with a compound active on a target of a bacteriophage inhibitor protein, wherein said target or the target site is uncharacterized.

28. A method for treating a bacterial infection in an animal suffering from an infection, comprising administering to said animal a therapeutically effective amount of compound active on a target of a bacteriophage inhibitor protein in a bacterium involved in said infection,

wherein said target is an uncharacterized target or the compound is active at an uncharacterized target site.

29. A method for propylactically treating an animal at risk of an infection, comprising administering to said animal a prophylactically effective amount of a compound active on a target of a bacteriophage inhibitor protein,

wherein said target is an uncharacterized target or the site of action of said compound is an uncharacterized target site.

30. An antibacterial agent active on a target of a bacteriophage inhibitor protein, wherein said target is an uncharacterized target or said agent is active at a phage-specific site on said target.

31. A method of making an antibacterial agent, comprising the steps of:

a) identifying a target of a bacteriophage inhibitor polypeptide;

b) screening a plurality of test compounds to identify a compound active on said target; and

c) synthesizing said compound in an amount sufficient to provide a therapeutic effect when administered to an organism infected by a bacterium naturally producing said target.

32. A computer readable device having recorded therein a nucleotide sequence of a portion of at least one bacteriophage genome of *Staphylococcus aureus* bacteriophage 77, bacteriophage 3A, or bacteriophage 96, a nucleotide sequence at least 95% identical to a said nucleotide sequence, a ribonucleic acid equivalent, a degenerate equivalent, a homologous sequence, or at least one amino acid sequence encoded by said nucleotide sequence; and

a nucleotide sequence or amino acid sequence analysis program,

wherein said program can perform at least one sequence analysis on said nucleotide or amino acid sequence.

33. A computer-based system for identifying biologically important portions of a bacteriophage genome, comprising:

a) a data storage medium having recorded thereon a nucleotide sequence corresponding to a portion of at least one bacteriophage genome, wherein said bacteriophage genome is uncharacterized;

b) a set of instructions allowing searching of said sequence to analyze said sequence; and

c) an output device.

34. The system of claim 33, wherein said bacteriophage genome is of a bacteriophage selected from the group consisting of uncharacterized bacteriophage listed in Table 1.

35. A method for identifying or characterizing a bacteriophage ORF, comprising the steps of:

a) providing a computer-based system for analyzing nucleic acid or amino acid sequence data, wherein said system comprises a data storage

medium having recorded thereon at least one nucleotide or amino acid sequence corresponding to a portion of at least one uncharacterized bacteriophage genome, a set of instructions allowing searching of said sequence to analyze said sequence; and an output device;

b) analyzing at least a portion of at least one said sequence; and

c) outputting results of said analyzing to said output device.

ABSTRACT

A method for identifying suitable targets for antibacterial agents based on identifying targets of bacteriophage-encoded proteins is described. Also described are compositions useful in the identification methods and in inhibiting bacterial growth, and methods for preparing and using such compositions.

Table 1

Phages against human and animal pathogenic bacteria

Pathogen name	Phage name	Catalog#	Origin/reference
Acinetobacter calcoaceticus	A3/2 A10/45 A36 B9GP B_9PP BS46 E13 E14 531		Felix d'Herelle Reference Centre,Quebec,Quebec
	Ap3 P78		J. Bacteriol 1984. 157: 179-183 J. Gen. Microbiol 1986.132: 2633-2636
Acinetobacter haemolyticus	2213/73		Felix d'Herelle Reference Centre,Quebec,Quebec
Acinetobacter johnsonii	133		Felix d'Herelle Reference Centre.Quebec,Quebec
Acinetobacter sp.	BP1		J.Virol.1968.2:716-722
	G4, HP2, HP3 & HP4		Can.J.Microbiol.1966.12:1023-1030 & J.Virol.1974.13:46-52 & Arch.Virol.1994.135:345-354
	A1, A4, A9 & 196		Arch.Virol.1994.135:345-354
	HP1		Can.J.Microbiol.1966.12:1023-1030
	A19, A23, A29, A31, A33, A34, A3759 & 2845		J.Microsc (Paris) 1973.16:215-224 & CR.Hebdo Seances Acad.Sci.Ser D.Sci Natur(Paris)278:1907-1909 & Arch.Virol.1994.135:345-354 & Rev.Can.Biol.1970.29:317-320
Actinobacillus actinomycetecomitans	φAa		FEMS Microbiol Lett 1994. 119:329-337
	φAa17		Infec. Immun. 1982. 35: 343-349
	Aaφ23		Mol.Gen.Genet 1998.258: 323-325
	Aaφ247		Oral Micriol. Immunol 1997.12: 40-46
Actinomyces viscosus	Av-1	43146-B1	The American Type Culture Collection
	AV-2,AV-3 &1281		Infect.Immun.1985.48:228-233
	BF307 & CT7		Infect.Immun.1988.56:54-59
	phi225		Plasmid 1997.37:141-153
Aeromonas hydrophila	PM2** & PM3		FEMS Microbiol.Lett. 1990.57:277-282

	Aeh1 Aeh2 PM4 PM5 PM6 T7-ah		Felix d'Herelle Reference Centre,Quebec,Quebec
Aeromonas salmonicida	3 25 29 31 32 40RR$_{2.8}$t 43 51 56 59.1 65 Asp37		Felix d'Herelle Reference Centre,Quebec,Quebec
	55R.1		Can. J. Microbiol. 1983. 29: 1458-1461
Alteromonas espejiana	PM2**	27025-B1	The American Type Culture Collection
Asticacaulis biprosthecum	B1a		Felix d'Herelle Reference Centre,Quebec,Quebec
Asticcacaulis excentricus	ϕAc20 ϕAc21 ϕAc24	15261-B1 15261-B2 15261-B3	The American Type Culture Collection
Azotobacter vinelandii	A12 A14 A21 A31 A41 PAV1	12518-B1 12518-B4 12518-B5 12518-B9 12518-B10 13705-B1	The American Type Culture Collection
Azotobacter sp.	A12		Virology 1972.49:439-452
Bacteroides fragilis	Bf-1		Rev. Infect. Dis. 1979. 1: 325-336
	B40-8		FEMS Microbiol. Lett. 1991. 66: 61-67
	HSP40		Appl. Environ. Microbiol. 1989. 55: 2696-2701
	phiA1		Zentralbl.bakteriol.1972.222:57-63
Bdellovibrio bacteriovorus	MAC-1		J. Gen. Microbiol. 1987. 133: 3065-3070
Bdellovibrio sp.	VL-1		J.Virol.1973.12:1522-1533
Bordetella brochiseptica	214		Zh.Mikrobiol.Epidemiol.Immuno. 1987.5:9-13
Bordetella parapertussis	L-1 Tohama		Felix d'Herelle Reference Centre,Quebec,Quebec
	phiT		Mol. Gen. Mikrobiol. Virusol. 1988.4: 22-25
	134		Zh.Mikrobiol.Epidemiol.Immuno. 1987.5:9-13
	41405		Zh.Mikrobiol.Epidemiol.Immuno. 1987.5:9-13

Brucella abortus	S708 Fi75/13		Felix d'Herelle Reference Centre,Quebec,Quebec
	Tbilisi 10/I 24/II 212/XV 371/XXIX	23448-B1 23448-B2 23448-B3 17385-B1 17385-B2	The American Type Culture Collection
	BK-2, TB & Fi**		Zh.Mikrobiol.Epidemiol.Immunobiol.1983.2: 48-52
	R/c & R/O		Dev. Biol. Stand. 1984.56: 55-62
Brucella canis	R/c		Dev. Biol. Stand. 1984.56: 55-62
Brucella melitensis	BK-2	23456-B1	The American Type Culture Collection
Brucella suis	Wb		Zentralbl.Veterinarmed.1975.22:866-867
	Fi** & TB		Zh.Mikrobiol.Epidemiol.Immunobiol.1983.2: 48-52
Brucella sp.	Np (Nepean) & Iz		Can. J. Vet. Res. 1989.53: 319-325
	Iz-1		Res. Vet. Sci. 1988. 44: 45-49
	R		Zh.Mikrtobiol.Epidemiol.Immunobiol.1983.2: 48
Campylobacter coli *Campylobacter coli (Cont'd)*	17 18 19 20	43133-B1 43134-B1 43135-B1 43136-B1	The American Type Culture Collection The American Type Culture Collection
Campylobacter jejuni	1 2 3 4 5 6 7 8 9 10 11 12 13 14 17 18 19 20	35918-B1 35919-B1 35920-B1 35921-B1 35918-B2 35920-B2 35922-B2 35923-B1 35924-B1 35925-B1 35925-B2 35922-B2 35924-B2 35922-B3 43133-B1 43134-B1 43135-B1 43136-B1	The American Type Culture Collection
Campylobacter (Helicobacter) pylori	HP1		J. Med. Microbiol.1993. 38: 245-249
Chlamydia psittaci	Chp1**		J. Gen. Virol. 1989. 70: 3381-3390
Clostridium acetobutylicum	CAK-1		J.Bacteriol.1993.175:3838-3843
Clostridium botulinum	C** & D**		Nucleic Acids Res.1990.18:1291
	C-ST**		Bioch.Biophys.res.Commun.1990.171.1304-1311
	α1 & α2		Microbiol.immunol.1981.25:915-927

	d-16 phi**, d-1', CE β & CE γ		J.Vet.Med.Sci.1992.54:675-684
Clostridium difficile	41 & 56		J. Clini.Microbiol. 1985.21:251-254
Clostridium perfringens	PF1, PF2, PF3 & PF4		Rev.Can.Biol.1977.36:205-215
	φ29** & φ59		FEMS Microbiol.Lett. 1990.54:323-326
Clostridium sporogenes	J 59 70 71 72S 72L	8074-B1 17886-B1 17886-B3 17886-B4 17886-B5 17886-B6	The American Type Culture Collection
Clostridium tetani	A & B		Rev.Can.Biol.1978.37:43-46
Corynebacterium diphteriae	BF, ϕ9 & ϕ 984		Vopr.Virusol.1986.31:577-584
Corynebacterium pseudotuberculosis	NN	12319-B1	The American Type Culture Collection
Corynebacterium sp	DLC 2921/49	12052-B1	The American Type Culture Collection
Enterococcus faecalis	42	19948-B1	The American Type Culture Collection
Enterococcus faecium	113 124 133	19950-B1 19953-b2 19953-B1	The American Type Culture Collection

Escherichia coli	AP211	11303-B14	The American Type Culture Collection
	BG3	11303-B10	
	C33	11303-B21	
	C36	8677-B1	
	C204	11303-B13	
	E1	13706-B4	
Escherichia coli	f1**	15766-B1	The American Type Culture Collection
(Cont'd)	f2**	15766-B1	
	FCZ	1242-B5	
	fd**	15669-B2	
	fr**	15767-B1	
	G178	11303-B16	
	If1**	27-65-B1	
	If2	25065-B2	
	M13**	15669-B1	
	MS2**	15597-B1	
	MU9	21816-B1	
	Mu-1	23724-B9	
	Ox6	15593-B1	
	P1**	25404-B1	
	P4 sid_i **	29746-B1	
	Q-β**	23631-B1	
	R17**	25868-B1	
	Z1K/1	25298-B1	
	ZJ/2	25298-B2	
	rA105	11303-B37	
	rEDa41	11303-B24	
	rED220	11303-B26	
	rEDb44	11303-B27	
	rEDb45	11303-B28	
	rEDb50	11303-B29	
	rH23	11303-B30	
	rH88	11303-B33	
	rJ3	11303-B31	
	r71	11303-B25	
	r187	11303-B35	
	r196	11303-B34	
	r638	11303-B36	
	r1589	11303-B32	
	S13**	13706-B5	
	T_1 **	11303-B1	
	T_2 **	11303-B2	
	T_3 **	11303-B3	
	T_4 **	11303-B4	
	T_4amA453	35060-B1	
	T_4amB17	35060-B2	
	T_4amN120	35060-B3	
	T5**	11303-B5	
	T6**	11303-B6	
	T7**	11303-B7	
	T_7M	11303-B38	
	5	12141-B1	
	6A	12144-B3	

Escherichia coli (Cont'd)	250 547 UV1 UV47 UV375 α3** λ ** λ C-17 λ sus P-3 λ sus R-5 λ sus J-6 λ sus O-8 λ sus A-11 λ ind$^-$ ϕ92 ϕR ϕV-1 ϕX174** ϕXcs70am-3	11303-B20 11303-B17 11303-B15 11303-B11 11303-B18 13706-B2 23724-B2 23724-B1 23724-B3 23724-B4 23724-B5 23724-B6 23724-B7 23724-B8 35860-B1 13706-B3 15597-B2 13706-B1 49696-B1	The American Type Culture Collection
	G4** & ϕK**		Biochim.Biophysica Acta.1992.1130:277-288
	BF23**		J.Bacteriol.1977.129:265-275
	Mu1		J.Ultrastruct.Res.1966.14:441-448
	Hp17		J.Mol.Biol.1991.218:705-721
	K3** & Ox2**		FEBS Lett.1987.215:145-150
	Rb18**, Rb51 & Rb69**		J.Bacteriol.1990.172:180-186
	H1**, H3, H8, K9, K18 & Ox1		Mol.Gen.Genet.1990.221:491-494
	M1**, TuIa** & TuIb**		J.Mol.Biol.1987.196:165-174
	K10		J.Bacteriol.1979.140:680-686
	Qsr'		J.Bacteriol.1985.162:256-262
	B278		J.Gen.Microbiol.1988.134:1333-1338
	phi 80**		FEMS Microbiol.Lett.1994.119:71-76
	phi m173		Genetika 1985.21:673-675
	tf-1		J.Gen.Microbiol.1987.133:953-960
	P4 & phiR73		Mol.Microbiol.1995.18:201-208
	I_2-2		J.Gen.Microbiol.1982.128:2797-2804
	PRD1		Virology 1990.177:445-451
	K3hx		Mol.Gen.Genet.1987.206:110-115
	933J**& 933W**		Infect.Immunity.1986.53:135-140
	H19-B**		J.Bacteriol.1987.169:4308-4312
	Tcp-111		Zentralbnl.Bakteriol.Mikrobiol.Hyg.1988.270 :41-51
	N4**		Vet.Microbiol.1992.30:203-212
	Phi 80 trp		Ann.Inst.Pasteur.1971.120:121-125
	Obeta 1		J.Bacteriol.1978.133:172-177

	P1CM		J.Gen.Microbiol.1978.107:73-83
	PA-2**		J.Bacteriol.1990.172:1660-1662
	186**		Mol.Gen.Genet.1982.187:87-95
	186.IX.B		Mol.Microbiol.1992.6:2629-2642
	21**		Virology 1983.129:484-489
	P4**		MicrobiolRev.1993.57:683-702
	82**		J.Biol.Chem.1987.262:11721-11725
	PSP3		J.Bacteriol.1996.178:5668-5675
	HK022**		Nucleic Acids Res.1994.22:354-356
	D108**		Nucleic Acids Res.1986.14:3813-3825
Escherichia coli (Cont'd)	Rb49		J.Mol.Biol.1997.267:237-249
	Ike**		J.Mol.Biol.1985.181:27-39
	P22dis		Mol.Gen.Genet.1978.166:233-243
	N15**		J.Bacteriol.1996.178:1484-1486
	If1**		Proc.R.Soc.Lond.B.Biol.Sci.1991.245:23-30
	Stx2Phi-I & Stx2Phi-II		Infect.Immun.1998.66:4100-4107
	18		Virology 1987.156:122-126
	X		J.Gen.Microbiol.1981.126:389-396
	AC3		Mol.Microbiol.1991.5:715-725
	BW-1 C-1 E920g Esc-7-11 H19J Haiti HK243 Iα K20 K30 KL_3 M Mu** O103 O157:H7 P1D pt1 PilHα PR64FS PR772 SS4 β4Q λvir** Ω8 09-1 92		Felix d'Herelle Reference Centre,Quebec,Quebec
Haemophilus influenzae	HP1**		Nucleic Acids Res. 1996.24:2360-2368
	S2**		Gene 1997. 196: 139-144

Halobacterium cutirubrum	S45		Felix d'Herelle Reference Centre,Quebec,Quebec
Halobacterium halobium	ϕH & ϕN		Felix d'Herelle Reference Centre,Quebec,Quebec
	Hh1 & Hh3		Can.J.Microbiol.1982.28:916-921
Halobacterium salinarium	Phi H		Biol.Chem.Hoppe Seyler 1994.375:747-757
Klebsiella oxytoca	tf-1		J.Gen.Microbiol.1987.133:953-960
Klebsiella pneumoniae	60 92	23356-B1 23357-B1	The American Type Culture Collection
	K19Q		Felix d'Herelle Reference Centre,Quebec,Quebec
	FC3-1 & FC3-9		Can.J.Microbiol.1991.37:270-275
	FC3-10		FEMS Microbiol.Lett.1991.67:291-297
Klebsiella sp.	K11**		Mol.Gen.Genet. 1990.221:283-286
Leptospira sp.	LE1, LE3 & LE4		Res.Microbiol.1990.141:1131-1138
Listeria monocytogenes	243	23074-B1	The American Type Culture Collection
	197,1313 & 9425		Appl.Environ.Microbiol.1997.63:3374-3377
	H387 & H387-A		Appl.Environ.Microbiol.1993.59:2914-2917
	5775,6223 &12682		APMIS.1993.101:160-167
	2389, 2671, 4211 & 2685		Intervirology 1994.37:31-35 & Zentralbl.Bakteriol.Mikrobiol.Hyg.1986.261: 12-28
	4b, 4ab, 4g & 3c		Ann.Microbiol (Paris) 1977.128:185-198
	A118, A500 & A511**		Mol.Microbiol. 1995.16:1231-1241-992
	1, 3, 4, 5, 6, 7, 8, 9, 10, 11, 14, 15, 16, 17, 19 & 20		Ann.Microbiol. (Paris) 1979.130B:179-189
	1/2a, 1/2b, 3c, 4ab, 6a & 6b		Clin.Invest.Med.1984.7:229-232
	ϕLMUP35 2685		Felix d'Herelle Reference Centre,Quebec,Quebec
Listeria innocua	4211		Felix d'Herelle Reference Centre,Quebec,Quebec
Micrococcus luteus	N1 N3 N4 N8	4698-B1 4698-B4 4698-2 4698-B3	The American Type Culture Collection
Micrococcus luteus	N17		Can.J.Microbiol. 1979.25:1027-1035

Mycobacterium smegmatis	BK-3 Bo1** Bo 6 Bo 6II Bo 6III Mc-2 Mc-4 NN Phagus lacticola R1	27203-B1 27204-B1 27205-B1 27205-B2 27205-B3 607-B6 607-B7 11727-B1 11759-B1 607-B1	The American Type Culture Collection
	33D BK1 Clark DNA III Legendre Leo Roy Sedge	HER 317 HER 330 HER 333 HER 335 HER 334 HER 331 HER 316 HER 332	Felix d'Herelle Refrence Centre,Quebec,Quebec
	L5**		Mol.Microbiol.1993.7:395-405
	D29		J.Mol.Biol.1998.279:143-164
	L1		Proc.Natl.Acad.Sci USA.1988.84:2833-2837
	I3		Mol.Biol.Rep. 1981.30:11-15
	TM4		Proc.Natl.Acad.Sci.USA 1997.94:10961-10966
	29M, 31M, 122, 154, 37, 29D, 46, 139,110, 141, 74D, AG1 & DS6A		Arch.Virol.1993.133:39-49 & Am.Rev.Respir.Dis.1975.112:17-22
Mycobacterium fortuitum	NN Bo 4 Bo 7	23052-B1 27207-B1 27207-B2	The American Type Culture Collection
Mycobacterium leprae	BK1, Clark, Sedge, Baits, Watson & D29		Ann.Microbiol. (Paris) 1982.133:93-97
Mycobacterium tuberculosis	LG DS6A D-34	25618-B1 25618-B2 4243-B1	The American Type Culture Collection
	110, 139 & 33D		Arch.Virol.1993.133:39-49
	AG1,GS4E, BG1, PH & BK1		The Biology of Mycobacteria.Academic Press,Toronto 1982 (Ratledge & Stanford) 1982.309-351
Mycobacterium sp	Phagus pellegrini NN B1	11760-B1 11761-B1 23239-B1	The American Type Collection Culture
	TM4, ph60, ph72, PhAE39, phAE40 & Bxb1		Microbiology 1995.141:1173-1181
	C2		Experentia 1969.25:1112-1113

	18 & I15		J.Gen.Virol.1987.68:949-956
	63		Gruzlica 1968.36:617-622
	phlei & butyricum		J.Gen.Virol.1975.29:235-238
	MyF3P-59a		Z.Allg.Mikrobiol.1968.8:29-37
	Bo2a		J.Gen.Virol.1973.20:75-87
	D4,D28 & D32		J.Exptl.Med.1966.123:327-340
	HC		J.Bacteriol.1963.86:608-609
Mycobacterium vaccae	B5	15483-B1	The American Type Culture Collection
Mycobacterium phlei	NN NN Bo 2 Bo 2h Bo 3	11728-B1 11758-B1 27086-B2 27086-B1 27206 B1	The American Type Culture Collection
Mycoplasma arthritidis	MAV1**		Infect.Immunity.1995.63:4016-4023
Mycoplasma hyorhinis	Hr-1		Arch.Virol.1983.77:81-85
Mycoplasma pneumoniae	Br-1		Arch.Virol.1983.75:1-15
Mycoplasma pulmonis	P1		Plasmid 1995. 33: 41-49
Mycoplasma sp.	MV-01		J.Gen.Microbiol.1985:131:3117-3126
	L1		J. Virol.1986.59:584-590
	L2**		Gene 1994. 141: 1-8
	L3 (MV-L3)		Microbios 1990. 64: 111-125
	MAV-1		Infection& Immunity 1995. 63: 4016-4023
	20-P		Med.Biol.1982.60:116-120
	MV-L2 & MV-lg-pS2-L172		Arch.Virol.1979.61:289-296
	MV-lg-L 172		Acta.Virol.1978.22:443-450
	BN1		J.Gen.Virol.1979.42:315-322
	MVL51		Virology 1973.55:118-126
	MVL1, MVL52 & MVG51		Science 1971.173:725-727
Neisseria perflava	NP-1		J.Clin.Microbiol.1976. 4:87-91
Nocardia erythrypolis	φC		J.Gen.Virol.1974.23:247-254
	φEC		J.Bacteriol.1976.126:1104-1107
Pasteurella multocida	B225		Arch.Exp.Veterinarmed.1981.35:433-436
	B939a		Am.J.Vet.Res.1978.39:1565-1566
	Nos.115, 32, 967 & 1075		Vet.Med.Nauki. 1977.14:33-36
Propionibacterium acnes	NN	29399-B1	The American Type Collection Culture

Pseudomonas aeruginosa	1	12175-B1	The American Type Culture Collection
	2	12175-B2	
	2A	12175-B3	
	2B	12175-B4	
	11	14205-B1	
	16	14206-B1	
	24	14207-B1	
	27	14208-B1	
	44	14209-B1	
	73	14210-B1	
	95	14211-B1	
	109	14212-B1	
	113	14213-B1	
	249	14214-B1	
	B3	15692-B1	
	Hoff 2	14203-B1	
	Hoff 3	14204-B1	
	Pa	12055-B1	
	Pb	12055-B2	
	PB-1	15692-B3	
	Pc	12055-B3	
	Pf	25102-B1	
	PP7**	15692-B2	
	SD1-M, ϕw14, 7 & 31		Felix d'Herelle Reference Centre,Quebec,Quebec
	Pf3**		J.Virol.1983.47:221-223
	φ-MC		Can.J.Microbiol.1969.15:1179-1186
	Pf1**		J.Mol.Biol.1991.218:349-364
	PR4**		J.Gen.Virol.1979.43:583-592
	A7		J.Bacteriol.1992.174:2407-2411
	KF1		J.Biochem.1983.93:61-71
	ϕCTX**		Mol.Microbiol.1993.4:1703-1709
	f2**		J.Virol.1977.24:135-141

	φKZ, 21, φNZ, PMN17, PTB80, 68, PB-1, E79, 16, 109, 352, 1214, F8, 71, 337, M4, φC17, SL2, B17, Li-24, φmnP78, PS17**, φ1, 73, M6, Li-2, 7, φmnF82, PTB2, PTB20, PTB42, φKF77, 31, PTB21, 119x, φPLS27, B3, 258, Hw12, PM57, PM62, PM105, 148, PM681, 198, 218, 222, 242, 246, PC131, φC11, SL5, D3112**, Jb19, F7, PM69, PM13, PM61, PM113, φ240, 249 & 269		Arch.Virol.1993.131:141-151
Pseudomonas aeruginosa (Cont'd)	297, 309, 318, 11, PH51,342, 351, PH93, 357-1, 13, 14, PC11-1, 267, D 3**, PC351, KF, PM63, PH132, , I°, φX, 400-1, 45, SM, SL3, SL1, φ11, F10, φC15, 160, 20, 336, 350, φC5, φC11-1, φC13, 295, ,SL4, G101, F116, B26, φBS, 53, 145, 284 & 308		Arch.Virol.1993.131:141-151
Pseudomonas cepacia	42 & 83-24		Felix d'Herelle Reference Centre,Quebec,Quebec
Pseudomonas fragi	ps1 wy	27362-B1 27363 B1	The American Type Culture Collection
Pseudomonas phaseolicola	ϕ6		Felix d'Herelle Reference Centre,Quebec,Quebec
Pseudomonas putida	gh-1	12633-B1	The American Type Culture Collection

Pseudomonas syringae	NN ϕ-6	40492-B1 21781-B1	The American Type Culture Collection
Pseudomonas sp.	PPs-G3	49780-B1	The American Type Culture Collection
Salmonella bareilly	Sab 2		Felix d'Herelle Reference Centre,Quebec,Quebec
Salmonella enteritidis	1, 2,3 & 6		Epidemiol.Infect.1995.114:227-236
	2a, 3a, 4a, 5a, 6a, 7a, 8a, 9a, 15, 19, 20 &21**		Vet.Med.Nauki.1975.12:55-60
Salmonella newington	Epsilon 34		J.Struct.Biol. 1995.115:283-289
Salmonella newport	7-11 16-19	27869-B1 27869-B2	The American Type Culture Collection
	2.5a		Felix d'Herelle Reference Centre,Quebec,Quebec
Salmonella paratyphi	31 Paratyphoid A	19940-B1 12176-B1	The American Type Culture Collection
	Jersey		Felix d'Herelle Reference Centre,Quebec,Quebec
Salmonella senftenberg	SasL1, SaL2, Sal 3, SaL4, SaL5 & SasL6		Indian J.Med.Res. 1997.105:47-52
Salmonella typhimurium	P22** SL-1	19585-B1 40282	The American Type Culture Collection
	MB78**		J.Virol. 1982.41: 1038-1043
	SE1		J.Gen.Microbiol.1986.132:1035-1041
	LT2		Virology 1971.45:835-636
	ES18**		Virology 1970.42:621-632
	L**		J.Virol.1985.56:1034-1036
	P1CM clr-100		Mol.Gen.Genet.1975.138:113-126
	F22		Genet.Res.1986.48:139-143
	Fels 1		J.Gen.Virol.1978.38:263-272
	Fels 2		Genet.Res.1986.48:139-143
	Px		Mol.Gen.Genet.1970.108:184-202
	P1kc		Virology 1974.60:503-514
	A3 & A4		J.Bacteriol. 1987.169:1003-1009
	HT		Genet.Res.1976.27:315-322
Salmonella typhimurium (Cont'd)	IRA		J.Basic Microbiol. 1990.30:707-716
	Mud1		Mol.Gen.Genet. 1986.202:327-330
	P22 (cir4-1, cir5-1 & cir6-1)		Mol.Gen.Genet.1984.198:105-109
	BF23**		Mol.Gen.Genet.1976.147:195-202
	Kb1		J.Bacteriol.1974.117:907-908
	P221dis		J.Gen.Virol.1978.41:367-376
	PRD1**		Virology 1990.177:445-451
	I_2-2**		J.Gen.Microbiol.1982.128:2797-2804
	tf-1		J.Gen.Microbiol.1987.133:953-960
	X**		J.Gen.Microbiol.1981.126:389-396

Salmonella typhosa/typhi	8 23 25 46 53 163 175 ViI ViVI	19937-B1 19938-B1 19939-B1 19942-B1 19943-B1 19946-B1 19947-B1 27870-B1 27870-B2	The American Type Culture Collection
	O1		Felix d'Herelle Refrence Centre,Quebec,Quebec
	ViII		Chung Hua Liu Hsing Ping H.T.C.1992.13:288
	j2		J.Gen.Microbiol.1983.129:3395-33400
Salmonella sp.	P3 P4** P9a P9c P10 102 Chi (χ) R34	25957-B1 25957-B2 25957-B3 25957-B4 25957-B5 19945-B1 9842-B1 97541	The American Type Culture Collection
	MG40		Virology 1968.34:521-530
	P14		Microb.Pathog.1990.8:393-402
	PSP3		Virology 1992.188:414
	Ike**		Zentralbl.Bakteriol.1976.234:294-304
	P27 & 9NA		J.Virol.1986.12:921-931
Sphaerotilus natans	SN1		Appl.Environ.Microbiol.1979.37:1025-1030
Shigella dysenteriae	2 P2 ϕ-80	23351-B1 11456b 11456a-B1	The American Type Culture Collection
Shigella flexeneri	D20	12661-B1	The American Type Culture Collection
	SfII**		Mol.Microbiol.1997.26:939-950
	SfV**		Gene 1997.22:217-227
	Sf6**		Mol.Microbiol.1995.18:201-208
	SfX		Gene 1993.129:99-101
Shigella sonnei	C16**		
	Ufa		Mol..Biol (Mosk) 1977.11:323-331
Shigella sp	37	23354-B1	The American Type Culture Collection
Spiroplasma citri	SpV1		Plasmid 1993.29:193-205
Spiroplasma sp.	SpV1-R8A2B		Nucleic Acids Res. 1990.18:1293
	SpV3		Isr.J.Med.Sci.1987.23:429-433
	Sp V4		J.Bacteriol.1987.169:4950-4961
Staphylococcus albus	1 to 18, 20, 21 to 25, 27, 29 to 36 & 39		Staphylococci & Staphylococcal Infections.1997. Vol1:503-508 (Karger,Basel)

Staphylococcus aureus	3A	27702-B1	The American Type Culture Collection
	3C	27703-B1	
	6	27704-B1	
	15	23360-B1	
	17	23361-B1	
	29	27705-B1	
	42D**	27712-B1	
	42E	27690-B1	
	47	27691-B1	
	52	27692-B1	
	52A	27693-B1	
	53	27694-B1	
	54	27695-B1	
	55	27696-B1	
	71	27697-B1	
	75	27698-B1	
	77	27699-B1	
	79	27693-B2	
	80	27700-B1	
	81	27701-B1	
	83A	27706-B1	
	84	27707-B1	
	85**	27708-B1	
	88	33742	
	92	33741-B1	
	5504'	15565	
	K	19685-B1	
	P1	11987-B1	
	P14	11988-B1	
	UC18	15752-B1	
	44AHJD	HER 101	Felix d'Herelle Reference Centre,Quebec,Quebec
	187	HER 239	
	2638A/2854	HER 283	
	p68	HER 49	
	Twort**	HER 48	
	ϕ11**		J.Bacteriol.1988.170:2409-2411
	ϕ13** & ϕ42**		J.Gen..Microbiol.1989.135:1679-1697
	L54a**		J.Bcteriol.1986.166:385-391
	80α**		Can.J.Microbiol.1996.43:612-616
	94,95 & 96		J.Clin.Microbiol.1988.26:2395-2401
	φ131,A_3 & A_5		Staphylococci & Staphylococcal Infections.1997. Vol1:503-508 (Karger,Basel)
	Phi PVL**		Gene 1998.215:57-67
Staphylococcus carnosus	BaSTC2		Felix d'Herelle Reference Centre,Quebec,Quebec
Staphylococcus epidermidis	1a, 2b, 3a, 4b, 5a, 6b, 7b, 8c, 9a, 10a, 11b,12a & 13b		Can.J.Microbiol.1988.34:1358-1361

	41, 63, 118II, 138, 245, 336, 392 & 550		Res.Virol.1994.145:111-121
Staphylococcus saprophyticus	1154A, 1405, 1314, 1139 & 1259		Res.Virol.1990.141: 625-635 & Res.Virol.1994.145:111-121
Staphylococcus sp.	Phi 812, Phi 131, SK311 & U16		Virology 1998.246:241-252
Streptococcus faecalis	VD13	HER44	Felix d'Herelle Reference Centre,Quebec,Quebec
Streptococcus faecium	PE1		Zentralbl.Bakteriol.1975.231:421-425
Streptococcus oralis	Cp-1** & Cp-7**		FEMS Microbiol.Lett.1989.65:187-192
Streptococcus pneumoniae	Cp-1**	HER223	Felix d'Herelle Reference Centre,Quebec,Quebec
	Cp-1**, Cp-5**, Cp-7**, Cp-9**, ω-1 & ω-2		J.Virol.1981.40:551-559 & Eur.J.Biochem.1979.101:59-64 & Microbial Drug Resistance 1997.3:165-176
	HB-623 & HB-746		J.Virol.1990.64:5149-5155
	EJ -1**		J.Bacteriol.1992.174:5516-5525
	Dp-2 & Dp-4		J.Virol.1978.26:221-225
	Dp-1		Virology 1975.63:577-582
	ω-3 & ω-8		J.Virol.1976.19:659-667
	304		J.Bacteriol.1980.141:1298-1304
	HB-1,HB-2, HB-3**, HB-4, HB-5 & HB-6		J.Bacteriol.1979.138:618-624
Streptococcus pyogenes	T12**		Mol. Microbiology. 1997#23:719-728
	A-1 A-6 A-25 Kjem	12202-B1 12203-B1 12204-B1 14918	The American Type Culture Collection
Streptococcus sp./Enterococcus	1 182 VD1884	HER 339 HER 80 HER 323	Felix d'Herelle Refrence Centre,Quebec,Quebec
	1A 1B NN 42 118 120	12169-B1 12170-B1 21597-B1 19948-B1 19951-B2 19952-B1	The American Type Culture Collection
Veillonella rodentium	N2		Antonie Van Leeuwenhoek 1989.56:263-271
Vibrio cholerae	Psi 92		Intervirology 1993.36:237-244
	VCB-1,2,3 & 4		J.Infetion 1998.36:131
	CP-T1**		J.Virol.1984.51:163-169
	VSK		FEMS Microbiol.Lett.1996.145:17-22
	Phi138		J.Virol.1986.57:960-967
	Phi149		J.Virol.1985.140:217-223

	Fs-2**		Microbiology 1998.144:1901-1906
	e4 e5 X29 β κ 13 14 16 24 32 57		Felix d'Herelle Reference Centre,Quebec,Quebec
Vibrio cholerae (Cont'd)	138 145 149 163 N-4 S-5 S-20 M-4 D-10 I II III IV V	14100-B1 14100-B2 14100-B30 14100-B4 51352-B1 51352-B2 51352-B3 51352-B4 51352-B5 51352-b6 51352-B7 51352-B8 51352-B9 51352-B10	The American Type Culture Collection
Vibrio costicola	UTAK		Felix d'Herelle Reference Centre,Quebec,Quebec
Vibrio eltor	e_4		J.Gen.Virol.1987.68:1411-1416
Vibrio natrigens	nt1,nt6		Felix d'Herelle Reference Centre,Quebec,Quebec
Vibrio parahaemolyticus	KVP40** VF33 VP1 ϕ60 ϕHAWI-5 ϕPEL8C-1		Felix d'Herelle Reference Centre,Quebec,Quebec
Vibrio sp.	α3a		Felix d'Herelle Reference Centre,Quebec,Quebec
	NN ph1	11985-B1 51582-B1	The American Type Culture Collection
	Phi149		J.Virol.1987.61:3999-4006
Veillonella rodentium	N2		Antonie V.Leeuwenhoek.1989.56:263-271

Yersinia enterocolitica	1 2 3 4 5 6 7 8 9 ϕYeO3-12		Felix d'Herelle Reference Centre,Quebec,Quebec
	I, IV & VIII		Zentralbl.Bakteriol.Mikrobiol.Hyg.1982.253: 102
Yersinia pestis	R S Y	23208-B1 11593-B1 23053-B1	The American Type Culture Collection
	II		Zh.Mikrobiol.Epidemiol.Immunobiol.1990.11 :9
Yersinia pseudotuberculosis	PST**	23207-B1	The American Type Culture Collection
Yersinia sp.	RD2		Mol.Gen.Mikrobiol.Virusol.1990.8:18-21

Table 2

>Bacteriophage 77, complete genome sequence, 41708 nucleotides

```
1      gatcaaaata cttggggaac ggttagggag taaacttcgc gataatttta aaaattcatg
61     tataaccccc ctcttataac cattttaagg caggtgatga aatggagatt atagtcgatg
121    aaaatttagt gcttaaagaa aaagaaaggc tacaagtatt atataaagac atacctagca
181    ataaattaaa agtagttgat ggtttaatta ttcaagcagc aaggctacgt gtaatgcttg
241    attacatgtg ggaagacata aaagaaaaag gtgattatga tttatttact caatctgaaa
301    aggcgccacc atatgaaagg gaaagaccag tagccaaact atttaatgct agagatgctg
361    catatcaaaa aataatcaaa caattatcgg atttattgcc cgaagagaaa gaagacacag
421    aaacgccatc tgatgattac ctatgattag taataaatac gttgatgaat atataaattt
481    gtggaaacaa ggaaagataa ttttaaataa agaaagaatt gatctcttta attatctaca
541    aaaacatata tattcacgag atgatgtata ttttgatgaa cagaaaatcg aggattgtat
601    caaatttatt gaaaaatggt attttccaac attaccattt caaaggttta tcatagctaa
661    tatatttctt atagataaaa atacagatga agctttcttt acagaatttg ctattttcat
721    gggacgtgga ggcgggaaaa acggtctaat aagtgctatt agtgattttc tttctacgcc
781    cttacacgga gttaaagaat atcacatctc cattgttgct aatagtgaag atcaagcaaa
841    aacatcgttt gatgaaatca gaaccgtttt aatggataac aaacgaaata agacgggtaa
901    aacgccaaaa gctccttatg aagttagtaa agcaaaaata ataaaccgtg caactaaatc
961    ggttattcga tataacacat caaacacaaa aaccaaagac ggtggacgtg aggggtgtgt
1021   tatttttgat gaaattcatt atttctttgg tcctgaaatg gtaaacgtca aacgtggtgg
1081   attaggtaaa aagaaaaata gaagaacgtt ttatataagt actgatggtt ttgttagaga
1141   gggttatatc gatgcaatga agcacaaaat tgcaagtgta ttaagtggca aggttaaaaa
1201   tagtagattg tttgcttttt attgtaagtt agacgatcca aaagaagttg atgacagaca
1261   gacgtgggaa aaggcgaacc caatgttaca taaaccgtta tcagaatacg ctaaaacact
1321   gctaagcacg attgaagaag aatataacga tttaccattc aaccgttcaa ataagcccga
1381   attcatgact aagcgaatga atttgcctga agttgacctt gaaaaagtaa tagcaccatg
1441   gaaagaaata ctagcgacta atagagagat accaaattta gataatcaaa tgtgtattgg
1501   tggtttagac tttgcaaaca ttcgagattt tgcaagtgta gggctattat tccgaaaaaa
1561   cgatgattac atttggttag gacattcgtt tgtaagacaa gggttttgg atgatgtcaa
1621   attagaacct cctattaaag aatgggaaaa aatgggatta ttgaccattg tcgatgatga
1681   tgtcattgaa attgaatata tagttgattg gtttttaaag gctagagaaa aatatgggct
1741   tgaaaaagtc atagctgata attatagaac tgatattgta agacgtgcgt ttgaggatgc
1801   tggcataaaa cttgaagtac ttagaaatcc aaaagcaata catggattac ttgcaccacg
1861   tatcgataca atgtttgcga aacataacgt aatatatgga gacaatcctt tgatgcgttg
1921   gtttactaat aatgttgctg taaaaatcaa gccggatgga aataaagagt atatcaaaaa
1981   agatgaagtc agacgtaaaa cggatggatt catggctttt gttcacgcat tatatagagc
2041   agacgatata gtagacaaag acatgtctaa agcgcttgat gcattaatga gtatagattt
2101   ctaatagagg aggtgagaca tgagtattct agaaaagata tttaaaacta ggaaagatat
2161   aacatatatg cttgatttag atatgataga agatctatca caacaagcgt atgtgaaacg
2221   tttagcgatt gatagttgta ttgaatttgt tgcgcgagct gtcgctcaaa gtcattttaa
2281   agtattggaa ggtaatagaa ttcaaaagaa tgatgtttac tacaagttaa atataaaacc
2341   aaatactgac ttatcaagcg atagtttttg gcaacaagtt atatataaac taatttatga
2401   taacgaggtt ttaatcgtag taagtgacag caaagaatta cttatcgcag atagctttta
2461   cagagaagag tacgctttgt atgatgatat attcaaagat gtaacggtta aagattatac
2521   ttatcaacgt actttcacaa tgcaagaggt catatattta aagtacaaca acaataaagt
2581   gacacacttt gtagaaagtc tattcgaaga ttacgggaaa atattcggaa gaatgatagg
2641   tgcacaatta aaaaactatc aaataagagg gattttgaaa tctgcctcta gcgcatatga
2701   cgaaaagaat atagaaaaat tacaagcgtt cacaaataaa ttattcaata cttttaataa
2761   aaatcaacta gcaatcgcgc ctttgataga aggttttgat tatgaggaat tatctaatgg
2821   tggtaagaat agtaacatgc ctttttctga attgagtgag ctaatgagag atgcaataaa
2881   aaatgttgcg ttgatgattg gtatacctcc aggtttgatt tacggagaaa cagctgattt
2941   ggaaaaaaac acgcttgtat ttgagaagtt ctgtttaaca cctttattaa aaaagattca
3001   gaacgaatta aacgcgaaac tcataacaca aagcatgtat ttgaaagata caagaataga
3061   aattgtcggt gtgaataaaa aagacccact tcaatatgct gaagcaattg acaaacttgt
3121   aagttctggt tcatttacaa ggaatgaggt gcggattatg ttaggtgaag aaccatcaga
3181   caatcctgaa ttagacgaat acctgattac taaaaactac gaaaaagcta acagtggtga
3241   aaatgatgaa aaagaaaaag atgaaaacac tttgaaaggt ggtgatgaag atgaaagcgg
3301   agattaaagg cgtcatcgtt tccaacgaag ataaatgggt ttacgaaatg cttggtatgg
3361   attcgacttg tcctaaagat gttttaacac aactagaatt tagtgatgaa gatgttgata
3421   ttataattaa ctcaaatggt ggtaacctag tagctggtag tgaaatatat acacatttaa
3481   gagctcataa aggcaaagtg aatgttcgta tcacagcaat agcagcaagt gcggcatcgc
3541   ttatcgcaat ggctggtgac cacatcgaaa tgagtccggt tgctagaatg atgattcaca
```

```
3601  atccttcaag tattgcgcaa ggagaagtga aagatctaaa tcatgctgca gaaacattag
3661  aacatgttgg tcaaataatg gctgaggcat atgcggttag agctggtaaa aacaaacaag
3721  aacttataga aatgatggct aaggaaacgt ggctaaatgc tgatgaagcc attgaacaag
3781  gttttgcgga tagtaaaatg tttgaaaacg acaatatgca aattgtagca agcgatacac
3841  aagtgttatc gaaagatgta ttaaatcgtg taacagcttt ggtaagtaaa acgccagagg
3901  ttaacattga tattgacgca atagcaaata aagtaattga aaaaataaat atgaaagaaa
3961  aggaatcaga aatcgatgtt gcagatagta aattatcagc aaatggattt tcaagattcc
4021  ttttttaata caaaaatagg aggtcataaa atgactataa atttatcgga aacattcgca
4081  aatgcgaaaa acgaatttat taatgcagta aacaacggtg aaccgcaaga aagacaaaat
4141  gaattgtacg gtgacatgat taaccaacta tttgaagaaa ctaaattaca agcaaaagca
4201  gaagctgaaa gagtttctag tttacctaaa tcagcacaaa ctttgagtgc aaaccaaaga
4261  aatttcttta tggatatcaa taagagtgtt ggatataaag aagaaaaact tttaccagaa
4321  gaaacaattg atagaatctt cgaagattta acaacgaatc atccattatt agctgactta
4381  ggtattaaaa atgctggttt gcgtttgaag ttcttaaaat ccgaaacttc tggcgtggct
4441  gtttggggta aaatctatgg tgaaattaaa ggtcaattag atgctgcgtt cagtgaagaa
4501  acagcaattc aaaataaatt gacagcgttt gttgttttac caaaagattt aaatgatttt
4561  ggtcctgcgt ggattgaaag atttgttcgt gttcaaatcg aagaagcatt tgcagtggcg
4621  cttgaaactg cgttcttaaa aggtactggt aaagaccaac cgattggctt aaaccgtcaa
4681  gtacaaaaag gtgtatcggt aactgatggt gcttatccag agaaagaaga acaaggtacg
4741  cttacatttg ctaatccgcg cgctacggtt aatgaattga cgcaagtgtt taaataccac
4801  tcaactaacg agaaaggtaa atcagtagcg gttaaaggta atgtaacaat ggttgttaat
4861  ccgtccgatg cttttgaggt tcaagcacag tatacacatt taaatgcaaa tggcgtatat
4921  gttactgctt taccatttaa tttgaatgtt attgagtcta cagttcaaga agcaggtaag
4981  gttttaacgt acgttaaagg tctatatgat ggttatttag ctggtggtat taatgttcag
5041  aaatttaaag aaacacttgc gttagatgat atggatttat acactgcaaa acaatttgct
5101  tacggcaaag cgaaagataa taaagttgct gctgtttgga aattagattt aaaaggacat
5161  aaaccagctt tagaagatac cgaagaaaca ctataaaatt ttatgaggtg ataaaatggt
5221  gaaatttaaa gttgttagag aatttaaaga catagagcac aatcaacaca agtacaaagt
5281  aggggagttg tatccagctg aagggtataa caatcctcgt gttgaattgt tgacaaatca
5341  aatcaaaaat aagtacgaca aagtttatat cgtaccttta gataagctga caaaacaaga
5401  attattagaa ctatgcgaat cattacaaaa aaaagcgtct agttcaatgg ttaaaagtga
5461  aatcatcgac ttattgaatg gtgaagacaa tgacgattga tgatttgctt gtcaaattta
5521  aatcacttga aaagattgac cataattcag aggatgagta cttaaagcag ttgttaaaaa
5581  tgtcgtacga gcgtataaaa aatcagtgcg gagtttttga attagagaat ttaataggtc
5641  aagaattgat acttatacgc gctagatatg cttatcaaga tttattagaa cacttcaacg
5701  acaattacag acctgaaata atagattttt cgttatctct aatggaggta tcagaagatg
5761  aagaaagtgt ttaagaaacc tagaattaca actaaacgtt taaatacgcg tgttcatttt
5821  tataagtata ctgaaaataa tggtccagaa gctggagaaa aagaagaaaa attattatat
5881  agctgttggg cgagtattga tggtgtctgg ttacgtgaat tagaacaagc tatctcaaac
5941  ggaacgcaaa atgacattaa attgtatatt cgtgatccgc aaggtgatta tttacccagt
6001  gaagaacatt atcttgaaat tgaatcaaga tatttcaaaa atcgtttgaa tataaagcaa
6061  gtatcaccag atttggataa taaagacttt attatgattc gcggaggata tagttcatga
6121  gtgtgaaagt gacaggtgat aaagcattag aaagagaatt agaaaaacat tttggcataa
6181  aagagatggt aaaagttcaa gataaggcgt taatagctgg tgctaaggta attgttgaag
6241  aaataaaaaa acaactcaaa ccttcagaag actcaggagc actgattagt gagattggtc
6301  gtactgaacc tgaatggata aaggggaaac gtactgttac aattaggtgg cgtgggcctt
6361  ttgaacgatt tagaatagta catttaattg aaaatggtca tgttgagaaa aagtcaggaa
6421  aatttgtaaa acctaaagct atgggtggga ttaatagagc aataagacaa gggcaaaata
6481  agtattttga gacgctaaaa agggagttga aaaaattgtg attgatattt tgtacaaagt
6541  tcatgaagtg attagtcaag acagaattat tagagagcac gtaaatatca ataatattaa
6601  gttcaataaa taccctaatg taaaagatac tgatgtacct tttattgtta ttgacgatat
6661  cgacgaccca atacctacaa cttatactga cggagatgag tgtgcatata gttatattgt
6721  ccaaatagat gtttttgtta agtacaatga tgaatataat gcgagaatca taagaaataa
6781  gatatctaat cgcattcaaa agttattatg gtctgaacta aaaatgggaa atgtttcaaa
6841  tggaaaaccg gaatatatag aagaatttaa aacatataga agctctcgcg tttacgaggg
6901  catttttat aaggaggaaa attaaatggc agtaaaacat gcaagtgcgc caaaggcgta
6961  tattaacatt actggtttag gtttcgctaa attaacgaaa gaaggcgcgg aattaaaata
7021  tagtgatatt acaaaaacaa gaggattaca aaaaattggt gttgaaactg gtggagaact
7081  aaaaacagct tatgctgatg gcggtccaat tgaatcaggg aatacagacg gagaaggtaa
7141  aatctcatta caaatgcatg cgttccctaa agagattcgc aaaattgttt ttaatgaaga
7201  ttatgatgaa gatggcgttt acgaagagaa acaaggtaaa caaaacaatt acgtagctgt
7261  atggttcaga caagagcgta aagacggtac atttagaaca gttttattac ctaaagttat
7321  gtttacaaat cctaaaatcg atggagaaac ggctgagaaa gattgggatt tctcaagtga
7381  agaggttgaa ggtgaggcac ttttcccttt agttgataat aaaaagtcag tacgtaagta
7441  tatctttgat tcagctaaca tgacaaatca tgatggagac ggtgaaaaag gcgaagaggc
7501  tttcttaaag aaaattttag gcgaagaata tactggaaac gtgacagagg gtaacgaaga
7561  aactttgtaa caaaaccggc ttcatcggaa actgcggtaa agtcggttaa tataccagat
```

```
7621   agcattaaaa cacttaaagt tggcgacaca tacgatttaa atgttgtagt agagccatct
7681   aatcaaagta agttattgaa atacacaaca gatcaaacga atattgtatc aatcaatagt
7741   gatggtcaag ttactgcgga agcacaaggc attgctacgg ttaaagcaac agttggtaat
7801   atgagtgaca ctataacaat aaatgtagaa gcataagagg gggcaacccc tctattttat
7861   ttgaaaataa ggagagtatt ataaaatggc aaaattaaaa cgtaacatta ttcaattagt
7921   agaagatcca aaagcaaatg aaattaaatt acaaacgtac ttaacaccac acttcatttc
7981   atttgaaatt gtatacgaag caatggattt aatcgatgat attgaggacg aaaatagcac
8041   gatgaagcca agagaaatcg ctgacagatt gatggatatg gttgtaaaaa tttacgataa
8101   ccaattcaca gttaaagacc taaaagaacg tatgcatgca cctgatggaa tgaatgcact
8161   tcgtgaacaa gtgatttttca ttactcaagg tcaacaaact gaggaaacta gaaattttat
8221   ccagaacatg aaataaagcc tgaagattta acatataaag caatgttgaa aaatatggat
8281   actctcatga tggacttaat tgaaaatggt aaagacgcta acgaagtttt aaaaatgcca
8341   tttcattatg tgctttccat atatcaaaat aaaaataatg acatttctga agaaaaagca
8401   gaggctttaa ttgatgcatt ttaaccttaa ccgtttggtt agggttattt ttttgaactt
8461   ttttagaaag gaggtaaaaa atgggagaaa gaataaaagg tttatctata ggtttggatt
8521   tagatgcagc aaatttaaat agatcatttg cagaaatcaa acgaaacttt aaaactttaa
8581   attctgactt aaaattaaca ggcaacaact tcaaatatac cgaaaaatca actgatagtt
8641   acaaacaaag gattaaagaa cttgatggaa ctatcacagg ttataagaaa aacgttgatg
8701   atttagccaa gcaatatgac aaggtatctc aagaacaggg cgaaaacagt gcagaagctc
8761   aaaagttacg acaagaatat aacaaacaag caaatgagct gaattattta gaaagagaat
8821   tacaaaaaac atcagccgaa tttgaagagt tcaaaaaagc tcaagttgaa gctcaaagaa
8881   tggcagaaag tggctgggga aaaaccagta aagttttga aagtatggga cctaaattaa
8941   caaaaatggg tgatggttta aaatccattg gtaaaggttt gatgattggt gtaactgcac
9001   ctgttttagg tattgcagca gcatcaggaa aagcttttgc agaagttgat aaaggtttag
9061   atactgttac tcaagcaaca ggcgcaacag gcagtgaatt aaaaaaattg cagaactcat
9121   ttaaagatgt ttatggcaat tttccagcag atgctgaaac tgttggtgga gttttaggag
9181   aagttaatac aaggttaggt tttacaggta aagaacttga aaatgccaca gagtcattct
9241   tgaaattcag tcatataaca ggttctgacg gtgtgcaagc cgtacagtta attacccgtg
9301   caatgggcga tgcaggtatc gaagcaagtg aatatcaaag tgttttggat atggtagcaa
9361   aagcggcgca agctagtggg ataagtgttg atacattagc tgatagtatt actaaatacg
9421   gcgctccaat gagagctatg ggctttgaga tgaaagaatc aattgcttta ttctctcaat
9481   gggaaaagtc aggcgttaat actgaaatag cattcagtgg tttgaaaaaa gctatatcaa
9541   attggggtaa agctggtaaa aacccaagag aagaatttaa gaagacatta gcagaaattg
9601   aaaagacgcc ggatatagct agcgcaacaa gtttagcgat tgaagcattt ggtgcaaagg
9661   caggtcctga tttagcagac gctattaaag gtggtcgctt tagttatcaa gaatttttaa
9721   aaactattga agattcccaa ggcacagtaa accaaacatt taaagattct gaaagtggct
9781   ccgaaagatt taaagtagca atgaataaat taaaattagt aggtgctgat gtatgggctt
9841   ctattgaaag tgcgtttgct cccgtaatgg aagaattaat caaaaagcta tctatagcgg
9901   ttgattggtt ttccaattta agtgatggtt ctaaaagatc aattgttatt ttcagtggta
9961   ttgctgctgc aattggtcct gtagtttttg ggttaggtgc atttataagt acaattggca
10021  atgcagtaac tgtattagct ccattgttag ctagtattgc aaaggctggt ggattgatta
10081  gtttttttatc gactaaagta cctatattag gaactgtctt cacagcttta actggtccaa
10141  ttggcattgt attaggtgta ttggctggtt tagcagtcgc atttacaatt gcttataaga
10201  aatctgaaac atttagaaat tttgttaatg gtgcaattga aagtgttaaa caaacattta
10261  gtaattttat tcaatttatt caacctttcg ttgattctgt taaaaacatc tttaaacaag
10321  cgatatcagc aatagttgat ttcgcaaaag atatttggag tcaaatcaat ggattcttta
10381  atgaaaacgg aatttccatt gttcaagcac ttcaaaatat atgcaacttt attaaagcga
10441  tatttgaatt tattttaaat tttgtaatta aaccaattat gttcgcgatt tggcaagtga
10501  tgcaatttat ttggccggcg gttaaagcct tgattgtcag tacttgggag aacataaaag
10561  gtgtaataca aggtgcttta aatatcatac ttggcttgat taagttcttc tcaagtttat
10621  tcgttggtga ttggcgagga gtttgggacg ccgttgtgat gattcttaaa ggagcagttc
10681  aattaatttg gaatttagtt caattatggt ttgtaggtaa aatacttggt gttgttaggt
10741  actttggcgg gttgctaaaa ggattgatag caggaatttg ggacgtaata agaagtatat
10801  tcagtaaatc tttatcagca atttggaatg caacaaaaag tatttttgga tttttattta
10861  atagcgtaaa atcaattttc acaaatatga aaaattggtt atctaatact tggagcagta
10921  tccgtacgaa tacaatagga aaagcgcagt cattatttag tggcgtcaaa tcaaaattta
10981  ctaatttatg gaatgcgacg aaagaaattt ttagtaattt aagaaattgg atgtcaaata
11041  tttggaattc cattaaagat aatacggtag gaattgcaag ccgtttatgg agtaaggtac
11101  gtggaatttt cacaaatatg cgcgatggct tgagttccat tatagataag attaaaagtc
11161  atatcggcgg tatggtaagc gctattaaaa aaggacttaa taaattaatc gacggtttaa
11221  actgggtcgg tggtaagttg ggaatggata aaatacctaa gttacacact ggtacagagc
11281  acacacatac tactacaaga ttagttaaga acggtaagat tgcacgtgac acattcgcta
11341  cagttgggga taagggacgc ggaaatggtc caaatggttt tagaaatgaa atgattgaat
11401  tccctaacgg taaacgtgta atcacaccta atacagatac taccgcttat ttacctaaag
11461  gctcaaaagt atacaacggt gcacaaactt attcaatgtt aaacggaacg cttccaagat
11521  ttagtttagg tactatgtgg aaagatatta aatctggtgc atcatcggca tttaactgga
11581  caaaagataa aataggtaaa ggtaccaaat ggcttggcga taaagttggc gatgttttag
```

```
11641  attttatgga aaatccaggc aaacttttaa attatatact tgaagctttt ggaattgatt
11701  tcaattcttt aactaaaggt atgggaattg caggcgacat aacaaaagct gcatggtcta
11761  agattaagaa aagtgctact gattggataa aagaaaattt agaagctatg ggcggtggcg
11821  atttagtcgg cggaatatta gaccctgaca aaattaatta tcattatgga cgtaccgcag
11881  cttataccgc tgcaactgga agaccatttc atgaaggtgt cgattttcca tttgtatatc
11941  aagaagttag aacgccgatg ggtggcagac ttacaagaat gccatttatg tctggtggtt
12001  atggtaatta tgtaaaaatt actagtggcg ttatcgatat gctatttgcg catttgaaaa
12061  actttagcaa atcaccacct agtggcacga tggtaaagcc cggtgatgtt gttggtttaa
12121  ctggtaatac cggatttagt acaggaccac atttacattt tgaaatgagg agaaatggac
12181  gacattttga ccctgaacca tatttaagga atgctaagaa aaaaggaaga ttatcaatag
12241  gtggtggcgg tgctacttct ggaagtggcg caacttatgc cagtcgagta atccgacaag
12301  cgcaaagtat tttaggtggt cgttataaag gtaaatggat tcatgaccaa atgatgcgcg
12361  ttgcaaaacg tgaaagtaac taccagtcaa atgcagtgaa taactgggat ataaatgctc
12421  aaagaggaga cccatcaaga ggattattcc aaatcatcgg ctcaactttt agagcaaacg
12481  ctaaacgtgg atatactaac tttaataatc cagtacatca aggtatctca gcaatgcagt
12541  acattgttag acgatatggt tggggtggtt ttaaacgtgc tggtgattac gcatatgcta
12601  caggtggaaa agtttttgat ggttggtata acttaggtga agacggtcat ccagaatgga
12661  ttattccaac agatccagct cgtagaaatg atgcaatgaa gattttgcat tatgcagcag
12721  cagaagtaag agggaaaaaa gcgagtaaaa ataagcgtcc tagccaatta tcagacttaa
12781  acgggtttga tgatcctagc ttattattga aaatgattga acaacagcaa caacaaatag
12841  ctttattact gaaaatagca caatctaacg atgtgattgc agataaagat tatcagccga
12901  ttattgacga atacgctttt gataaaaagg tgaacgcgtc tatagaaaag cgagaaaggc
12961  aagaatcaac aaaagtaaag tttagaaaag gaggaattgc tattcaatga tagacactat
13021  taaagtgaac aacaaaacaa ttccttggtt gtatgtcgaa agagggtttg aaataccctc
13081  ttttaattat gttttaaaaa cagaaaatgt agatggacgt tcggggtcta tatataaagg
13141  gcgtaggctt gaatcttata gttttgatat acctttggtg gtacgtaatg actatttatc
13201  tcacaacggc attaaaacac atgatgacgt cttgaatgaa ttagtaaagt tttttaacta
13261  cgaggaacaa gttaaattac aattcaaatc taaagattgg tactggaacg cttatttcga
13321  aggaccaata aagctgcaca aagaatttac aatacctgtt aagttcacta tcaaagtagt
13381  actaacagac ccttacaaat attcagtaac aggaaataaa aatactgcga tttcagacca
13441  agtttcagtt gtaaatagtg ggactgctga cactccttta attgttgaag cccgagcaat
13501  taaaccatct agttacttta tgattactaa aaatgatgaa gattatttta tggttggtga
13561  tgatgaggta accaaagaag ttaaggatta catgcctcct gtttatcata gtgagtttcg
13621  tgatttcaaa ggttggacta agatgattac tgaagatatt ccaagtaatg acttaggtgg
13681  taaggtcggc ggtgactttg tgatatccaa tcttggcgaa ggatataaag caactaattt
13741  tcctgatgca aaaggttggg ttggtgctgg cacgaaacga gggctcccta aagcgatgac
13801  agattttcaa attacctata aatgtattgt tgaacaaaaa ggtaaaggtg ccggaagaac
13861  agcacaacat atttatgata gtgatggtaa gttacttgct tctattggtt atgaaaataa
13921  atatcatgat agaaaaatag gacatattgt tgttacgttg tataaccaaa aaggagaccc
13981  caaaaagata tacgactatc agaataaacc gataatgtat aacttggaca gaatcgttgt
14041  ttatatgcgg ctcagaagag taggtaataa attttctatt aaaacttgga aatttgatca
14101  cattaaagac ccagatagac gtaaacctat tgatatggat gagaaagagt ggatagatgg
14161  cggtaagttt tatcagcgtc cagcttctat catagctgtc tatagtgcga agtataacgg
14221  ttataagtgg atggagatga atgggttagg ttcattcaat acggagattc taccgaaacc
14281  gaaaggcgca agggatgtca ttatacaaaa aggtgattta gtaaaaatag atatgcaagc
14341  aaaaagtgtt gtcatcaatg aggaaccaat gttgagcgag aaatcgtttg gaagtaatta
14401  tttcaatgtt gattctgggt acagtgaatt aatcatacaa cctgaaaacg tctttgatac
14461  gacggttaaa tggcaagata gatatttata gaaaggagat gagagtgtga tacatgtttt
14521  agattttaac gacaagatta tagatttcct ttctactgat gacccttcct tagttagagc
14581  gattcataaa cgtaatgtta atgacaattc agaaatgctt gaactgctca tatcatcaga
14641  aagagctgaa aagttccgtg aacgacatcg tgttattata agggattcaa acaaacaatg
14701  gcgtgaattt attattaact gggttcaaga tacgatggac ggctacacag agatagaatg
14761  tatagcgtct tatcttgctg atataacaac agctaaaccg tatgcaccag gcaaatttga
14821  gaaaaagaca acttcagaag cattgaaaga tgtgttgagc gatacaggtt gggaagtttc
14881  tgaacaaacc gaatacgatg gcttacgtac tacgtcatgg acttcttatc aaactagata
14941  tgaagtttta aagcaattat gtacaaccta taaaatggtt ttagattttt atattgagct
15001  tagctctaat accgtcaaag gtagatatgt agtactcaaa aagaaaaaca gcttattcaa
15061  aggtaaagaa attgaatatg gtaaagattt agtcgggtta actaggaaga ttgatatgtc
15121  agaaatcaaa acagcattaa ttgctgtggg acctgaaaat gacaaaggga agcgtttaga
15181  gctagttgtg acagatgacg aagcgcaaag tcaattcaac ctacctatgc gctatatttg
15241  ggggatatat gaaccacaat cagatgatca aaatatgaat gaaacacgat taagttcttt
15301  agccaaaaca gagttaaata aacgtaagtc ggcagttatg tcatatgaga ttacttctac
15361  tgatttggaa gttacgtatc cgcacgagat tatatcaatt ggcgatacag tcagagtaaa
15421  acatagagat tttaacccgc cattgtatgt agaggcagaa gttattgctg aagaatataa
15481  cataatttca gaaaatagca catatacatt cggtcaacct aaagagttca aagaatcaga
15541  attacgagaa gagtttaaca agcgattgaa cataatacat caaaagttaa acgataatat
15601  tagcaatatc aacactatag ttaaagatgt tgtagatggt gaattagaat actttgaacg
```

```
15661  caaaatacac aaaagtgata caccgccaga aaatccagtc aatgatatgc tttggtatga
15721  tacaagtaac cctgatgttg ctgtcttgcg tagatattgg aatggtcgat ggattgaagc
15781  aacaccaaat gatgttgaaa aattaggtgg tataacaaga gagaaagcgc tattcagtga
15841  attaaacaat atttttatta atttatctat acaacacgct agtcttttgt cagaagctac
15901  agaattactg aatagcgagt acttagtaga taatgatttg aaagcggact tacaagcaag
15961  tttagacgct gtgattgatg tttataatca aattaaaaat aatttagaat ctatgacacc
16021  cgaaactgca acgattggtc ggttggtaga tacacaagct ttatttcttg agtatagaaa
16081  gaaattacaa gatgtttata cagatgtaga agatgtcaaa atcgccattt cagatagatt
16141  taaattatta cagtcacaat acactgatga aaaatataaa gaagcgttgg aaataatagc
16201  aacaaaattt ggtttaacgg tgaatgaaga tttgcagtta gtcggagaac ctaatgttgt
16261  taaatcagct attgaagcag ctagagaatc cacaaaagaa caattacgtg actatgtaaa
16321  aacatcggac tataaaacag acaaagacgg tattgttgaa cgtttagata ctgctgaagc
16381  tgagagaacg actttaaaag gtgaaatcaa agataaagtt acgttaaacg aatatcgaaa
16441  cggattggaa gaacaaaaac aatatactga tgaccagtta agtgatttgt ccaataatcc
16501  tgagattaaa gcaagtattg aacaagcaaa tcaagaagcg caagaagctt taaaatcata
16561  cattgatgct caagatgatc ttaaagagaa ggaatcgcaa gcgtatgctg atggtaaaat
16621  ttcggaagaa gagcaacgcg ctatacaaga tgctcaagct aaacttgaag aggcaaaaca
16681  aaacgcagaa ctaaaggcta gaaacgctga aaagaaagct aatgcttata cagacaacaa
16741  ggtcaaagaa agcacagatg cacagaggaa aacattgact cgctatggtt ctcaaattat
16801  acaaaatggt aaggaaatca aattaagaac tactaaagaa gagtttaatg caaccaatcg
16861  tacactttca aatatattaa acgagattgt tcaaaatgtt acagatggaa caacaatcag
16921  atatgatgat aacggagtgg ctcaagcttt gaatgtgggg ccacgtggta ttagattaaa
16981  tgctgataaa attgatatta acggtaatag agaaataaac cttcttatcc aaaatatgcg
17041  agataaagta gataaaaccg atattgtcaa cagtcttaat ttatcaagag agggtcttga
17101  tatcaatgtt aatagaattg gaattaaagg cggtgacaat aacagatatg ttcaaataca
17161  gaatgattct attgaactag gtggtattgt gcaacgtact tggagaggga aacgttcaac
17221  agacgatatt tttacgcgac tgaaagacgg tcacctaaga tttagaaata acaccgctgg
17281  cggttcactt tatatgtcac attttggtat ttcgacttat attgatggtg aaggtgaaga
17341  cggtggttca tctggtacga ttcaatggtg ggataaaact tacagtgata gtggcatgaa
17401  tggtataaca atcaattcct atggtggtgt cgttgcacta acgtcagata ataatcgggt
17461  tgttctggag tcttacgctt catcgaatat caaaagcaaa caggcaccgg tgtatttata
17521  tccaaacaca gacaaagtgc ctggattaaa ccgatttgca ttcacgctgt ctaatgcaga
17581  taatgcttat tcgagtgacg gttatattat gtttggttct gatgagaact atgattacgg
17641  tgcgggtatc aggttttcta aagaaagaaa taaaggtctt gttcaaattg ttaatggacg
17701  atatgcaaca ggtggagata caacaatcga agcagggtat ggcaaattta atatgctgaa
17761  acgacgtgat ggtaataggt atattcatat acagagtaca gacctactgt ctgtaggttc
17821  agatgatgca ggagatagga tagcttctaa ctcaatttat agacgtactt attcggccgc
17881  agctaatttg catattactt ctgctggcac aattgggcgt tcgacatcag cgcgtaaata
17941  caagttatct atcgaaaatc aatataacga tagagatgaa caactggaac attcaaaagc
18001  tattcttaac ttacctatta gaacgtggtt tgataaagct gagtctgaaa ttttagctag
18061  agagctgaga gaagatagaa aattatcgga agacacctat aaacttgata gatacgtagg
18121  tttgattgct gaagaggtgg agaatttagg attaaaagag tttgtcacgt atgatgacaa
18181  aggagaaatt gaaggtatag cgtatgatcg tctatggatt catcttatcc ctgttatcaa
18241  agaacaacaa ctaagaatca agaaattgga ggagtcaaag aatgcaggat aacaaacaag
18301  gattacaagc taatcctgaa tatacaattc attatttatc acaggaaatt atgaggttaa
18361  cacaagaaaa cgcgatgtta aaagcgtata tacaagaaaa taaagaaaat caacaatgtg
18421  ctgaggaaga gtaatcctta gcactatttt tatacaaaaa tttaaggagg tcatttaatt
18481  atggcaaaag aaattatcaa caatacagaa aggtttattt tagtacaaat cgacaaagaa
18541  ggtacagaac gtgtagtata tcaagatttc acaggaagtt ttacaacttc tgaaatggtt
18601  aaccatgctc aagattttaa atctgaagaa aacgctaaga aaattgcgga gacgttaaat
18661  ttgttatatc aattaactaa caaaaaacaa cgtgtgaaag tagttaaaga agtagttgaa
18721  agatcagatt tatctccaga ggtaacagtt aacactgaaa cagtatgaaa agctatgagt
18781  tagatactca tagtctttat tcttttagaa agcgggtgta ctgaattggg gtggttcaaa
18841  aaacacgaac atgaatggcg catcagaagg ttagaagaga atgataaaac aatgctcagc
18901  acactcaacg aaattaaatt aggtcaaaaa acccaagagc aagttaacat taaattagat
18961  aaaaccttag atgctattca aaaagaaaga gaaatagatg aaaagaataa gaaagaaaat
19021  gataagaaca tacgtgatat gaaaatgtgg gtgcttggtt tagttgggac aatatttggg
19081  tcgctaatta tagcattatt gcgtatgctt atgggcatat aagagaggtg attaccatgt
19141  tcggattaaa ttttggagct tcgctgtgga cgtgtttctg gtttggtaag tgtaagtaat
19201  agttaagagt cagtgcttcg gcactggctt tttattttgg ataaaaggag caaacaaatg
19261  gatgcaaaag taataacaag atacatcgta ttgatcttag cattagtaaa tcaattctta
19321  gcgaacaaag gtattagccc aattccagta gacgatgaaa ctatatcatc aataatactt
19381  actgtagtcg ctttatatac aacgtataaa gacaatccaa catctcaaga aggtaaatgg
19441  gcaaatcaaa aattaaagaa atataaagct gaaaataagt atagaaaagc aacagggcaa
19501  gcgccaatta aagaagtaat gacacctacg aatatgaacg acacaaatga tttagggtag
19561  gtggttgata tatgttaatg acaaaaaatc aagcagaaaa atggtttgac aattcattag
19621  ggaaacaatt caacccagat ggttggtatg gatttcagtg ttatgattac gccaatatgt
```

```
19681  tctttatgtt agcgacaggc gaaaggctgc aaggtttata tgcttataat atcccgtttg
19741  ataataaagc aaagattgaa aaatatggtc aaataattaa aaactatgac agctttttac
19801  cgcaaaagtt ggatattgtc gttttcccgt caaagtatgg tggcggagct ggacacgttg
19861  aaattgttga gagcgcaaat ttaaatactt tcacatcatt tggtcaaaac tggaacggta
19921  aaggttggac taatggcgtt gcgcaacctg gttggggtcc tgaaactgtg acaagacatg
19981  ttcattatta tgacaatcca atgtatttta ttaggttaaa cttccctaac aacttaagcg
20041  ttggcaataa agctaaaggt attattaagc aagcgactac aaaaaaagag gcagtaatta
20101  aacctaaaaa aattatgctt gtagccggtc atggttataa cgatcctgga gcagtaggaa
20161  acggaacaaa cgaacgcgat tttatacgta aatatataac gcctaatatc gctaagtatt
20221  taagacatgc aggacatgaa gttgcattat acggtggctc aagtcaatca caagatatgt
20281  atcaagatac tgcatacggt gttaatgtag gcaataaaaa agattatggc ttatattggg
20341  ttaaatcaca ggggtatgac attgttctag aaatacattt agacgcagca ggagaaagcg
20401  caagtggtgg gcatgttatt atctcaagtc aattcaatgc agatactatt gataaaagta
20461  tacaagatgt tattaaaaat aacttaggac aaataagagg tgtgacacct cgtaatgatt
20521  tactaaatgt taatgtatca gcagaaataa atataaatta tcgtttatct gaattaggtt
20581  ttattactaa taaaaatgat atggattgga ttaagaaaaa ctatgacttg tattctaaat
20641  taatagccgg tgcgattcat ggtaagccta taggtggttt ggtagctggt aatgttaaaa
20701  catcagctaa aaacaaaaaa aatccaccag tgccagcagg ttatacactc gataagaata
20761  atgtccctta taaaaaagaa caaggcaatt acacagtagc taatgttaaa ggtaataatg
20821  taagagacgg ttattcaact aattcaagaa ttacaggggt attacccaac aacacaacaa
20881  ttacgtatga cggtgcatat tgtattaatg gttatagatg gattacttat attgctaata
20941  gtggacaacg tcgttatata gcgacaggag aggtagacaa ggcaggtaat agaataagta
21001  gttttggtaa gtttagcacg atttagtatt tacttagaat aaaaattttg ctacattaat
21061  tatagggaat cttacagtta ttaaataact atttggatgg atgttaatat tcctatacac
21121  tttttaacat ttctctcaag atttaaatgt agataacagg caggtacttc ggtacttgcc
21181  tatttttta tgttatagct agccttcggg ctagtttttt gttatgatgt gttacacatg
21241  catcaactat ttacatctat ccttgttcac ccaagcatgt cactggatgt tttttcttgc
21301  gatagagagc atagttttca tactactccc cgtagtatat atgactttag cattcccgta
21361  taacagttta cggggtgctt ttatgttata attgctttta tatagtagga gtgaactata
21421  tagccgggca gaggccatgt atctgactgt tggtcccaca ggagacatct tccttgtcat
21481  cactcgatac atatatctta acaacataga aatgttacat tcgctataac cgtatcttaa
21541  tcgatacggt tatatttatt cccctacaac caacaaaacc acagatccta ttaatttagg
21601  attgtggtta ttttttgcgt ttttttgggg caaaaaaagg gcagattatt tgaaaaaggg
21661  caaacgcttg tggaaaagct aaaaggttaa aaatgacaaa aaccttgata caacagtgtt
21721  tttggacgct cgtgtacgtt agagaatgac cggtttacca tcatacaagg gtgggattaa
21781  cttgtgttaa aaagccttta atatcagttg ttacaaagga tttgtagcgt ctttaaaaat
21841  aaaaaagggc agaaaaaggg cagatacctt ttagtacaca agtttttcta atttttgctc
21901  taactctctg tccatttttct ctgttacatg tgtatacacc tttatagtcg ttttttcatc
21961  tgtatgtcct actcttttca taattgcttt taacgatata ttcatttccg ccaataaact
22021  tatgtgtgta tgccttagtg tgtgagtagt aacttttta tttatattta atgattctgc
22081  agctgaggac aatcgtttgt ttatcctact gccttgcata ggatttcctt ggcaagttgt
22141  gaatataaac cctctatcaa catagcttgg ttcccattgt tgcatctttt tattttctaa
22201  cattattttt ttcaatacat ttgctatcct tgaattgatg gcgatttttc ttcttgaacc
22261  tgcggtctta gtagtatctt tgtgaccaaa tccagcatta catttgattc tgtgaatagt
22321  gccattaata gcgatcgttt tatttttgag gtcaacatct ttaacttgga gagctaataa
22381  ctcacctatg cgcatacctg ttaaagcttg aacttctaca gccccagcaa ctaaaatacg
22441  agctctatac tgcatgttat tatcgttcag tataaaatcg cgtatctgta ttacctgttc
22501  catctctaaa tagttataca ttttcgcttc ttctttttct atatcttcta tcgtcttact
22561  cttctttggt agtgtgacgc tatttaatat gtgttcgttt ggataattgt aaaatttaac
22621  ggcgtattta atagcttctt tcatatgtcc aagttgacgc tttacctgat ttgcagaata
22681  tacgtttgat aatttgttaa taaatgtttg catgtacttt gtatcaattt tgtttaaaag
22741  taaattttga gaactgttct ttttgatgtt tttgattctt gttttcaaat tatcaagcgt
22801  cgttacttta aagccagatg tttttatatg atattcaagc cattcatcta ataacgcgtg
22861  aaaagtcaaa gtttttaatt cgcttgacga cttgttgttt agtttttctt ttatttttc
22921  ttctaaacga aacattgcct ctttttgcga ttgctttgta ttcttattca agacaacact
22981  tacacgtttc catttatctg tatacggatc tttgtatttc tcgtagtatc tatacttcgt
23041  ttcattgttc ttatttttaa atttttcaaa ccacatttta catccctcct caaaattggc
23101  aaaaaataat aagggtaggc gggctaccca tgaaaattgt ataaaaaaag acgcctgtat
23161  aaaatacaga cgccacttat aattataaga ttacatggtt aattaccaaa aatggtaacg
23221  aatatatacg tgttttaaag gataaacctt taatatatta aaattatatc atcttatatc
23281  agggatctgc aatatattat tattaattct atttatcagt aacataatat ccgaagaatc
23341  tattactgga tttttaattt tttggggtaa aacttttctt atgcgaaact tactaatcgg
23401  ctggaaagaa tttatgcaag cgtaactatt acctttttaat ttttttacct tatcaattgc
23461  tgatactatg ttattaatgt ttctgtcaat tttatttaat ttattttcaa tttctaaact
23521  atcagatata aattcaataa aataatcttt agtgatgaat tctgtgttgt ttttttggta
23581  ttttttatcg aaaacttctt ttaatatagc tgaattattt tgcgcgctaa ttaaatttaa
23641  aaacaatctt aaataatact cccatttcaa atcaaaattc atctttaaat actttttgtt
```

```
23701  ttctttagag gataagggaa taacatttac tatatcctcc gtattagaat cattttatt
23761  catcactatt gcaaagtgtg aattagaaaa ttctttatta acgtttatac cgaaatctac
23821  aaaaactatt tctccttgtt taaactttgg ataaaaacct ttatggtttt tttcaccttc
23881  aaatctcttg agtaaatagt gaatatctga atctaacttt ttaaattttg gatttccaga
23941  agtttttaat ttattaatgc gtttttctat attatgcgtc atcatttctc ctttattctc
24001  gctcacactc tcaccaccat tcaacgtcta cacttgtagg cgtttttttga ttagtaaaat
24061  cataatgaat cttctttggt taacttatcg ccatctattt tttgtgaaat aaattccaag
24121  tatttacgcg cattatgtga cgataaatct ttaggtaact cataagtgaa tggttgatta
24181  ccactagtta aaacttcata tactatagtt tctttttttta ttttgcaatt agttattttc
24241  attataaact ccttttaaac actgctgaaa tagacgtctt tttcaaataa gcatgattaa
24301  tactttaatt ctttaatcca catatattta aaagtgaggt agtaggtaat aaatataaga
24361  cttaaagtta agattgcttt tttcatgtca atttctcctt tgtttatatt tatattaaag
24421  cgctaaatat acgttattaa tcacaatata actttgccca ttactttaat atcactaaac
24481  gaagcgactt tgatatcatc atacttcgga tttagagata ccaaattaat atagtcttcg
24541  catatatcta cacgcttgat aagacttact ccatctaata caacgagtgc aattgtacca
24601  tctttaatag aatcttcttt cttaataaaa gcgtatgttc cttgttttaa cataggttcc
24661  attgaatcac cattaactaa aatacaaaaa tcagcatttg atggcgtttc gtcttcttta
24721  aaaaatactt cttcatgcaa tatgtcatca tataattctt ctcctatgcc agcaccagtt
24781  gcaccacatg caatatacga tactagttta gactctttat attcatctat agaagtgact
24841  ttattctgtt catctaattg ctcatttgca tagttaagta cgttttcttg gcggggaggt
24901  gtgagttgag aaaatatgtt attgattttt gacattatcg tttcatcttg acgttcttcg
24961  tcaggaactc gataagaatc tacatcatac cccataagcc acgcttcacc gacatttaaa
25021  gttttagata ataagaataa tttatgttgg tctggagaag accttccatt aacatactgg
25081  gataagtgac tttttgacat tttaatattc aattcttttt gaaagggttt cgacttttct
25141  agaatatcta cttgacgcaa gttcctatct ttcataattt gttttaatct ttcagaagtg
25201  ttttgcattg gtaatgcctc cttgaaattc attatatagg aagggaaata aaaatcaata
25261  caaaagttca actttttttaa ctttttgtgt tgacattgtt caaaattggg gttatagtta
25321  ttatagttca aatgtttgaa cttaggaggt gattatttga atactaatac aacttttgat
25381  ttttcgttat tgaacggtaa gatagtcgaa gtgtactcga cacaatttaa ctttgctata
25441  gctttaggtg tatcagaaag aactttgtct ttgaagttga acaacaaagt accatggaaa
25501  acaacagaca ttattaaagc ttgtaagtta ttgggaatac ctataaaaga tgttcacaaa
25561  tatttttttta aacagaaagt tcaaatgttt gaacttaata agtaaaggag gcataacaca
25621  tgcaagaacg agaaaaggtt aataaaagta acacatcttc aaatgaagca tcaaaacctt
25681  ttaggacaaa ttgaagctta cgacaaaacg cttaaagaaa taaagtacac tcgagacctt
25741  tacaacaaac acctaagcat gaacaacgaa gacgcattcg ctggtttgga aatggtagag
25801  gatgaaatta ctaaaaagct acgaagtgct atcaaagagt tccaaaaagt agtgaaagcg
25861  ttagacaagc ttaacggtgt tgaaagcgat aacaaagtta ctgatttaac agagtggcgg
25921  aaagtgaatc agtaacattc acttcttaat ataaccacgc ttatcaacat ccacattgag
25981  cagatgtgag cgagagctgg cgatgatatg agccgcgttt aaatacattc gatagtcatt
26041  gcgataaccg tctgctgaat gtgggtgttg aggaaaaagg aggatactca aatgcaagca
26101  ttacaaacat ttaattttaa agagctacca gtaagaacag tagaaattga aaacgaacct
26161  tattttgtag gaaaagatat tgctgagatt ttaggatatg caagatcaaa caatgccatt
26221  agaaatcatg ttgatagcga ggacaagctg acgcaccaat ttagtgcatc aggtcaaaac
26281  agaaatatga tcattatcaa cgaatcagga ttatacagtc taatcttcga tgcttctaaa
26341  caaagcaaaa acgaaaaaat tagagaaacc gctagaaaat tcaaacgctg ggtaacatca
26401  gatgtcctac cagctattcg caaacacggt atatacgcaa cagacaatgt aattgaacaa
26461  acattaaaag atccagacta catcattaca gtgttgactg agtataagaa agaaaaagag
26521  caaaacttac ttttacaaca gcaagtagaa gttaacaaac caaaagtatt attcgctgac
26581  tcggtagctg gtagtgataa ttcaatactt gttggagaac tagcgaaaat acttaaacaa
26641  aacggtgttg atataggaca aaacagattg ttcaaatggt taagaaataa tggatatctc
26701  attaaaaaga gtggagaaag ttataactta ccaactcaaa agagtatgga tctaaaaatc
26761  ttggatatca aaaaacgaat aattaataat ccagatggtt caagtaaagt atcacgtaca
26821  ccaaaagtaa caggcaaagg acaacaatac tttgttaata agtttttagg agaaaaacaa
26881  acatcttaaa aggaggaaca caatggaaca aatcacatta accaaagaag agttgaaaga
26941  aattatagca aaagaagtta gagaggctat aaatggcaag aaaccaatca gttcaggttc
27001  aattttcagt aaagtaagaa tcaataatga cgatttagaa gaaatcaata aaaaactcaa
27061  tttcgcaaaa gatttgtcgc taggaagatt gaggaagctc aatcatccga ttccgctaaa
27121  aaagtatcag catggcttcg aatcaattca tcaaaaagct tatgtacaag atgttcatga
27181  ccatattaga aaattaacat tatcaatttt tggagtgaca cttaattcag acttgagtga
27241  aagtgaatac aacctagcag caaaagttta tcgagaaatc aaaaactatt atttatacat
27301  ctatgaaaag agagtttcag aattaactat cgatgatttc gaataaagga ggaacaacaa
27361  atgttacaaa aatttagaat tgcgaaagaa aaaaataaat taaaactcaa attactcaag
27421  catgctagtt actgtttaga aagaaacaac aaccctgaac tgttgcgagc agttgcagag
27481  ttgttgaaaa aggttagcta aattcaacgg taaggatttg ccctgcctcc acacttagag
27541  tttgagatcc aacaaacaca taagttttag tagggtctag aaaaaatgtt tcgatttcct
27601  cttttgtaac agtttcaatt ccttcatatc ctggaaaaac aattttcttt aaatccgaaa
27661  catgtttttt tgaaccatcc tttaaagtaa ctagaagttt catacttatc acctccttag
```

```
27721  gttgataaca acattataca cgaaaggagc ataaacaata tgcaagcatt acaaacaaat
27781  tcgaacatcg gagaaatgtt caatattcaa gaaaaagaaa atggagaaat cgcaatcagc
27841  ggtcgagaac ttcatcaagc attagaagtt aagacagcat ataaagattg gtttccaaga
27901  atgcttaaat acggatttga agaaaataca gattacacag ctatcgctca aaaaagagca
27961  acagctcaag gcaatatgac tcactatatt gaccacgcac tcacactaga cactgcaaaa
28021  gaaatcgcaa tgattcaacg tagtgaacct ggcaaacgtg caagacaata tttcatccaa
28081  gttgaaaaag catggaacag cccagaaatg attatgcaac gtgctttaaa aattgctaac
28141  aacacaatca atcaattaga aacaaagatt gcacgtgaca aaccaaaaat tgtatttgca
28201  gatgcagtag ctactactaa gacatcaatt ttagttggag agttagcaaa gatcattaaa
28261  caaaacggta taaacatcgg gcaacgcaga ttgtttgagt ggttacgtca aaacggattc
28321  cttattaaac gcaagggtgt ggattataac atgcctacac agtattcaat ggaacgtgag
28381  ttattcgaaa ttaaagaaac atcaatcaca cattcggacg gtcacacatc aattagtaag
28441  acgccaaaag taacaggtaa aggacaacaa tactttgtta acaagttttt aggagaaaaa
28501  caaacaactt aataggagga attacaaatg aacgcactat acaaaacaac cctcctcatc
28561  acaatggcag ttgtgacgtg gaaggtttgg aagattgaga agcacactag aaaacctgtg
28621  attagtagca gggcgttgag tgactatcta aacaacaaat ctttaaccat accgaaagat
28681  gctgaaaatt ctactgaatc tgctcgtcgc cttttgaagt tcgccgaaca aactattagc
28741  aaataacaac attatacacg aaaggaaaga tagaaatgcc aaaaatcata gtaccaccaa
28801  caccagaaaa cacatataga ggcgaagaaa aatttgtgaa aaagttatac gcaacaccta
28861  cacaaatcca tcaattgttt ggagtatgta gaagtacagt atacaactgg ttgaaatatt
28921  accgcaaaga taatttaggt gtagaaaatt tatacattga ttattcacca acaggcactc
28981  tgattaatat ttctaaattg gaagagtatt tgatcagaaa gcataaaaaa tggtattagg
29041  aggatattaa atgagcaaca tttataaaag ctacctagta gcagtattat gcttcacagt
29101  cttagcgatt gtacttatgc cgtttctata cttcactaca gcatggtcaa ttgcgggatt
29161  cgcaagtatc gcaacattca tgtactacaa agaatgcttt ttcaaagaat aaaaaaactg
29221  ctacttgttg gagcaagtaa cagtatcaaa cacttaagaa aaaattcatg ttcaatataa
29281  aacgaaaaac ggaggaagtc aagatgtatt acgaaatagg cgaaatcata cgcaaaaata
29341  ttcatgttaa cggattcgat tttaagctat tcattttaaa aggtcatatg ggcatatcaa
29401  tacaagttaa agatatgaac aacgtaccaa ttaaacatgc ttatgtcgta gatgagaatg
29461  acttagatat ggcatcagac ttatttaacc aagcaataga tgaatggatt gaagagaaca
29521  cagacgaaca ggacagacta attaacttag tcatgaaatg gtaggaggtc gctatgaagc
29581  agactgtaac ttatatcatt cgtcataggg atatgccaat ttatataact aacaaaccaa
29641  ctgataacaa ttcagatatt agttactcca caaatagaaa tagagctagg gagtttaacg
29701  gtatggaaga agcgagtatc aatatggatt atcacaaagc aatcaagaaa acagtgacag
29761  aaactattga gtacgaggag gtagaacatg actgaggaaa aacaagaacc acaagaaaaa
29821  gtaagcatac tcaaaaaact aaagataaat aatatcgctg agaaaaataa aaggaaattc
29881  tataaatttg cagtatacgg aaaaattggc tcaggaaaaa ccacgtttgc tacaagagat
29941  aaagacgctt tcgtcattga cattaacgaa ggtggaacaa cggttactga cgaaggatca
30001  gacgtagaaa tcgagaacta tcaacacttt gtttatgttg taaatttttt acctcaaatt
30061  ttacaggaga tgagagaaaa cggacaagaa atcaatgttg tagttattga aactattcaa
30121  aaacttagag atatgacatt gaatgatgtg atgaaaaata agtctaaaaa accaacgttt
30181  aatgattggg gagaagttgc tgaacgaatt gtcagtatgt acagattaat aggaaaactt
30241  caagaagaat acaaattcca ctttgttatt acaggtcatg aaggtatcaa caaagataaa
30301  gatgatgaag gtagcactat caaccctact atcactattg aagcgcaaga acaaattaaa
30361  aaagctatta cttctcaaag tgatgtgtta gctagggcaa tgattgaaga atttgatgat
30421  aacggagaaa agaaagctag atatattcta aacgctgaac cttctaatac gtttgaaaca
30481  aagattagac attcaccttc aataacaatt aacaataaga aatttgcaaa tcctagcatt
30541  acggacgtag tagaagcaat tagaaatgga aactaaaaat taattaaaag gacggtattt
30601  aattatgaaa atcacaggac aagcgcaatt tactaaagaa acaaatcaag aaaagtttta
30661  taacggctca gcagggtttc aagctggaga attcacagtg aaagttaaaa atattgaatt
30721  caatgataga gaaaatagat atttcacaat cgtatttgaa aatgatgaag gcaaacaata
30781  taaacataat caatttgtac cgccgtataa atatgatttc caagaaaaac aattgattga
30841  attagttact cgattaggta ttaagttaaa tcttcctagc ttagattttg ataccaatga
30901  tcttattggt aagttttgtc acttggtatt gaaatggaaa ttcaatgaag atgaaggtaa
30961  gtattttacg gatttttcat ttattaaacc ttacaaaaag ggcgatgatg ttgttaacaa
31021  acctattccg aagacagata agcaaaaagc tgaagaaaat aacggggcac aacaacaaac
31081  atcaatgtct caacaaagca atccatttga aagcagtggc caatttggat atgacgacca
31141  agatttagcg ttttaaggtg tggtttaaat gcaatacatt acaagatacc agaaagataa
31201  cgacggtact tattccgtcg ttgctactgg tgttgaactt gaacaaagtc acattgactt
31261  actagaaaac ggatatccac taaaagcaga agtagaggtt ccggacaata aaaaactatc
31321  tatagaacaa cgcaaaaaaa tattcgcaat gtgtagagat atagaacttc actggggcga
31381  accagtagaa tcaactagaa aattattaca aacagaattg gaaattatga aaggttatga
31441  agaaatcagt ctgcgcgact gttctatgaa agttgcaagg gagttaatag aactgattat
31501  agcgtttatg tttcatcatc aaatacctat gagtgtagaa acgagtaagt tgttaagcga
31561  agataaagcg ttattatatt gggctacaat caaccgcaac tgtgtaatat gcggaaagcc
31621  tcacgcagac ctggcacatt atgaagcagt cggcagaggc atgaacagaa acaaaatgaa
31681  ccactatgac aaacatgtat tagcgttatg tcgcgaacat cacaacgagc aacatgcgat
```

```
31741  tggcgttaag tcgtttgatg ataaatacca cttgcatgac tcgtggataa aagttgatga
31801  gaggctcaat aaaatgttga aaggagagaa aaaggaatga atagactaag aataataaaa
31861  atagcactcc taatcgtcat cttggcggaa gagattagaa atgctatgca tgctgtaaaa
31921  gtggagaaaa ttttaaaatc tccgtttagt taatacaggt ttttacaaaa gctttaccat
31981  aggcggacaa actaattgag ccttttttga tgtctattac ccaggggctg taatgtaact
32041  ttaatacttc aaattcaatg ccagaaagtt tacttattgt ttctaggttg tgtcctgact
32101  ttaacattct tttaacaaat tctaatcccg aaacaaatct ttgtttttct ataatcttat
32161  taaagtgatt taaaaactga ggagcataaa acttattata aattcctttt tttgttaagt
32221  aagacatgtc aaaagtttca tttaaaaccc ctaaccttac taggttatta attgaaattt
32281  cggttgattc tatatctaac ggagagtctt ttattaacgt gtccgatata ttcataccgt
32341  cattctttgg gtttaaaacc gctctatatt taacggcagg atgtacttcg tgattcttta
32401  aatgttttaa aagaatagca tcatttgggg ataattgttt aattatttca acaaatgaat
32461  ggtgggttaa tgagtttttt ctgtcatcca tagatgatgc tattagtttt gcgaacatat
32521  tacttaaagt tttttcacta atgtaaaact ttgaagcttc tagagcagga cctagaagag
32581  aaaattgtgg ttcttgtaaa ttatttttag gtacagaaga tatttctttt ttaaattgtt
32641  ctttgaattt ttcaaattct acttctcttt gataaataac tttatccaca taaaggtgga
32701  atttcccaaa gacaagttcc caagttttag agaatgtttc tacaggccct tttgatgcgc
32761  cttcaataat tttatcaata cctttaccta aaataggatc cataattatt caccccccaat
32821  ctaacgcaat agcgataata aaattatacc agaaaggaga atcaacatga ctgaccaacc
32881  aagttactac tcaataatta cagcaaatgt cagatacgat aaccgactta ctgacagcga
32941  aaagttactt tttgcagaaa taacatcttt aagtaacaaa tacggatact gcacagcaag
33001  taatggttac tttgcaactt tatacaacgt tgttaaggaa actatatctc gtagaatttc
33061  gaaccttacc aactttggtt atctaaaaat cgaaattatc aaagaaggta atgaagttaa
33121  acaaaggaag atgtacccct tgacgcaaac gtcaatacct attgacgcaa aaatcaatac
33181  ccctattgat aattctgtca atacccctat tgacgcaaat gtcaaagaga atattacaag
33241  tattaataat acaagtaata acaatataaa tagaatagat atattgtcgg gcaacccgac
33301  agcatcttct ataccctata aagaaattat cgattactta aacaaaaaag cgggcaagca
33361  ttttaaacac aatacagcta aaacaaaaga ttttattaaa gcaagatgga atcaagattt
33421  taggttggag gattttaaaa aggtgattga tatcaaaaca gctgagtggc taaacacgga
33481  tagcgataaa taccttagac cagaaacact ttttggcagt aaatttgagg ggtacctcaa
33541  tcaaaaaata caaccaactg gcacggatca attggaacgc atgaagtacg acgaaagtta
33601  ttgggattag ggggatatta tgaaaccact attcagcgaa aagataaacg aaagcttgaa
33661  aaaatatcaa cctactcatg tcgaaaaagg attgaaatgt gagagatgtg gaagtgaata
33721  cgacttatat aagtttgctc ctactaaaaa acacccgaat ggttacgagt ataaagacgg
33781  ttgcaaatgt gaaatctatg aggaatataa gcgaaacaag caacggaaga taaacaacat
33841  attcaatcaa tcaaacgtta atccgtcttt aagagatgca acagtcaaaa actacaagcc
33901  acaaaatgaa aaacaagtac acgctaaaca aacagcaata gagtacgtac aaggcttctc
33961  tacaaaagaa ccaaaatcat taatattgca aggttcatac ggaactggta aaagccacct
34021  agcatacgct atcgcaaaag cagtcaaagc taaagggcat acggttgctt ttatgcacat
34081  accaatgttg atggatcgta tcaaagcgac atacaacaaa aatgcagtag agactacaga
34141  cgagctagtc agattgctaa gtgatattga tttacttgta ctagatgata tgggtgtaga
34201  aaacacagag cacactttaa ataaactttt cagcattgtt gataacagag taggtaaaaa
34261  caacatcttt acaactaact ttagtgataa agaactaaat caaaatatga actggcaacg
34321  tataaattcg agaatgaaaa aaagagcaag aaaagtaaga gtaatcggag acgatttcag
34381  ggagcgagat gcatggtaac caaagaattt ttaaaaacta aacttgagtg ttcagatatg
34441  tacgctcaga aactcataga tgaggcacag ggcgatgaaa ataggttgta cgacctattt
34501  atccaaaaac ttgcagaacg tcatacacgc cccgctatcg tcgaatatta aggagtgtta
34561  aaaatgccga aagaaaaata ttacttatac cgagaagatg gcacagaaga tattaaggtc
34621  atcaagtata aagacaacgt aaatgaggtt tattcgctca caggagccca tttcagcgac
34681  gaaaagaaaa ttatgactga tagtgaccta aaacgattca aaggcgctca cgggcttcta
34741  tatgagcaag aattaggttt acaagcaacg atatttgata tttagaggtg gacgatgagt
34801  aaatacaacg ctaagaaagt tgagtacaaa ggaattgtat ttgatagcaa agtagagtgt
34861  gaatattacc aatatttaga aagtaatatg aatggcacta attatgatca tatcgaaata
34921  caaccgaaat tcgaattatt accaaaacta gataaacaac gaaagattga atatattgca
34981  gacttcgcgt tatatctcga tggcaaactg attgaagtta tcgacattaa aggtatgcca
35041  accgaagtag caaaacttaa agctaagatt ttcagacata aatacagaaa cataaaactc
35101  aattggatat gtaaagcgcc taagtataca ggtaaaacat ggattacgta cgaggaatta
35161  attaaagcaa gacgagaacg caaaagagaa atgaagtgat ctaatgcaac aacaagcata
35221  tataaatgca acgattgata taaggatacc tacagaagtt gaatatcagc attttgatga
35281  tgtggataaa gaaaaagaag cgctggcaga ttacttatat aacaatcctg acgaaatact
35341  agagtatgac aatttaaaaa ttagaaacgt aaatgtagag gtggaataaa tgggcagtgt
35401  tgtaatcatt aataataaac catataaatt taacaatttt gaaaaaagaa ataatggcaa
35461  agcgtgggat aaatgctgga attgtttcta aacgtgttag aggttgttgg gagttttcag
35521  aagctttaga cgcgccttat ggcatgcacc taaaagaata tagagaaatg aaacaaatgg
35581  aaaagattaa acaagcgaga ctcgaacgtg aattggaaag agagcgaaag aaagaggctg
35641  agctacgtaa gaagaagcca catttgttta atgtacctca aaaacattca cgtgatccgt
35701  actggttcga tgtcacttat aaccaaatgt tcaagaaatg gagtgaagca taatgagcat
```

```
35761  aatcagtaac agaaaagtag atatgaacaa aacgcaagac aacgttaagc aacctgcgca
35821  ttacacatac ggcgacattg aaattataga ttttattgaa caagttacgg cacagtaccc
35881  accacaatta gcattcgcaa taggtaatgc aattaaatac ttgtctagag caccgttaaa
35941  gaatggtcat gaggatttag caaaggcgaa gttttacgtc gatagagtat ttgacttgtg
36001  ggagtgatga ccatgacaga tagcggacgt aaagaatact taaaacattt tttcggctct
36061  aagagatatc tgtatcagga taacgaacga gtggcacata tccatgtagt aaatggcact
36121  tattactttc acggtcatat cgtgccaggt tggcaaggtg tgaaaaagac atttgataca
36181  gcggaagagc ttgaaacata tataaagcaa agtgatttgg aatatgagga acagaagcaa
36241  ctaactttat tttaaaaggg cggaaacaat gaaaatcaaa attgaaaaag aaatgaattt
36301  acctgaactt atccaatggg cttgggataa ccccaagtta tcaggtaata aaagattcta
36361  ttcaaatgat gttgagcgca actgttttgt gacttttcat gttgatagca tcttatgtaa
36421  tgtgactgga tatgtatcaa ttaacgataa atttactgtt caagaggaga tataacaatg
36481  aaaatcaaag ttaaaaaaga aatgagatta gatgaattaa ttaaatgggc gcgagaaaat
36541  ccggatctat cacaaggaaa aatatttttt tcaacaggat ttagtgatgg attcgttcgt
36601  tttcatccaa atacaaataa gtgttcgacg tcaagtttta ttccaattga tatccccttc
36661  atagttgata ttgaaaaaga agtaacggaa gagactaagg ttgataggtt gattgaatta
36721  ttcgagattc aagaaggaga ctataactct acactatatg agaacactag tataaaagaa
36781  tgtttatatg gcagatgtgt gcctaccaaa gcattctaca tcttaaacga tgacctaact
36841  atgacgttaa tctggaaaga tggggagttg ctagtatgat gttgaaattt aaagcttggg
36901  ataaagataa aaaagttatg agtattattg acgaaatcga ttttaatagt gggtacattt
36961  tgatttcaac aggttataaa agtttcaatg aagtaaaact attacaatac acaggattta
37021  aagatgtgca cggtgtggag atttatgaag gggatattgt tcaagattgt tattcgagag
37081  aagtaagttt tatcgagttt aaagaaggag ccttttatat aacttttagc aatgtaactg
37141  aattactaag tgaaaatgac gatattattg aaattgttgg aaatattttt gaaaatgaga
37201  tgctattgga ggttatgaga tgacgttcac cttatcagat gaacaatata aaaatctttg
37261  tactaactct aacaagttat tagataaact tcacaaagca ttaaaagatc gtgaagagta
37321  caagaagcaa cgagatgagc ttattgggga tatagcgaag ttacgagatt gtaacaaaga
37381  tctagagaag aaagcaagcg catgggatag gtattgcaag agcgttgaaa aagatttaat
37441  aaacgaattc ggtaacgatg atgaaagagt taaattcgga atggaattaa acaataaaat
37501  ttttatggag gatgacacaa atgaataatc gcgaaaaaat cgaacagtcc gttattagtg
37561  ctagtgcgta taacggtaat gacacagagg ggttgctaaa agagattgag gacgtgtata
37621  agaaagcgca agcgtttgat gaaatacttg agggaatgac aaatgctatt caacattcag
37681  ttaaagaagg tattgaactt gatgaagcag tagggattat ggcaggtcaa gttgtctata
37741  aatatgagga ggaataggaa aatgactaac acattacaag taaaactatt atcaaaaaat
37801  gctagaatgc ccgaacgaaa tcataagacg gatgcaggtt atgacatatt ctcagctgaa
37861  actgtcgtac tcgaaccaca agaaaaagca gtgatcaaaa cagatgtagc tgtgagtata
37921  ccagagggct atgtcggact attaactagt cgtagtggtg taagtagtaa aacgtattta
37981  gtgattgaaa caggcaagat agacgcggga tatcatggca atttagggat taatatcaag
38041  aatgatgaag aacgtgatgg aatacccttt ttatatgatg atatagacgc tgaattagaa
38101  gatggattaa taagcatttt agatataaaa ggtaactatg tacaagatgg aagaggcata
38161  agaagagttt accaaatcaa caaaggcgat aaactagctc aattggttat cgtgcctata
38221  tggacaccgg aactaaagca agtggaggaa ttcgaaagtg tttcagaacg tggagcaaaa
38281  ggcttcggaa gtagcggagt gtaaagacat cttagatcga gttaaggagg ttttggggaa
38341  gtgacgcaat acttagtcac aacattcaaa gattcaacag gacgaccaca tgaacatatt
38401  actgtggcta gagataatca gacgtttaca gttattgagg cagagagtaa agaagaagcg
38461  aaagagaagt acgaggcaca agttaaaaga gatgcagtta ttaaagtggg tcagttgtat
38521  gaaaatataa gggagtgtgg gaaatgacgg atgttaaaat taaaactatt tcaggtggag
38581  tttattttgt aaaaacagct gaacctttg aaaaatatgt tgaaagaatg acgagtttta
38641  atggttatat ttacgcaagt actataatca agaaaccaac gtatattaaa acagatacga
38701  ttgaatcaat cacacttatt gaggagcatg ggaaatgaat cagctgagaa ttttattaca
38761  tgacggtagt agtttgatat tacatgaaga tgaattattt aacgaaatag tatttgtttt
38821  ggacaatttt agaaatgatg atgactattt aacgatagaa aaagattatg gcagagaact
38881  tgtattgaac aaaggttata tagttgggat caatgttgag gaggcagatg atgattaaca
38941  tacctaaaat gaaattcccg aaaaagtaca ctgaaataat caaaaaatat aaaaataaag
39001  cacctgaaga aaaggctaag attgaagatg attttattaa agaaattaaa gataaagaca
39061  gtgaatttta cagtcctacg atggctaata tgaatgaata tgaattaagg gctatgttaa
39121  gaatgatgcc tagtttaatt gatactggag atgacaatga tgattaaaaa acttaaaaat
39181  atggatgggt tcgacatctt tattgttgga atactgtcat tattcggtat attcgcattg
39241  ctacttgtta tcacattgcc tatctataca gtggctagtt accaacacaa agaattacat
39301  caaggaacta ttacagataa atataacaag agacaagata aagaagacaa gttctatatt
39361  gtattagaca acaaacaagt cattgaaaat tccgacttat tattcaaaaa gaaatttgat
39421  agcgcagata tacaagctag gttaaaagta ggcgataagg tagaagttaa aacaatcggt
39481  tatagaatac actttttaaa tttatatccg gtcttatacg aagtaaagaa ggtagataaa
39541  caatgattaa acaaatacta agactattat tcttactagc aatgtatgag ttaggtaagt
39601  atgtaactga gcaagtgtat attatgatga cggctaatga tgatgtagag gcgccgagtg
39661  attacgtctt tcgagcggag gtgagtgaat aatgagaata tttatttatg atttgatcgt
39721  tttgctgttt gctttcttaa tatccatata tattattgat gatggagtga taataaatgc
```

```
39781  attaggaatt tttggtatgt ataaaattat agattccttt tcagaaaata ttataaagag
39841  gtagataaaa atgaacgagc aaataatagg aagcatatat actttagcag gaggtgttgt
39901  gctttattca gttaaagaga tttttaggta ttttacagat tctaacttac aacgtaaaaa
39961  aatcaattta gaacaaatat atccgatata tttagattgt tttaaaaagg ctaaaaagat
40021  gattggagct tatattattc caacagaaca gcatgaattt ttagattttt ttgatattga
40081  agtctttaat aatttagata agcaaagtaa aaaagcgtat gaaaatgtta ttggatttag
40141  acaaatgatt aatttatcaa atagagttaa ggcaatggaa gattttaaga tgagtttcaa
40201  caatgaattt agtacaaatc agatttttt taatccttct tttgttatgg aaacaattgc
40261  tattataaat gaatatcaaa aagatatatc ttatttaaaa aatataatta ataaaatgaa
40321  tgaaaataga gcttataatc atattgatag ttttatcact tcagagtacc gacgaaaaat
40381  aaacgattat aatctttatc ttgataaatt tgaagaacag tttagtcaaa agtttaaaat
40441  aaacagaact tcgataaaag aaagaattat tattaattta aacaagagga gatttaaatg
40501  atgtggatta ctatgactat tgtatttgct atattgctat tagtttgtat cagtattaat
40561  agtgatcgtg caagagagat acaagcactt agatatatga atgattatct acttgatgaa
40621  gtagttaaaa ctaaagggta caacgggtta gaagaataca ggattgaatt gaagcgaatg
40681  aataacgata ttaaaaagta atttatatta tcggaggtat tgcattgaat gataaagatt
40741  gagaaacacg atatcaaaaa gcttgaagaa tacattcagc acatcgataa ctatcgaaga
40801  gagttgaaga tgcgagaata tgaattactt gaaagtcatg aaccagataa tgcgggagct
40861  ggcaaaagta atttgccggg taacccgatt gaacgatgtg caataaagaa gtttagtgat
40921  aacaggtaca atacattaag aaatatagtt aacggtgtag atagattgat aggtgaaagt
40981  gatgaggata cgcttgagtt attaaggttt agatattggg attgtcctat tggttgttat
41041  gaatgggaag atatagcaca ttactttggt acaagtaaga caagtatatt acgtagaagg
41101  aatgcactga tcgataagtt agcaaagtat attggttatg tgtagcggac ttttacccta
41161  tgtaagtccg cattaaaaca gtttattatg ttagtatcag attaatattt aaagttatta
41221  aatgctaata cgacgcatga acaagaggcg catcactatg tgatgtgtct ttttatttat
41281  gaggtatgaa catgttcaaa ctaattgtaa atacattact acacatcaag tatagatgag
41341  tcttgatact acttaagtta tataaggtga aacattatga tgactaaaga cgaacgtata
41401  cgattctata agtctaaaga atggcaaata acaagaaaaa gagtgctaga aagagataat
41461  tatgaatgtc aacaatgtaa gagagacggc aagttaacga catatgacaa aagcaagcgt
41521  aagtcgttgg atgtagatca tatattatcg ctagaacatc atccggagtt tgctcatgac
41581  ttaaacaatt tagaaacact gtgtattaaa tgtcacaaca aaaaagaaaa gagatttata
41641  aaaaaagaaa ataaatggaa agacgaaaaa tggtaaatac ccccgggtca aaaaaatcaa
41701  aagcgatc
```

Table 3

	Name	Position		Name	Position
1	77ORF005	19572..21026	48	77ORF052	1762..2013
2	77ORF006	3976..5196	49	77ORF053	37521..37757
3	77ORF007	21871..23076	50	77ORF054	22818..23060
4	77ORF008	2120..3307	51	77ORF055	17546..17788
5	77ORF009	31946..32803	52	77ORF058	18892..19122
6	77ORF010	26092..26889	53	77ORF059	34564..34785
7	77ORF011	24441..25208	54	77ORF064	29574..29795
8	77ORF012	29788..30576	55	77ORF065	28528..28746
9	77ORF013	33620..34399	56	77ORF066	27494..27703
10	77ORF014	27760..28512	57	77ORF069	38341..38547
11	77ORF015	3291..4028	58	77ORF070	36269..36475
12	77ORF016	32867..33610	59	77ORF071	40498..40701
13	77ORF017	23269..23982	60	77ORF072	38735..38938
14	77ORF018	31169..31840	61	77ORF073	30945..31148
15	77ORF019	39851..40501	62	77ORF074	38544..38738
16	77ORF020	6926..7570	63	77ORF075	13673..13870
17	77ORF021	37762..38304	64	77ORF077	25357..25605
18	77ORF022	30605..31156	65	77ORF079	29089..29280
19	77ORF023	26903..27346	66	77ORF080	35204..35389
20	77ORF024	10700..11140	67	77ORF085	24060..24242
21	77ORF025	9707..10147	68	77ORF092	39706..39876
22	77ORF026	40729..41145	69	77ORF094	32226..32393
23	77ORF027	6518..6925	70	77ORF096	13606..13773
24	77ORF028	34795..35199	71	77ORF098	7092..7256
25	77ORF029	6117..6521	72	77ORF102	29051..29212
26	77ORF030	36478..36879	73	77ORF104	34393..34551
27	77ORF031	39151..39546	74	77ORF109	18282..18434
28	77ORF032	33892..34266	75	77ORF112	39543..39692
29	77ORF033	5758..6120	76	77ORF117	27361..27501
30	77ORF034	7886..8236	77	77ORF118	38390..38530
31	77ORF035	19258..19560	78	77ORF120	36059..36199
32	77ORF036	36876..37223	79	77ORF124	33699..33833
33	77ORF037	102..446	80	77ORF128	14221..14355
34	77ORF038	34908..35219	81	77ORF130	15675..15806
35	77ORF039	37220..37528	82	77ORF133	8414..8542
36	77ORF040	41377..41676	83	77ORF140	13113..13235
37	77ORF041	35454..35753	84	77ORF147	7029..7148
38	77ORF042	5490..5774	85	77ORF149	30668..30787
39	77ORF043	29304..29564	86	77ORF151	31837..31953
40	77ORF044	18481..18768	87	77ORF155	30278..30391
41	77ORF045	5216..5500	88	77ORF157	4044..4157
42	77ORF046	25663..25935	89	77ORF167	20692..20799
43	77ORF047	11159..11425	90	77ORF175	35717..35821
44	77ORF048	28776..29039	91	77ORF176	6836..6940
45	77ORF049	36013..36255	92	77ORF178	35390..35491
46	77ORF050	35753..36007	93	77ORF179	8318..8419
47	77ORF051	38931..39167	94	77ORF182	29268..29564

Table 4

77ORF017 sequence

```
23982     atgacgcataatatagaaaaacgcattaataaattaaaaacttct
1    M  T  H  N  I  E  K  R  I  N  K  L  K  T  S
23937     ggaaatccaaaatttaaaaagttagattcagatattcactattta
16   G  N  P  K  F  K  K  L  D  S  D  I  H  Y  L
23892     ctcaagagatttgaaggtgaaaaaaaccataaaggtttttatcca
31   L  K  R  F  E  G  E  K  N  H  K  G  F  Y  P
23847     aagtttaaacaaggagaaatagtttttgtagatttcggtataaac
46   K  F  K  Q  G  E  I  V  F  V  D  F  G  I  N
23802     gttaataaagaattttctaattcacactttgcaatagtgatgaat
61   V  N  K  E  F  S  N  S  H  F  A  I  V  M  N
23757     aaaaatgattctaatacggaggatatagtaaatgttattcccttа
76   K  N  D  S  N  T  E  D  I  V  N  V  I  P  L
23712     tcctctaaagaaaacaaaaagtatttaaagatgaattttgatttg
91   S  S  K  E  N  K  K  Y  L  K  M  N  F  D  L
23667     aaatgggagtattatttaagattgtttttaaatttaattagcgcg
106  K  W  E  Y  Y  L  R  L  F  L  N  L  I  S  A
23622     caaaataattcagctatattaaaagaagttttcgataaaaaatac
121  Q  N  N  S  A  I  L  K  E  V  F  D  K  K  Y
23577     caaaaaaacaacacagaattcatcactaaagattattttattgaa
136  Q  K  N  N  T  E  F  I  T  K  D  Y  F  I  E
23532     tttatatctgatagtttagaaattgaaaataaattaaataaaatt
151  F  I  S  D  S  L  E  I  E  N  K  L  N  K  I
23487     gacagaaacattaataacatagtatcagcaattgataaggtaaaa
166  D  R  N  I  N  N  I  V  S  A  I  D  K  V  K
23442     aaattaaaaggtaatagttacgcttgcataaattctttccagccg
181  K  L  K  G  N  S  Y  A  C  I  N  S  F  Q  P
23397     attagtaagtttcgcataagaaaagttttaccccaaaaaattaaa
196  I  S  K  F  R  I  R  K  V  L  P  Q  K  I  K
23352     aatccagtaatagattcttcggatattatgttactgataaataga
211  N  P  V  I  D  S  S  D  I  M  L  L  I  N  R
23307     attaataataatatattgcagatccctgatataagatga 23269
226  I  N  N  N  I  L  Q  I  P  D  I  R  *
```

Physico-chemical parameters of ORF 77ORF017

```
1       MTHNIEKRIN KLKTSGNPKF KKLDSDIHYL LKRFEGEKNH KGFYPKFKQG
EIVFVDFGIN
61      VNKEFSNSHF AIVMNKNDSN TEDIVNVIPL SSKENKKYLK MNFDLKWEYY
LRLFLNLISA
121     QNNSAILKEV FDKKYQKNNT EFITKDYFIE FISDSLEIEN KLNKIDRNIN
NIVSAIDKVK
181     KLKGNSYACI NSFQPISKFR IRKVLPQKIK NPVIDSSDIM LLINRINNNI LQIPDIR
```

Number of amino acids: 237
Average molecular weight (Daltons): 278
87.38
Mean amino acid weight (Daltons): 117.
67
Monoisotopic molecular weight (Daltons): 278
69.83
Mean amino acid monoisotopic weight (Daltons): 117.
59

Amino acid composition

Acid	Symbol	Number	%	Average % in Swissprot	Acid	Symbol	Number	%	Average % in Swissprot
Ala	A	5	2.11%	7.58%	Cys	C	1	0.42%	1.66%
Asp	D	14	5.91%	5.28%	Glu	E	13	5.49%	6.37%
Phe	F	16	6.75%	4.09%	Gly	G	6	2.53%	6.84%
His	H	4	1.69%	2.24%	Ile	I	29	12.24 %	5.81%
Lys	K	33	13.92 %	5.95%	Leu	L	19	8.02%	9.42%
Met	M	4	1.69%	2.37%	Asn	N	30	12.66 %	4.45%
Pro	P	7	2.95%	4.9%	Gln	Q	6	2.53%	3.97%
Arg	R	8	3.38%	5.16%	Ser	S	17	7.17%	7.12%
Thr	T	5	2.11%	5.67%	Val	V	11	4.64%	6.58%
Trp	W	1	0.42%	1.23%	Tyr	Y	8	3.38%	3.18%

Number of acidic (negative) amino acids (ED): 27
11.39%
Number of basic (positive) amino acids (KR): 41
17.30%
Total charge (KRED): 68
28.69%

Net charge (KR - ED):	14
	5.91%
Theoritical pI:	10.01
Total linear charge density:	0.30
Average hydrophobicity:	-5.37
Ratio of hydrophilicity to hydrophobicity:	1.41
Percentage of hydrophilic amino acid:	57.81%
Percentage of hydrophobic amino acid:	42.19%
Ratio of %hydrophilic to %hydrophobic:	1.37

77ORF019 sequence

```
39851     atgaacgagcaaataataggaagcatatatactttagcaggaggt
1    M  N  E  Q  I  I  G  S  I  Y  T  L  A  G  G
39896     gttgtgctttattcagttaaagagattttaggtattttacagat
16   V  V  L  Y  S  V  K  E  I  F  R  Y  F  T  D
39941     tctaacttacaacgtaaaaaaatcaatttagaacaaatatatccg
31   S  N  L  Q  R  K  K  I  N  L  E  Q  I  Y  P
39986     atatatttagattgttttaaaaaggctaaaaagatgattggagct
46   I  Y  L  D  C  F  K  K  A  K  K  M  I  G  A
40031     tatattattccaacagaacagcatgaattttagatttttttgat
61   Y  I  I  P  T  E  Q  H  E  F  L  D  F  F  D
40076     attgaagtctttaataatttagataagcaaagtaaaaaagcgtat
76   I  E  V  F  N  N  L  D  K  Q  S  K  K  A  Y
40121     gaaaatgttattggatttagacaaatgattaatttatcaaataga
91   E  N  V  I  G  F  R  Q  M  I  N  L  S  N  R
40166     gttaaggcaatggaagattttaagatgagtttcaacaatgaattt
106  V  K  A  M  E  D  F  K  M  S  F  N  N  E  F
40211     agtacaaatcagatttttttaatccttcttttgttatggaaaca
121  S  T  N  Q  I  F  F  N  P  S  F  V  M  E  T
40256     attgctattataaatgaatatcaaaaagatatatcttatttaaaa
136  I  A  I  I  N  E  Y  Q  K  D  I  S  Y  L  K
40301     aatataattaataaaatgaatgaaaatagagcttataatcatatt
151  N  I  I  N  K  M  N  E  N  R  A  Y  N  H  I
40346     gatagttttatcacttcagagtaccgacgaaaaataaacgattat
166  D  S  F  I  T  S  E  Y  R  R  K  I  N  D  Y
40391     aatctttatcttgataaatttgaagaacagtttagtcaaaagttt
181  N  L  Y  L  D  K  F  E  E  Q  F  S  Q  K  F
40436     aaaataaacagaacttcgataaaagaaagaattattattaattta
196  K  I  N  R  T  S  I  K  E  R  I  I  I  N  L
40481     aacaagaggagatttaaatga 40501
211  N  K  R  R  F  K  *
```

Physico-chemical parameters of ORF 77ORF019

```
1       MNEQIIGSIY TLAGGVVLYS VKEIFRYFTD SNLQRKKINL EQIYPIYLDC
FKKAKKMIGA
61      YIIPTEQHEF LDFFDIEVFN NLDKQSKKAY ENVIGFRQMI NLSNRVKAME
DFKMSFNNEF
121     STNQIFFNPS FVMETIAIIN EYQKDISYLK NIINKMNENR AYNHIDSFIT
SEYRRKINDY
181     NLYLDKFEEQ FSQKFKINRT SIKERIIINL NKRRFK
```

Number of amino acids: 216

Average molecular weight (Daltons): 260

26.06

Mean amino acid weight (Daltons): 120.

49

Monoisotopic molecular weight (Daltons): 260

09.34

Mean amino acid monoisotopic weight (Daltons): 120.

41

Amino acid composition

Acid	Symbol	Number	%	Average % in Swissprot	Acid	Symbol	Number	%	Average % in Swissprot
Ala	A	7	3.24%	7.58%	Cys	C	1	0.46%	1.66%
Asp	D	10	4.63%	5.28%	Glu	E	16	7.41%	6.37%
Phe	F	19	8.80%	4.09%	Gly	G	5	2.31%	6.84%
His	H	2	0.93%	2.24%	Ile	I	28	12.96 %	5.81%
Lys	K	22	10.19 %	5.95%	Leu	L	12	5.56%	9.42%
Met	M	7	3.24%	2.37%	Asn	N	23	10.65 %	4.45%
Pro	P	3	1.39%	4.9%	Gln	Q	10	4.63%	3.97%
Arg	R	11	5.09%	5.16%	Ser	S	13	6.02%	7.12%
Thr	T	7	3.24%	5.67%	Val	V	7	3.24%	6.58%
Trp	W	0	0.00%	1.23%	Tyr	Y	13	6.02%	3.18%

Number of acidic (negative) amino acids (ED): 26
12.04%

Number of basic (positive) amino acids (KR): 33
15.28%

Total charge (KRED): 59
27.31%

Net charge (KR - ED): 7
3.24%

Theoritical pI:	9.52
Total linear charge density:	0.28
Average hydrophobicity:	-4.84
Ratio of hydrophilicity to hydrophobicity:	1.37
Percentage of hydrophilic amino acid:	54.17%
Percentage of hydrophobic amino acid:	45.83%
Ratio of %hydrophilic to %hydrophobic:	1.18

77ORF043 sequence

```
29304     atgtattacgaaataggcgaaatcatacgcaaaaatattcatgtt
1    M  Y  Y  E  I  G  E  I  I  R  K  N  I  H  V
29349     aacggattcgattttaagctattcattttaaaaggtcatatgggc
16   N  G  F  D  F  K  L  F  I  L  K  G  H  M  G
29394     atatcaatacaagttaaagatatgaacaacgtaccaattaaacat
31   I  S  I  Q  V  K  D  M  N  N  V  P  I  K  H
29439     gcttatgtcgtagatgagaatgacttagatatggcatcagactta
46   A  Y  V  V  D  E  N  D  L  D  M  A  S  D  L
29484     tttaaccaagcaatagatgaatggattgaagagaacacagacgaa
61   F  N  Q  A  I  D  E  W  I  E  E  N  T  D  E
29529     caggacagactaattaacttagtcatgaaatggtag 29564
76   Q  D  R  L  I  N  L  V  M  K  W  *
```

Physico-chemical parameters of ORF 77ORF043

```
1       MYYEIGEIIR KNIHVNGFDF KLFILKGHMG ISIQVKDMNN VPIKHAYVVD
ENDLDMASDL
61      FNQAIDEWIE ENTDEQDRLI NLVMKW
```

Number of amino acids: 86
Average molecular weight (Daltons): 101

86.68
Mean amino acid weight (Daltons): 118.

45
Monoisotopic molecular weight (Daltons): 101

80.02
Mean amino acid monoisotopic weight (Daltons): 118.

37

Amino acid composition

Acid	Symbol	Number	%	Average % in Swissprot	Acid	Symbol	Number	%	Average % in Swissprot
Ala	A	3	3.49%	7.58%	Cys	C	0	0.00%	1.66%
Asp	D	9	10.47 %	5.28%	Glu	E	7	8.14%	6.37%
Phe	F	4	4.65%	4.09%	Gly	G	4	4.65%	6.84%
His	H	3	3.49%	2.24%	Ile	I	11	12.79 %	5.81%
Lys	K	6	6.98%	5.95%	Leu	L	6	6.98%	9.42%
Met	M	5	5.81%	2.37%	Asn	N	8	9.30%	4.45%
Pro	P	1	1.16%	4.9%	Gln	Q	3	3.49%	3.97%
Arg	R	2	2.33%	5.16%	Ser	S	2	2.33%	7.12%
Thr	T	1	1.16%	5.67%	Val	V	6	6.98%	6.58%
Trp	W	2	2.33%	1.23%	Tyr	Y	3	3.49%	3.18%

Number of acidic (negative) amino acids (ED): 16
18.60%

Number of basic (positive) amino acids (KR): 8
9.30%

Total charge (KRED): 24
27.91%

Net charge (KR - ED): -8
-9.30%

Theoritical pI: 4.38
Total linear charge density: 0.30
Average hydrophobicity: -2.80
Ratio of hydrophilicity to hydrophobicity: 1.19

Percentage of hydrophilic amino acid:	48.84%
Percentage of hydrophobic amino acid:	51.16%
Ratio of %hydrophilic to %hydrophobic:	0.95

77ORF102 sequence

```
29051     atgagcaacatttataaaagctacctagtagcagtattatgcttc
1    M  S  N  I  Y  K  S  Y  L  V  A  V  L  C  F
29096     acagtcttagcgattgtacttatgccgtttctatacttcactaca
16   T  V  L  A  I  V  L  M  P  F  L  Y  F  T  T
29141     gcatggtcaattgcgggattcgcaagtatcgcaacattcatgtac
31   A  W  S  I  A  G  F  A  S  I  A  T  F  M  Y
29186     tacaaagaatgctttttcaaagaataa 29212
46   Y  K  E  C  F  F  K  E  *
```

Physico-chemical parameters of ORF 77ORF102

1 MSNIYKSYLV AVLCFTVLAI VLMPFLYFTT AWSIAGFASI ATFMYYKECF FKE

Number of amino acids: 53
Average molecular weight (Daltons): 61

55.42
Mean amino acid weight (Daltons): 11

6.14
Monoisotopic molecular weight (Daltons): 61

51.07
Mean amino acid monoisotopic weight (Daltons): 11

6.06

Amino acid composition

Acid	Symbol	Number	%	Average % in Swissprot	Acid	Symbol	Number	%	Average % in Swissprot
Ala	A	6	11.32 %	7.58%	Cys	C	2	3.77 %	1.66%
Asp	D	0	0.00%	5.28%	Glu	E	2	3.77 %	6.37%
Phe	F	7	13.21 %	4.09%	Gly	G	1	1.89 %	6.84%
His	H	0	0.00%	2.24%	Ile	I	4	7.55 %	5.81%
Lys	K	3	5.66%	5.95%	Leu	L	5	9.43 %	9.42%
Met	M	3	5.66%	2.37%	Asn	N	1	1.89 %	4.45%
Pro	P	1	1.89%	4.9%	Gln	Q	0	0.00 %	3.97%
Arg	R	0	0.00%	5.16%	Ser	S	4	7.55 %	7.12%
Thr	T	4	7.55%	5.67%	Val	V	4	7.55 %	6.58%
Trp	W	1	1.89%	1.23%	Tyr	Y	5	9.43 %	3.18%

Number of acidic (negative) amino acids (ED):	2	3.77%
Number of basic (positive) amino acids (KR):	3	5.66%
Total charge (KRED):	5	9.43%
Net charge (KR - ED):	1	1.89%
Theoritical pI:	8.18	
Total linear charge density:	0.13	

Average hydrophobicity:	10.81
Ratio of hydrophilicity to hydrophobicity:	0.40
Percentage of hydrophilic amino acid:	28.30%
Percentage of hydrophobic amino acid:	71.70%
Ratio of %hydrophilic to %hydrophobic:	0.39

77ORF104 sequence

```
34393     atggtaaccaaagaatttttaaaaactaaacttgagtgttcagat
1    M  V  T  K  E  F  L  K  T  K  L  E  C  S  D
34438     atgtacgctcagaaactcatagatgaggcacagggcgatgaaaat
16   M  Y  A  Q  K  L  I  D  E  A  Q  G  D  E  N
34483     aggttgtacgacctatttatccaaaaacttgcagaacgtcataca
31   R  L  Y  D  L  F  I  Q  K  L  A  E  R  H  T
34528     cgccccgctatcgtcgaatattaa 34551
46   R  P  A  I  V  E  Y  *
```

Physico-chemical parameters of ORF 77ORF104

1 MVTKEFLKTK LECSDMYAQK LIDEAQGDEN RLYDLFIQKL AERHTRPAIV EY

Number of amino acids: 52
Average molecular weight (Daltons): 61

93.13
Mean amino acid weight (Daltons): 11

9.10
Monoisotopic molecular weight (Daltons): 61

89.12
Mean amino acid monoisotopic weight (Daltons): 11

9.02

Amino acid composition

Acid	Symbol	Number	%	Average % in Swissprot	Acid	Symbol	Number	%	Average % in Swissprot
Ala	A	4	7.69 %	7.58%	Cys	C	1	1.92%	1.66%
Asp	D	4	7.69 %	5.28%	Glu	E	6	11.54 %	6.37%
Phe	F	2	3.85 %	4.09%	Gly	G	1	1.92%	6.84%
His	H	1	1.92 %	2.24%	Ile	I	3	5.77%	5.81%
Lys	K	5	9.62 %	5.95%	Leu	L	6	11.54 %	9.42%
Met	M	2	3.85 %	2.37%	Asn	N	1	1.92%	4.45%
Pro	P	1	1.92 %	4.9%	Gln	Q	3	5.77%	3.97%
Arg	R	3	5.77 %	5.16%	Ser	S	1	1.92%	7.12%
Thr	T	3	5.77 %	5.67%	Val	V	2	3.85%	6.58%
Trp	W	0	0.00 %	1.23%	Tyr	Y	3	5.77%	3.18%

Number of acidic (negative) amino acids (ED): 10
19.23%

Number of basic (positive) amino acids (KR): 8
15.38%

Total charge (KRED): 18
34.62%

Net charge (KR - ED):	-2
	-3.85%
Theoritical pI:	5.03
Total linear charge density:	0.38
Average hydrophobicity:	-5.81
Ratio of hydrophilicity to hydrophobicity:	1.47
Percentage of hydrophilic amino acid:	53.85%
Percentage of hydrophobic amino acid:	46.15%
Ratio of %hydrophilic to %hydrophobic:	1.17

77ORF182 sequence

29268 atgttcaatataaaacgaaaaacggaggaagtcaagatgtattac

1 M F N I K R K T E E V K M Y Y

29313 gaaataggcgaaatcatacgcaaaaatattcatgttaacggattc

16 E I G E I I R K N I H V N G F

29358 gattttaagctattcattttaaaaggtcatatgggcatatcaata

31 D F K L F I L K G H M G I S I

29403 caagttaaagatatgaacaacgtaccaattaaacatgcttatgtc

46 Q V K D M N N V P I K H A Y V

29448 gtagatgagaatgacttagatatggcatcagacttatttaaccaa

61 V D E N D L D M A S D L F N Q

29493 gcaatagatgaatggattgaagagaacacagacgaacaggacaga

76 A I D E W I E E N T D E Q D R

29538 ctaattaacttagtcatgaaatggtag 29564

91 L I N L V M K W *

Physico-chemical parameters of ORF 77ORF182

```
1       MFNIKRKTEE VKMYYEIGEI IRKNIHVNGF DFKLFILKGH MGISIQVKDM
NNVPIKHAYV
61      VDENDLDMAS DLFNQAIDEW IEENTDEQDR LINLVMKW
```

Number of amino acids: 98

Average molecular weight (Daltons): 116

91.50

Mean amino acid weight (Daltons): 119.

30

Monoisotopic molecular weight (Daltons): 116

83.84

Mean amino acid monoisotopic weight (Daltons): 119.

22

Amino acid composition

Acid	Symbol	Number	%	Average % in Swissprot	Acid	Symbol	Number	%	Average % in Swissprot
Ala	A	3	3.06 %	7.58%	Cys	C	0	0.00%	1.66%
Asp	D	9	9.18 %	5.28%	Glu	E	9	9.18%	6.37%
Phe	F	5	5.10 %	4.09%	Gly	G	4	4.08%	6.84%
His	H	3	3.06 %	2.24%	Ile	I	12	12.24 %	5.81%
Lys	K	9	9.18 %	5.95%	Leu	L	6	6.12%	9.42%
Met	M	6	6.12 %	2.37%	Asn	N	9	9.18%	4.45%
Pro	P	1	1.02 %	4.9%	Gln	Q	3	3.06%	3.97%
Arg	R	3	3.06 %	5.16%	Ser	S	2	2.04%	7.12%
Thr	T	2	2.04 %	5.67%	Val	V	7	7.14%	6.58%
Trp	W	2	2.04 %	1.23%	Tyr	Y	3	3.06%	3.18%

Number of acidic (negative) amino acids (ED): 18

18.37%

Number of basic (positive) amino acids (KR):	12 12.24%
Total charge (KRED):	30 30.61%
Net charge (KR - ED):	-6 -6.12%
Theoritical pI:	4.76
Total linear charge density:	0.33
Average hydrophobicity:	-3.89
Ratio of hydrophilicity to hydrophobicity:	1.28
Percentage of hydrophilic amino acid:	51.02%
Percentage of hydrophobic amino acid:	48.98%
Ratio of %hydrophilic to %hydrophobic:	1.04

Table 5

BLASTP 2.0.8 [Jan-05-1999]

Query= sid|100017|lan|77ORF017 Phage 77 ORF |23269-23982|-3
(237 letters)

Database: nr
393,678 sequences; 120,452,765 total letters

Sequences producing significant alignments:	Score (bits)	E Value
gi|4493986|emb|CAB39045.1| (AL034559) predicted using hexExon; ...	41	0.010
gi|730607|sp|P23250|RPI1_YEAST NEGATIVE RAS PROTEIN REGULATOR P...	38	0.053
gi|3097044|emb|CAA75299| (Y15035) K1R [Cowpox virus]	38	0.090
gi|2146245|pir||S73794 hypothetical protein H91_orf180 - Mycopl...	38	0.090
gi|83910|pir||S04682 ribosomal protein var1 - yeast (Candida gl...	37	0.15
gi|133135|sp|P21358|RMAR_CANGA MITOCHONDRIAL RIBOSOMAL PROTEIN ...	37	0.15
gi|2128843|pir||H64475 hypothetical protein MJ1409 - Methanococ...	36	0.20
gi|5107017|gb|AAD39926.1|AF126285_2 (AF126285) RNA polymerase [...	36	0.35
gi|2146210|pir||S73342 hypothetical protein E07_orf166 - Mycopl...	35	0.60

Database: swissprot
79,449 sequences; 28,874,452 total letters

Sequences producing significant alignments:		Score (bits)	E Value
sp|P23250 RPI1_YEAST	NEGATIVE RAS PROTEIN REGULATOR PROTEIN.	38	0.014
sp|P21358 RMAR_CANGA	MITOCHONDRIAL RIBOSOMAL PROTEIN VAR1.	37	0.040
sp|Q21444 LDLC_CAEEL	LDLC PROTEIN HOMOLOG.	34	0.35
sp|P27240 RFAY_ECOLI	LIPOPOLYSACCHARIDE CORE BIOSYNTHESIS PROT.	33	0.46
sp|P53192 YGC0_YEAST	HYPOTHETICAL 27.1 KD PROTEIN IN ALK1-CKB1.	33	0.60
sp|P32908 SMC1_YEAST	CHROMOSOME SEGREGATION PROTEIN SMC1 (DA-B.	33	0.60
sp|P54683 TAGB_DICDI	PRESTALK-SPECIFIC PROTEIN TAGB PRECURSOR .	32	0.78
sp|Q03100 CYAA_DICDI	ADENYLATE CYCLASE, AGGREGATION SPECIFIC (.	32	0.78

BLASTP 2.0.8 [Jan-05-1999]

Query= sid|100019|lan|77ORF019 Phage 77 ORF|39851-40501|2
(216 letters)

Database: nr
373,355 sequences; 114,214,446 total letters

Sequences producing significant alignments:	Score (bits)	E Value
gi|3341966|dbj|BAA31932| (AB009866) orf 59 [bacteriophage phi PVL]	437	e-122
gi|2689911 (AE000792) B. burgdorferi predicted coding region BB...	38	0.058
gi|1171589|emb|CAA64574| (X95275) frameshift [Plasmodium falcip...	37	0.10
gi|4493986|emb|CAB39045.1| (AL034559) predicted using hexExon; ...	36	0.23
gi|141257|sp|P18019|YPI9_CLOPE HYPOTHETICAL 14.5 KD PROTEIN (OR...	36	0.29
gi|133412|sp|P27059|RPOB_ASTLO DNA-DIRECTED RNA POLYMERASE BETA...	35	0.51
gi|3122231|sp|Q58851|HISX_METJA HISTIDINOL DEHYDROGENASE (HDH) ...	35	0.51
gi|3649757|emb|CAB11106.1| (Z98547) predicted using hexExon; MA...	34	0.66
gi|2688313 (AE001146) sensory transduction histidine kinase, pu...	34	0.87

Database: swissprot
79,449 sequences; 28,874,452 total letters

Sequences producing significant alignments:	Score (bits)	E Value
sp|P18019 YPI9_CLOPE HYPOTHETICAL 14.5 KD PROTEIN (ORF9).	36	0.079
sp|Q58851 HISX_METJA HISTIDINOL DEHYDROGENASE (EC 1.1.1.23) (H.	35	0.14
sp|P27059 RPOB_ASTLO DNA-DIRECTED RNA POLYMERASE BETA CHAIN (E.	35	0.14
sp|Q02224 CENE_HUMAN CENTROMERIC PROTEIN E (CENP-E PROTEIN).	34	0.31
sp|P04931 ARP_PLAFA ASPARAGINE-RICH PROTEIN (AG319) (ARP) (FRA..	33	0.53
sp|P18011 IPAB_SHIFL 62 KD MEMBRANE ANTIGEN.	32	0.69
sp|P18709 VTA2_XENLA VITELLOGENIN A2 PRECURSOR (VTG A2) [CONTA..	32	0.90
sp|Q64409 CP3H_CAVPO CYTOCHROME P450 3A17 (EC 1.14.14.1) (CYPI..	32	0.90
sp|P21358 RMAR_CANGA MITOCHONDRIAL RIBOSOMAL PROTEIN VAR1.	32	0.90
sp|Q03945 IPAB_SHIDY 62 KD MEMBRANE ANTIGEN.	32	1.2

```
BLASTP 2.0.8 [Jan-05-1999]

Query= sid|100043|lan|77ORF043 Phage 77 ORF|29304-29564|3
         (86 letters)

Database: nr
           373,355 sequences; 114,214,446 total letters

                                                                 Score    E
Sequences producing significant alignments:                      (bits)  Value

gi|3341947|dbj|BAA31913| (AB009866) orf 39 [bacteriophage phi PVL] 182   6e-46
gi|744518|prf||2014422A FKBP-rapamycin-associated protein [Homo...  32   0.84
gi|1169736|sp|P42346|FRAP_RAT FKBP-RAPAMYCIN ASSOCIATED PROTEIN...  32   0.84
gi|1169735|sp|P42345|FRAP_HUMAN FKBP-RAPAMYCIN ASSOCIATED PROTE...  32   0.84
gi|3282239 (U88966) rapamycin associated protein FRAP2 [Homo sa...  32   0.84
gi|3875402|emb|CAA98122| (Z73906) cDNA EST EMBL:D64544 comes fr...  31   2.5
gi|1084792|pir||S54091 hypothetical protein YPR070w - yeast (Sa...  30   4.2

Database: swissprot
           79,449 sequences; 28,874,452 total letters

                                                                 Score    E
Sequences producing significant alignments:                      (bits)  Value

sp|P42345 FRAP_HUMAN  FKBP-RAPAMYCIN ASSOCIATED PROTEIN (FRAP) .    32   0.24
sp|P42346 FRAP_RAT  FKBP-RAPAMYCIN ASSOCIATED PROTEIN (FRAP) (R.    32   0.24
sp|P34554 YNP1_CAEEL  HYPOTHETICAL 42.2 KD PROTEIN T05G5.1 IN C.    28   3.5
sp|Q24118 LIO_DROME  LINOTTE PROTEIN.                                28   3.5
sp|P80034 ACH2_BOMMO  ANTICHYMOTRYPSIN II (ACHY-II).                 28   3.5
sp|P22922 A1AT_BOMMO  ANTITRYPSIN PRECURSOR (AT).                    28   3.5
sp|Q44363 TRAA_AGRT6  CONJUGAL TRANSFER PROTEIN TRAA.                28   3.5
sp|P38255 YBU5_YEAST  HYPOTHETICAL 51.3 KD PROTEIN IN PHO5-VPS1.     27   6.0
sp|P55822 SH3B_HUMAN  SH3BGR PROTEIN (21-GLUTAMIC ACID-RICH PRO.     27   7.9
sp|Q58482 YA82_METJA  HYPOTHETICAL PROTEIN MJ1082.                   27   7.9
sp|P34252 YKK8_YEAST  HYPOTHETICAL 52.3 KD PROTEIN IN HAP4-AAT1.     27   7.9
```

```
BLASTP 2.0.8 [Jan-05-1999]

Query= sid|100102|lan|77ORF102 Phage 77 ORF|29051-29212|2
        (53 letters)

Database: nr
           373,355 sequences; 114,214,446 total letters

                                                                 Score    E
Sequences producing significant alignments:                     (bits)  Value

gi|3341946|dbj|BAA31912| (AB009866) orf 38 [bacteriophage phi PVL]  96  3e-20
gi|4325288|gb|AAD17315| (AF123593) voltage-dependent sodium cha...  28  7.1
gi|2649684 (AE001040) A. fulgidus predicted coding region AF092...  28  9.3

Database: swissprot
           79,449 sequences; 28,874,452 total letters

                                                                 Score    E
Sequences producing significant alignments:                     (bits)  Value

sp|P42087 HUTM_BACSU  PUTATIVE HISTIDINE PERMEASE.                 26  7.1
sp|P04775 CIN2_RAT  SODIUM CHANNEL PROTEIN, BRAIN II ALPHA SUBU...  26  9.2
sp|P42619 YQJF_ECOLI  HYPOTHETICAL 17.2 KD PROTEIN IN EXUR-TDCC...  26  9.2
```

BLASTP 2.0.8 [Jan-05-1999]

Query= sid|100104|lan|77ORF104 Phage 77 ORF|34393-34551|1
(52 letters)

Database: nr
373,355 sequences; 114,214,446 total letters

Sequences producing significant alignments:	Score (bits)	E Value
gi|2315523 (AF016452) similar to the leucine-rich domains found...	29	4.2
gi|4377168|gb|AAD18990| (AE001666) CT711 hypothetical protein [...	29	5.4
gi|3882171|dbj|BAA34445| (AB018268) KIAA0725 protein [Homo sapi...	28	9.3

Database: swissprot
79,449 sequences; 28,874,452 total letters

Sequences producing significant alignments:	Score (bits)	E Value
sp|P04879 RRPP_VSVIG RNA POLYMERASE ALPHA SUBUNIT (EC 2.7.7.48.	27	5.4
sp|P04880 RRPP_VSVIM RNA POLYMERASE ALPHA SUBUNIT (EC 2.7.7.48.	27	5.4
sp|Q13946 CN7A_HUMAN HIGH-AFFINITY CAMP-SPECIFIC 3',5'-CYCLIC .	26	7.1
sp|P35381 ATPA_DROME ATP SYNTHASE ALPHA CHAIN, MITOCHONDRIAL P.	26	9.3
sp|P54659 MVPB_DICDI MAJOR VAULT PROTEIN BETA (MVP-BETA).	26	9.3
sp|P40397 YHXC_BACSU HYPOTHETICAL OXIDOREDUCTASE IN APRE-COMK .	26	9.3

```
BLASTP 2.0.8 [Jan-05-1999]

Query= sid|122748|lan|77ORF182 Phage 77 ORF|29268-29564|3
         (98 letters)

Database: nr
           393,678 sequences; 120,452,765 total letters

                                                                  Score    E
Sequences producing significant alignments:                       (bits)  Value

gi|3341947|dbj|BAA31913.1| (AB009866) orf 39 [bacteriophage phi..  182   8e-46
gi|1084792|pir||S54091 hypothetical protein YPR070w - yeast (Sa..   35   0.13
gi|1169736|sp|P42346|FRAP_RAT FKBP-RAPAMYCIN ASSOCIATED PROTEIN..   32   1.1
gi|744518|prf||2014422A FKBP-rapamycin-associated protein [Homo..   32   1.1
gi|5051381|emb|CAB44736.1| (AL049653) dJ647M16.2 (FK506 binding..   32   1.1
gi|4826730|ref|NP_004949.1|pFRAP1| FK506 binding protein 12-rap..   32   1.1
gi|3282239 (U88966) rapamycin associated protein FRAP2 [Homo sa..   32   1.1

Database: swissprot
           79,909 sequences; 29,054,478 total letters

                                                                  Score    E
Sequences producing significant alignments:                       (bits)  Value

sp|P42345 FRAP_HUMAN  FKBP-RAPAMYCIN ASSOCIATED PROTEIN (FRAP) .    32   0.29
sp|P42346 FRAP_RAT  FKBP-RAPAMYCIN ASSOCIATED PROTEIN (FRAP) (R.    32   0.29
sp|P40557 YIA5_YEAST  PUTATIVE DISULFIDE ISOMERASE YIL005W PREC.    29   3.3
sp|Q24118 LIO_DROME  LINOTTE PROTEIN.                               28   4.4
sp|Q44363 TRAA_AGRT6  CONJUGAL TRANSFER PROTEIN TRAA.               28   4.4
sp|P80034 ACH2_BOMMO  ANTICHYMOTRYPSIN II (ACHY-II).                28   4.4
sp|P34554 YNP1_CAEEL  HYPOTHETICAL 42.2 KD PROTEIN T05G5.1 IN C.    28   4.4
sp|P22922 A1AT_BOMMO  ANTITRYPSIN PRECURSOR (AT).                   28   4.4
```

Table 6

1st position (5' end)	2nd position U	2nd position C	2nd position A	2nd position G	3rd position (3' end)
U	Phe	Ser	Tyr	Cys	**U**
	Phe	Ser	Tyr	Cys	**C**
	Leu	Ser	Stop	Stop	**A**
	Leu	Ser	Stop	Trp	**G**
C	Leu	Pro	His	Arg	**U**
	Leu	Pro	His	Arg	**C**
	Leu	Pro	Gln	Arg	**A**
	Leu	Pro	Gln	Arg	**G**
A	Ile	Thr	Asn	Ser	**U**
	Ile	Thr	Asn	Ser	**C**
	Ile	Thr	Lys	Arg	**A**
	Met	Thr	Lys	Arg	**G**
G	Val	Ala	Asp	Gly	**U**
	Val	Ala	Asp	Gly	**C**
	Val	Ala	Glu	Gly	**A**
	Val	Ala	Glu	Gly	**G**

Table 7

Bacteriophage 3A, complete genome sequence

```
1       caaacgctag caacgcggat aaatttttca tgaaaggggg tctttatatg aagttaacaa aaaaacagct
71      aaaagaatat atagaagatt acaaaaaatc tgatgacata ttaattaatt tgtatataga aacatatgaa
141     ttttattgtc ggttaagaga tgaacttaaa aatagtgatt taatgataga gcatacaaac aaggctggtg
211     cgagcaatat tattaagaat ccattaagca tagaactgac aaaaacagtt caaacactaa ataacttact
281     caagtctatg ggtttaactg cagcacaaag aaaaaagata gttcaagaag aaggtggatt cggtgactat
351     taaagtttta aatgaacctt caccaaaact attaacaaca tggtatgcag agcaagtcac tcaagggaaa
421     ataaaaacaa gcaaatatgt tagaaaagaa tgtgagagac atcttagata tctagaaaat ggaggtaaat
491     gggtatttga tgaagaatta gcgcatcgtc ctattcgatt tatagaaaag ttttgtaaac cttccaaagg
561     atctaaacgt caacttgtat tacagccatg gcaacatttt attatcggca gtttgtttgg ttgggttcat
631     aaagaaacaa aactgcgcag gtttaaagaa gctttgatat ttatggggcg aaaaaatggt aaaacaacca
701     ctatttctgg ggttgctaac tatgctgtat cacaagatgg agaaaatggt gcagaaattc atttgttagc
771     aaacgtaatg aaacaagcta ggattctatt tgatgaatct aaggcgatga ttaaagctag cccaaagctt
841     gataaaaatt tcagaacatt aagagatgaa atccattatg acgcaacgat atcaaaaatt atgccccaag
911     catcagatag cgataagtta gatggattga atacacacat ggggattttt gatgaaattc atgaatttaa
981     agactataaa ttgatttcag ttataaaaaa ctcaagagct gcaaggttac aacctcttct catctacatt
1051    acgacagcag ggtatcaatt agatggtcca cttgttgata tggtagaagc gggaagagac accttagatc
1121    aaatcataga agacgaaaga acttttttatt atttagcatc tttggatgat gacgatgata ttaatgattc
1191    gtcgaactgg ataaaagcaa atcccaactt aggtgtctct ataaatttag atgagatgaa agaagagtgg
1261    gaaaaagcta agagaacacc agctgaacgt ggagatttta taaccaaaag gtttaatatc tttgctaata
1331    atgacgagat gagttttatt gattacccaa cactccaaaa aaataatgaa attgtttctt tagaagagct
1401    ggaaggcaga ccgtgcacga ttggttatga tttatcagaa acagaggact ttacagccgc gtgtgctact
1471    tttgcgttag ataatggtaa agttgcagtt ttatcgcatt catggattcc taagcacaaa gttgaatatt
1541    ctaacgaaaa aataccctat agagaatggg aagaagatgg cttattaaca gtgcaagata agccttatat
1611    tgactaccaa gatgttttaa attggataat taagatgaat gagcattatg tagtagaaaa aattacttat
1681    gatagagcga acgcattcaa actaaatcaa gagttaaaaa attacgggtt tgaaacggaa gaaacaagac
1751    aaggagcttt gaccttgagc cctgcattga aggatttaaa agaaatgttt ttagatggga aaataatatt
1821    taataataat cctttaatga aatggtatat caataatgtt cagttgaaac tagacagaaa cggaaactgg
1891    ttgccgtcta agcaaagcag atatcgtaaa atagatggct ttgcagcatt tttaaacaca tatacagata
1961    ttatgaataa agttgtttct gatagtggtg aaggaaacat agagtttatt agtattaaag acataatgcg
2031    ttaaggaggt gaatgttatc gcaaaagaga atattgtcac acgcataaag aaaaaattga tagacaattg
2101    gattgatcag tcaacttcta agctttatga ctttagccca tggaaaaata gatcttttg gggtgtaatt
2171    aataatacgc ttgaaactaa tgaaacgata ttttcagcta ttacaaagtt atctaattcg atggctagtt
2241    tgcccttgaa aatgtatgaa gattataaag tagttaatac agaagtatct gatttactta cagtgtcacc
2311    gaataattct ctgagcagtt ttgattttat taatcaaatt gaaacaatca gaaatgaaaa aggtaatgca
2381    tatgtgctaa ttgaacgaga catctatcat caaccatcaa agcttttctt attaaatcca gatgttgttg
2451    aaatgttaat tgaaaaccaa tcacgtgaac tttattattc cattcatgct gcaactggaa ataaattgat
2521    tgttcataat atggacatgt tgcattttaa acacatcgtg gcatctaata tggtgcaagg cattagtccg
2591    attgatgtgt tgaagaatac aactgatttt gataatgcag taagaacctt taatcttaca gaaatgcaaa
2661    aacctgattc tttcatgctt aaatatggtt ccaatgtagg taaagaaaaa aggcagcaag tgttagaaga
2731    tttcaaacag tactatgaag aaaacggtgg aatattattc caagagcctg gtgttgaaat cgaaccgtta
2801    cctaaaaaat atgtctctga agatatagtg gcaagcgaga atttaacaag agaaagagta gctaacgttt
2871    ttcaattgcc ctcagtattc ttaaatgcaa gatcaaatac aaatttcgcg aaaaatgaag agttaaacag
2941    attttacttg cagcatacct tattgccaat cgtcaaacag tatgaagaag aatttaatcg gaaactactt
3011    actaaaacag acagagaaaa aaataggtat tttaaattta acgttaaatc ttatttaagg gctgatagtg
3081    caacacaagc agaagtgtac tttaaagcag ttcgtagtgg ttactacact ataaatgaca ttagagagtg
3151    ggaagattta ccaccagttg aaggtggaga taagccgcta ataagcggtg atttataccc aattgacacg
3221    ccacttgaat taagaaaatc tttgaaaggt ggtgataaaa atgtcaatga aagctaagta ttttcaaatg
3291    aaaagaaaat caaaaagtaa aggtgaaata tttatttatg gtgatattgt aagtgataaa tggtttgaaa
3361    gtgatgtaac tgctacagat ttcaaaaata aactagatga actaggagac atcagtgaaa tagatgttca
3431    tataaattca tctggaggca gtgtatttga agggcatgca atatacaata tgctaaaaat gcatcctgca
3501    aaaattaata tctatgtcga tgccttagcg gcatcaattg ctagtgttat cgctatgagt ggtgacacta
3571    tttttatgca caaaaatagt tttttaatga ttcataattc atgggttatg actgtaggta atgcagaaga
3641    gttaagaaag acagcggatt tacttgaaaa aacagatgct gttagtaatt cagcttattt agataaagca
3711    aaagatttag atcaagaaca cttaaaacag atgttagatg cagaaacttg gcttactgca gaagaagcct
3781    tgtctttcgg cttgatagat gaaattttag gagctaatga aataactgct agtatctcta aagagcaata
3851    taagcgtttc gagaacgtcc cagaagattt aaagaaagat gtagacaaaa tcactaaaat cgatgatgta
3921    gatacgtttg aattggttga aacacctaaa gaaagtatgt cactagaaga aaaagaaaaa agagaaaaaa
3991    ttaaacgcga atgcgaaatt ttaaaaatga caatgagtta ttaggaggaa atgaaatgcc gacattatat
4061    gaattaaaac aatccttagg tatgattgga caacaattaa aaaataaaaa tgatgaattg agtcagaaag
4131    caacagaccc aaatattgat atggaagaca tcaaacaact agaaacagaa aaagcaggct tacaacaaag
4201    atttaacatt gttgaaagac aagtaaaaga cattgaagaa aaagaaaaag cgaaagttaa agacacagga
4271    gaagcttatc aatctttaaa tgatcatgag aagatggtta aagctaaggc agagttttat cgtcacgcga
4341    ttttaccaaa tgaatttgaa aaaccttcaa tggaggcaca acgtttatta cacgctttac caacaggtaa
4411    tgattcaggt ggtgataagc tcttaccaaa aacactttct aaagaaattg tttcagaacc atttgctaaa
4481    aaccaattac gtgaaaaagc tcgtctaact aacattaaag gtttagagat tccaagagtt tcatatactt
4551    tagacgatga tgacttcatt acagatgtag aaacagcaaa agaattaaaa ttaaaaggtg atacagttaa
4621    attcactact aataaattca aagtatttgc tgcaatttca gatactgtaa ttcatggatc agatgtagat
4691    ttagtaaact gggttgaaaa cgcactacaa tcaggtctag cagctaaaga acgtaaagat gccttagcag
```

```
4761  taagtcctaa atctggatta gatcacatgt cattttacaa tggatctgtt aaagaagttg agggagcaga
4831  catgtatgat gctattatta acgctttagc agatttacat gaagattacc gtgataacgc aacaatttat
4901  atgcgatatg cggattatgt caaaattatt agtgttcttt caaatggaac aacaaatttc tttgacacac
4971  cagcagaaaa agtatttggc aaaccagtag tatttacaga tgcagcagtt aaacctattg tgggagattt
5041  caattatttt ggaattaact atgatggaac aacttatgac actgataaag atgttaaaaa aggcgaatat
5111  ttgtttgtat taactgcatg gtatgatcag caacgtacat tagacagtgc attcagaatt gcaaaagcaa
5181  aagaaaatac aggttcatta cccagctaag ccccaaaagg ttaatgtaac agctaaggct aaatcagctg
5251  taatatcagc cgaatagggg tgatgaaatg agtttagaag aaattaaatt gtggttgaga attgactata
5321  atttcgaaaa tgatttaatt gaaggtctca ttcaatcggc taagtctgaa ttactattaa gtggggttcc
5391  agattatgac aaagatgact tggaataccc gctttttttgt acagcgatta gatatatcat tgcaagagat
5461  tatgaaagtc gtgggtactc aaatgaccaa tctagaagca aggtttttaa tgaaaaggga ttgcaaaaaa
5531  tgattctgaa attaaaaaag tggtaggtga tttttaaatg gaatttaatg aatttaaaga tcgcgcatat
5601  ttttttcaat atgtaaataa agggccgtat ccagatgaag aggaaaaaat gaagttgtat agttgctttt
5671  gtaaaatata taatccttct atgaaagata gagaaatttt aaaagcgact gaatcaaagt caggactaac
5741  cataattatg aggtcttcta aaattgaata tctaccacaa acaaatcact tagttaaaat tgacagaggc
5811  ttatattccg ataaattatt caacattaaa gaaataagaa ttgatacacc agatattggc tataatacag
5881  tggttttatc agaaaaatga gtgtagaaat taaagggata cctgaagtgt tgaagaaatt agaatcggta
5951  tacggtaaac aatcaatgca agctaagagt gatagagctt taaatgaagc atctgaattt tttataaagg
6021  ctttaaagaa agaattcgag agttttaaag atacgggtgc tagcatagaa gaaatgacta aatctaagcc
6091  ttatacaaaa gtaggaagtc aagaaagagc tgttttaatt gaatgggtag gccctatgaa tcgcaaaaac
6161  attattcact tgaatgaaca tggttataca agagatggaa aaaaatatac accaagaggt tttggagtta
6231  ttgcaaaaac attagctgct aatgaacgga agtatagaga aattataaaa aaggagttgg ccagataaat
6301  gaatatatta aacaccataa aagaaatttt attatctgat gcagagctcc aaacatatat aaattctaga
6371  atatactatt ataaagtcac tgaaaatgct gaaacttcca aacctttgt tgttattaca cctatttatg
6441  atttaccttc agacttcatg tctgataaat atcttagtga agaatactta attcaaatag atgtagaatc
6511  ttcaaataat cagaaaacaa ttgatataac aaaacgaata agatatctgt tatatcaaca aaatttaatt
6581  caagcatcta gtcagttaga tgcttatttt gaagaaacta aacgttatgt gatgtcgaga cgttatcaag
6651  gcataccaaa aaatatatat tataaaaatc agcgcatcga ataggtgtgc tttttaattt ttaaggagga
6721  aataagcaat ggcagaagga caaggttctt ataaagtagg ttttaaaaga ttatacgttg gagtttttaa
6791  cccagaagca acaaaagtag ttaaacgcat gacatgggaa gatgaaaaag gtggtacagt tgatctaaat
6861  atcacaggtt tagcaccaga tttagtagat atgtttgcat ctaacaaacg tgtttggatg aaaaaacaag
6931  gtactaatga agttaagtct gacatgagta tttttaatat tccaagtgaa gatctaaata cagttattgg
7001  tcgttctaaa gataaaaatg gtacatcttg ggtaggagag aatacaagag caccatacgt aacagttatt
7071  ggagaatctg aagatggttt aacaggtcaa ccagtgtacg ttgcgctact taaaggtact tttagcttgg
7141  attcaattga atttaaaaca cgaggagaaa aagcagaagc accagagcca acaaaattaa ctggtgactg
7211  gatgaacaga aaagttgatg ttgatggtac tccacaaggt attgtatacg ggtatcatga aggtaaagaa
7281  ggagaagcag aattcttcaa aaaagtattc gttggataca cggacagtga agatcattca gaggattctg
7351  caagttcgtt acccagctaa cccccaaaat gttgaagtag cagttaattc aaaatctgca acagtttcag
7421  cagaataggg gctttcaaaa taaatcaaag gagaataatt tatgactaaa actttaaagg tttataaagg
7491  agacgacgtc gtagcttctg aacaaggtga aggcaaagtg tcagtaactt tatctaattt agaagcggat
7561  acaacttatc caaaaggtac ttaccaagtg gcatgggaag aaaatggtaa agaatctagt aaagttgatg
7631  tacctcaatt caaaaccaat ccaattctag tctcaggcgt atcatttaca cccgaaacta aatcaatcac
7701  ggtaaatgct gatgacaatg ttgaaccaaa cattgcacca agtacagcaa cgaataaaac gttgaaatat
7771  acaagtgaac atccagagtt tgttactgtt gatgagagaa caggagcaat tcacggtgta gctgagggaa
7841  cttcagttat cactgctacg tctactgacg gaagtgacaa gtctggacaa attacagtaa cagtaacaaa
7911  tggataatta tttgagacgc agaatatctg cgtctttttt atttgaataa aaggagctaa tacaatgatt
7981  aaatttgaaa ttaaagaccg taaaacagga aaaacagaga gctatacaaa agaagatgtg acaatgggcg
8051  aagcagaaaa atgctatgag tatttagaat tagtaaatca agagaataaa aaagaagtac ctaacgcaac
8121  aaaaatgaga caaaaagagc gacagttatt agtagattta tttaaagatg aaggattgac tgaagaagat
8191  gttttgaaca agatgagcac taaaacttat acaaaagcct tgaaagatat atttcgagaa atcaatggtg
8261  aagatgaaga agattcagaa actgaaccag aagagatggg aaagacagaa gaacaatctc aataaaagat
8331  attttatcga acattaagaa aatacaacgt ttctgtatgg agcagtatgg gtggacatta actgaagtca
8401  gaaaacagcc gtatgtaaaa cttttagaaa tacttaatga agagaataaa gaagagactg aagaaaaaca
8471  aagtgaacaa aaagtcatta caggtacgga tttaagaaaa ctttttggaa gctagaaagg aggttaatat
8541  gaatgaaaaa gtagaaggca tgaccttgga gctgaaatta gaccatttag gtgtccaaga aggcatgaag
8611  ggtttaaagc gacaattagg tgttgttaat agtgaaatga aagctaatct gtcatcattt gataagtctg
8681  aaaaatcaat ggaaaagtat caggcgagaa ttaaggggtt aaatgataag cttaaagttc aaaaaaagat
8751  gtattctcaa gtagaagatg agcttaaaca agttaacgct aattatcaaa aagctaaatc tagtgtaaaa
8821  gatgttgaga aagcatattt aaagctagta gaagctaata aaaaagaaaa attagctctt gataaatcta
8891  aagaagcctt aaaatcttcg aatacagaac ttaaaaaagc tgaaaatcaa tataaacgta caaatcaacg
8961  taaacaagat gcatatcaaa aacttaaaca gttgagagat gcagaacaaa agcttaagaa tagtaaccaa
9031  gctactactg cacaactaaa aagagcaagt gacgcagtac agaagcagtc cgctaagcat aaagcacttg
9101  ttgaacaata taaacaagaa ggcaatcaag ttcaaaaact aaaagtacaa aatgataatc tttcaaaatc
9171  aaacgaaaaa atagaaaatt cttacgctaa aactaatact aaattaaagc aaacagaaaa agaatttaat
9241  gatttaaata atactattaa gaatcatagc gctaatgtcg caaaagctga aacagctgtt aacaaagaaa
9311  aagctgcttt aaataattta gagcgttcaa tagataaagc ttcatccgaa atgaagactt ttaacaaaga
9381  acaaatgata gctcaaagtc atttcggcaa acttgctagt caagcggatg tcatgtcaaa gaaatttagt
9451  tctattggag ataaaatgac ttccctagga cgtacgatga cgatgggcgt atctacaccg attactttag
9521  ggttaggtgc agcattaaaa acaagtgcag acttcgaagg gcaaatgtct cgagttggag cgattgcaca
9591  agcaagcagt aaagacttaa aaagcatgtc taatcaagcg gttgacttag gcgctaaaac aagtaaaagt
9661  gctaacgaag ttgctaaagg tatggaagaa ttggcagctt taggctttaa tgccaaacaa acaatggagg
9731  ctatgccggg tgttatcagt gcagcagaag caagcggtgc agaaatggct acaactgcaa ctgtaatggc
9801  atcagcaatt aattctttcg gtttaaaagc atctgatgca aaccatgttg ctgatttact tgcgagatca
9871  gctaatgata gtgctgcaga tattcaatac atgggagatg cattaaaata tgcaggtact ccagcaaaag
9941  cattaggagt ttcaatagag gacacttctg cagcaattga agttttatct aactcagggt tagaggggtc
```

10011 tcaagcaggt actgcattaa gagcttcgtt tattaggcta gctaatccaa gtaaaagtac agctaaggaa
10081 atgaaaaaat taggtattca tttgtctgat gctaaaggtc aatttgttgg catgggtgaa ttgattagac
10151 agttccaaga caacatgaaa ggcatgacga gagaacaaaa actagcaaca gtggctacaa tagttggcac
10221 tgaagcagca agtggatttt tagccttgat tgaagcgggt ccagataaaa ttaatagcta tagcaaatca
10291 ttgaagaact ctaatggtga aagtaaaaaa gcagctgatt tgatgaaaga caacctcaaa ggtgctctgg
10361 aacaattagg tggcgctttt gaatcgttag caattgaagt tggtaaagat ttaacgccta tgattagagc
10431 aggtgcggaa ggattaacaa aattagttga tggatttaca catcttcctg gttggtttag aaaggcttcg
10501 gtaggtttag cgatttttgg tgcatctatt ggccctgctg ttcttgctgg tggcttatta atacgtgcag
10571 ttggaagcgc ggctaaaggc tatgcatcat taaatagacg cattgctgaa aatacaatac tgtctaatac
10641 caattcaaaa gcaatgaaat ctttaggtct tcaaacctta tttcttggtt ctacaacagg aaaaacgtca
10711 aaaggcttta aaggattagc cggagctatg ttgtttaatt taaaacctat aaatgttttg aaaaattctg
10781 caaagctagc aattttaccg ttcaaacttt tgaaaaacgg tttaggatta gccgcaaaat ccttatttgc
10851 agtaagtgga ggcgcaagat ttgctggtgt agccttaaag tttttaacag gacctatagg tgctacaata
10921 actgctatta caattgcata taaagttttt aaaaccgcat atgatcgtgt ggaatggttc agaaacggta
10991 ttaacggttt aggagaaact ataaagtttt ttggtggcaa aattattggc ggtgctgtta ggaagctagg
11061 agagtttaaa aattatcttg gaagtatagg caaaagcttc aaagaaaagt tttcaaagga tatgaaagat
11131 ggttataaat ctttgagtga cgatgacctt ctgaaagtag gagtcaacaa gtttaaagga tttatgcaaa
11201 ccatgggcac agcttctaaa aaagcatctg atactgtaaa agtgttgggg aaaggtgttt caaaagaaac
11271 agaaaaagct ttagaaaaat acgtacacta ttctgaagag aacaacagaa tcatggaaaa agtacgttta
11341 aactcgggtc aaataacaga agacaaagca aaaaaacttt tgaaaattga agcggattta tctaataacc
11411 ttatagctga aatagaaaaa agaaataaaa aggaactcga aaaaactcaa gaacttattg ataagtatag
11481 tgcgttcgat gaacaagaaa agcaaaacat tttaactaga actaaagaaa aaaatgactt gcgaattaaa
11551 aaagagcaag aactcaatca gaaaatcaaa gaattgaaag aaaaagcttt aagtgatggt cagatttcag
11621 aaaatgaaag aaaagaaatt gaaaagcttg aaaatcaaag acgtgacatc actgttaaag aattgagtaa
11691 gactgaaaaa gagcaagagc gtattttagt aagaatgcaa agaaacagaa atgcttattc aatagacgaa
11761 gcgagcaaag caattaaaga agcagaaaaa gcaagaaaag caagaaaaaa agaagtggac aagcaatatg
11831 aagatgatgt cattgctata aaaaataacg tcaacctttc taagtctgaa aaagataaat tattagctat
11901 tgctgatcaa agacataagg atgaagtaag aaaggcaaaa tctaaaaaag atgctgtagt agacgttgtt
11971 aaaaagcaaa ataaagatat tgataaagag atggatttat ccagtggtcg tgtatataaa aatactgaaa
12041 agtggtggaa tggccttaaa agttggtggt ctaacttcag agaagaccaa aagaagaaaa gtgataagta
12111 cgctaaagaa caagaagaaa cagctcgtag aaacagagaa aatataaaga aatggtttgg aaatgcttgg
12181 gacggcgtaa aaactaaaac tggcgaagct tttagtaaaa tgggcagaaa tgctaatcat tttggcggcg
12251 aaatgaaaaa aatgtggagt ggaatcaaag gaattccaag caaattaagt tcaggttgga gctcagccaa
12321 aagttctgta ggatatcaca ctaaggctat agctaatagt actggtaaat ggtttggaaa agcttggcaa
12391 tctgttaaat cgactacagg aagtatttac aatcaaacta agcaaaagta ttcagatgcc tcagataaag
12461 cttgggcgca ttcaaaatct atttggaaag ggacatcaaa atggtttagc aatgcatata aaagtgcaaa
12531 gggctggcta acggatatgg ctaataaatc gcgctcgaaa tgggataata tttctagtac agcatggtcg
12601 aatgcaaaat ccgtttggaa aggaacatcg aaatggttta gtaactcata caaatcttta aaaggttgga
12671 ctggagatat gtattcaaga gcccacgatc gttttgatgc aatttcaagt tcggcatggt ctaacgctaa
12741 atcagtattt aatggtttta gaaaatggct atcaagaaca tatgaatgga ttagagatat tggtaaagac
12811 atgggaagag ctgcggctga tttaggtaaa aatgttgcta ataaagctat tggcggttta aatagcatga
12881 ttggcggtat taataaaata tctaaagcca ttactgataa aaatctcatc aagccaatac ctacattgtc
12951 tactggtact ttagcaggaa agggtgtagc taccgataat tcgggagcat taacgcaacc gacatttgct
13021 gtattaaatg atagaggttc tggaaacgcc ccaggtggtg gagttcaaga agtaattcac agggctgacg
13091 gaacattcca tgcaccccaa ggacgagatg tggttgttcc actaggagtt ggagatagtg taataaatgc
13161 caatgacact ctgaagttac agcggatggg tgttttgcca aaattccatg gtggtacgaa aaagaaagat
13231 tggctagacc aacttaaagg taatataggt aaaaaagcag gagaatttgg agctacagct aaaaacacag
13301 cgcataatat caaaaaaggt gcagaagaaa tggttgaagc agcaggcgat aaaatcaaag atggtgcatc
13371 ttggttaggc gataaaatcg gcgatgtgtg ggatacgta caacatccag ggaaactagt aaataaagta
13441 atgtcaggtt taaatattaa ttttggaggc ggactaacgc tacagtaaaa attgctaaag gcgcgtactc
13511 attgctcaaa aagaaattaa tagacaaagt aaaatcgtgg tttgaagatt ttggtggtgg aggcgatgga
13581 agctatctat ttgaatatcc aatctggcaa agatttggac gctacacagg tggacttaac tttaatgacg
13651 gtcgtcacta tggtatagac tttggtatgc ctactggaac aaacgtttat gccgttaaag gtggtatagc
13721 agataaggta tggactgatt acggtggcgg taattctata caaattaaga ccggtgctaa cgaatggaac
13791 tggtatatgc atttatctaa gcaattagca agacaaggcc aacgtattaa agctggtcaa ctgataggga
13861 aatcaggtgc tacaggtaat ttcgttagag gagcacactt acatttccaa ttgatgcaag ggtcacatcc
13931 agggaatgat acagctaaag atccagaaaa atggttgaag tcacttaaag gtagtggcgt tcgaagtggt
14001 tcaggtgtta ataaggctgc atctgcttgg gcaggcgata tacgtcgtgc agcaaaacga atgggtgtta
14071 atgttacttc gggtgatgta ggaaatatca ttagcttgat tcaacacgaa tcaggaggaa atgcaggtat
14141 aactcaatct agttcgctta gagacatcaa cgttttacag ggcaatccag caaaaggatt gcttcaatat
14211 atcccacaaa catttagaca ttatgctgtt agaggtcaca acaatatata tagtggttac gatcagttat
14281 tagcgttctt taacaacaga tattggcgct cacagtttaa cccaagaggt ggttggtctc caagtggtcc
14351 aagaagatat gcgaatggtg gtttgattac aaagcatcaa cttgctgaag tgggtgaagg agataaacag
14421 gagatggtta tccctttaac tagacgtaaa cgagcaattc aattaactga acaggttatg cgcatcatcg
14491 gtatggatgg caagccaaat aacatcactg taaataatga tacttctaca gttgaaaaat tgttgaaaca
14561 aattgttatg ttaagtgata aaggaaataa attaacagat gcattgattc aaactgtttc ttctcaggat
14631 aataacttag gttctaatga tgcaattaga ggtttagaaa aaatattgtc aaaacaaagt gggcatagag
14701 caaatgcaaa taattatatg ggaggtttga ctaattaatg caatcttttg taaaaatcat agatggttac
14771 aaggaagaag taataacaga ttttaatcag cttatatttt tagatgcaag ggctgaaagt ccaaacacca
14841 atgataacag tgtaactatt aacggagtag atggtatttt accgggcgca attagttttg cgcctttttc
14911 attagtatta aggtttggct atgatggtat agatgttata gatttaaatt tatttgagca ttggtttaga
14981 tctgtgttta atcgcagaca tccttattat gttattactt ctcaaatgcc tggtgttaaa tatgcagtga
15051 atacagctaa tgttacatct aatttaaaag atggttcttc aactgaaatt gaagtaagtt taaatgttta
15121 taaagggtat tctgaatcag ttaattggac cgatagcgag ttcttattcg actctaattg gatgtttgaa
15191 aatggaattc ctcttgattt cacacctaaa tatactcata catcaaatca atttactatt tggaacggtt

```
15261  ctactgatac gataaatcca cgattcaagc acgatttgaa aatattaatt aatttaaatg cgagtggagg
15331  atttgaactg gttaactata caacaggtga tatttttaag tacaacaaaa gtatagataa aaacactgat
15401  tttgttttag atggtgtgta tgcatatcga gatataaata gagtgggaat tgatacaaat agaggcatta
15471  taacattagc gccaggtaaa aatgaattta agattaaagg agacatcagt gatattaaaa ctacatttaa
15541  gtttccttct atttataggt aggtgattta atggattatc atgatcattt atcagtaatg gattttaatg
15611  aattgatttg tgaaaattta ctagatgtag attatggttc ttttaaagaa tattatgaac tgaatgaagc
15681  taggtacatc acttttacag tttatagaac tactcataat agttttgttt tcgatttact aatttgtgaa
15751  aacttcataa tttatcatgg tgaaaaatac acaattaagc agacagcgcc aaaggttgaa ggtgataaag
15821  tttttattga agttacggca tatcacataa tgtatgaatt tcaaaatcac tcagtggaat caaataagct
15891  tgatgacgac agtagcgaaa ctggtaaaac gccagaatac tctttagatg agtacttaag atatggattt
15961  gcaaatcaaa aaacttcggt caaaatgacc tataaaataa ttggaaattt taagcgaaaa gtaccgattg
16031  acgaattagg taacaaaaac ggcttagaat actgtaaaga agcggtagac ctatttggct gtataattta
16101  cccaaatgat acggagatat gtttttattc tcctgaaaca ttttatcaaa gaagcgagaa agtgattcga
16171  tatcaatata atactgatac tgtatctgca actgtcagta cattggaatt aagaacagct ataaaagttt
16241  ttggaaaaaa gtatacagct gaggaaaaga aaaattataa tcctattaga acaactgaca ttaaatattc
16311  aaatggtttt ataaaagaag gtacttatcg taccgcaaca attgggtcta aagctactat taactttgat
16381  tgcaagtatg gtaatgaaac agttagattt acaataaaaa agggctctca aggtggaata tataagttga
16451  ttttagacgg caagcaaatt aagcaaattt cttgttttgc taagtcggtt cagtctgaaa caatagattt
16521  aataaaaaat attgataaag gcaagcacgt tttagaaatg atatttttag gagaagaccc caaaaataga
16591  attgatatat cttcaaataa aaaagctaag ccttgtatgt atgttggaac tgaaaaatca acagtcttaa
16661  atttaattgc tgacaactca ggtcgcaatc aatacaaagc aattgttgac tacgtcgcag atagtgcaaa
16731  gcagtttggg attcgatatg ctaatacgca aacaaatgaa gatatcgaaa cacaggataa gctgttagaa
16801  tttgcaaaaa agcaaataaa tgatactcct aagactgaat tagatgttaa ttatataggt tatgaaaaaa
16871  tagagccaag agatagcgta ttctttgttc atgaattaat gggatataac actgaattaa aggttgttaa
16941  acttgatagg tcacatccat ttgtaaacgc aatagatgaa gtgtctttca gcaatgaaat aaaggatatg
17011  gtacaaattc aacaagcgct taacagacga gttattgcac aagataatag atataactat caagcaaatc
17081  gtataaatca tttatacact agtactttga attctccttt cgagacaatg gatataggga gtgtattaat
17151  ataatggcaa cagaagaagt taaaatcaaa gcgctacttg aaaacgataa acagtacttt ccagctacac
17221  attggaaagc tataaatggg ataccttatg caggcagtag tgatattgat ggattgcctc aagacggtat
17291  catttcggta gatgataaaa ataaattaga taatttaaaa ataggcgaag caggaattat tcaaaatagc
17361  attgtacaga aatccccaaa cggtaaattg tggaaaataa cagttgacga tagtgggaaa cttggtacag
17431  tgctatttta ttagaaagga aggtgcatta tggaaaattt gtatttaata aaggatttgg gagctttagc
17501  aggtcgagat tatagagcta aggaaataca aaacttacaa agaatagagc aatttgcgct tggcttgaca
17571  acagagttta agttgcatca gaaagctaaa acaattcaac acttcgctga gcaaatttat tataatggta
17641  gatcgcaagc agcagtaaac aaatctttac aaagtcaaat taacgcactt gttgtggcac cacgtaataa
17711  cagtgctaat gagattgttc aagctcgagt taatgtaaac ggcgaaacct ttgacacatt aaaagaacat
17781  ttagacgatt gggaaaccca aactcaaatt aataaagagg aaactataag agaattaaat aagaccaaac
17851  aagaaattct tgatatcgag tatcgttttg aacctgataa gcaagaattt ttatttgtga cagaacttgc
17921  acctcttaca aatgcagtaa tgcaatcctt ctggtttgat aatagaacag gcatagtata catgacacaa
17991  gctagaaata atggctatat gctaagtcgt ctaagaccta atggtcaatt tatagacagc tcattgattg
18061  taggtggggg tcatggtaca cataacggtt atagatatat tgatgatgag ttatggattt atagttttat
18131  cttaaatggt aataatgaga atacattagt tcgtttcaag tatacgccta atgtggaaat tagctatggc
18201  aagtatggta tgcaagatgt atttacagga cacccagaaa aaccctacat caccccctgtc ataaatgaaa
18271  aagaaaataa aattctatac agaattgaga gacctagaag tcactgggaa cttgaaaact caatgaatta
18341  tatagagata agaagtttag acgatgttga taaaaatatt gataaagttt tgcataaaat cagtatccct
18411  atgagactaa caaacgaaac ccaaccaatg cagggtgtga cttttgatga aaaatacttg tattggtata
18481  caggagacag taatccaaat aatagaaact atttaacggc tttcgattta gaaacaggag aagaagcgta
18551  tcaggttaat gctgactatg gtggaacact agattcattt cctggcgaat ttgcggaagc agaaggtttg
18621  caaatatact atgacaaaga tagtggtaaa aaagctttga tgctaggtgt tactgtcggt ggtgatggaa
18691  atagaacaca tcgtattttc atgattgggc aaagaggtat tttagaaata cttcactcaa gaggcgttcc
18761  ttttatcatg agtgacacag gtggtagagt taaaccttta ccaatgaggc ctgataaact taagaatctt
18831  gggatgttaa cagagccagg tctttactat ttatacactg atcatacagt tcaaatcgat gatttcccat
18901  taccaagaga atggcgtgat gcaggttggt tcttggaagt taagccacca caaactggcg gtgatgtaat
18971  tcagatattg acgcgtaata gttatgcaag gaatatgatg acttttgaaa gggtgctttc tggaagaact
19041  ggagacattt cggactggaa ttatgtgcct aaaaatagtg gtaaatggga gagagtacct tcattcatca
19111  caaaaatgtc agatattaac atagtaggca tgtcgtttta tttaactacg gatgatacaa aacgttttac
19181  agattttcca actgaacgta aaggggtagc tggttggaac ttatatgtag aagcttcaaa cacaggtggc
19251  tttgttcata ggctagttcg taatagtgtt acagcatctg ctgagatact attgaaaaat tatgatagta
19321  aaacaagttc agggccatgg actttacacg aagggagaat tataagttaa tgagtaattt agagaaatct
19391  gtagctataa atttagaaaa cacagcgcat tatgaaaata tttcaaatct agatataact tttagaacag
19461  gagagagtga ttcttctgtt cttcttttta atatcactaa aaataatcaa ccgttattat tgagtgaaga
19531  aaatatcaaa gcacgaatag cgattcgagg taaaggagtc atggtagttg ctccactaga aatattagat
19601  ccatttaaag gtattttaaa atttcaatta cctaatgatg taattaaacg agatggaagt tatcaagctc
19671  aagtttcggt tgcagaatta ggtaattcag acgtggtagt tgtcgagaga actatcacat ttaacgttga
19741  aaaaagtttg tttagcatga ttccatctga aacaaaatta cactatattg ttgaatttca ggaattagaa
19811  aaaactatta tggatcgtgc gaaagcaatg gacgaggcta taaaaaatgg tgaagattat gcgagtctga
19881  ttgaaaaagc taaagaaaaa ggtctatcag atattcaaat agcaaaatct tcaagtatag atgaattaaa
19951  gcaacttgct aatagccata tatctgattt ggaaaataaa gcgcaagcat attcaagaac attcgatgag
20021  caaaagcgat atatggatga gaaacatgaa gccttcaagc agtcagtgaa tagtggtggt ttagtcacaa
20091  gtggttctac ttcaaattgg caaaaagcta agattactaa agatgatggt aagataatgc agattactgg
20161  atttgatttt aataatccag aacaaagaat aggtgattca acccaattta tttatgtttc gcaagctata
20231  aattatccaa gaggtgttag tactaacggt actgtcgaat atttagtagt aacttcagat tacaagcgta
20301  tgacttatcg accgaacggt acaaataaag tgtttgttaa aagaaaagaa gcgggttcat ggtctgagtg
20371  gtcagaatta gctattaatg attacaatac acctttgaa actgttcaaa gtgcccaatc aaaagctaat
20441  atggccgaaa gtaacgctaa attatacgca gatgacaagt ttaataaaag gtattcggtt atttttgatg
```

20511 gaacagcaaa tggtgtgggc tctacattgt acttaaatga gagtttagac caatttattt tattaatttt
20581 ttatgggact tttccaggtg gtgactttac agagtttggc agtccttttg gaggaggaaa gatttcattg
20651 aatccctcaa atcttccaga tggtgatgga aatggtggag gtgtttatga gtttggatta actaaatcta
20721 gtcgtacatc tttaactata tcaaacgatg tctatttcga cttaggaagt caaagaggct ctggtgcgaa
20791 cgcaaataga gggacaatta acaaaattat aggagtgaga aaataatgca aatattagtt aacaagcgta
20861 atgagataat ttcatacgct atcattggtg gctttgaaga aggtattgat attgaaaatt taccagaaaa
20931 tttctctcaa gtttttagac ctaaagcctt taaatattca aatggggaaa tagtttttaa cgaagattat
21001 tcagaagaaa aagatgactt gcatcaacag attgacagtg aagaacaaaa cacagtcgct tctgatgaca
21071 tcttacgaaa aatggttgct agtatgcaga aacaagttgt tcaaagtaca aagttatcga tgcaagttaa
21141 taagcaaaat gcactaatgg caaaacaact tgtgacactt aataaaaaat tagaagaggt taaaggagag
21211 actgaaaatg cttaaattaa tttcaccaac attcgaagat attaaaacat ggtatcaatt gaaagaatat
21281 agtaaagaag atatagcgtg gtatgtagat atggaagtta tagataaaga ggaatatgca attattacag
21351 gagaaaagta tccagaaaat ctagagtcat aggttataat cttatggctt tttaatttga ataaagtggg
21421 tggtgtaatg tttggattta ccaaacgaca cgaacaagat tggcgtttaa cgcgattaga agaaaatgat
21491 aagactatgt ttgaaaaatt cgacagaata gaagacagtc tgagaacgca agaaaaaatt tatgacaagt
21561 tagatagaaa tttcgaagaa ctaaggcgtg acaaagaaga agatgaaaaa aataaagaga aaaatgctaa
21631 aaatattaga gacatcaaga tgtggattct aggattaata gggacgattc taagtacatt tgttatagcc
21701 ttgttaaaaa ctatttttgg catttaaagg aggtgattac catgcttaag ggaattttag gatatagctt
21771 ttggtcgtgt ttctggttta gtaagtgtaa gtaatagtta agagtcagtg cttcggcact ggctttttat
21841 tttggaaaaa aggagcaaac aaatggatgc aaaagtaata acaagataca tcgtattgat cttagcatta
21911 gtaaatcaat tcttagcgaa caaaggtatt agcccgattc cagtagacga tgagaatata tcatcaataa
21981 tacttactgt tgttgcttta tatactacgt ataaagacaa tccaacatct caagaaggta aatgggcaaa
22051 tcaaaagcta aagaaatata aagctgaaaa caagtataga aaagcaacag ggcaagcgcc aattaaagaa
22121 gtaatgacac ctacgaatat gaacgacaca aatgatttag ggtaggtgtt gaccaatgtt gataacaaaa
22191 aaccaagcag aaaaatggtt tgataattca ttagggaagc agttcaatcc tgatttgttt tatggatttc
22261 agtgttacga ttacgcaaat atgtttttta tgatagcaac aggcgaaagg ttacaaggtt tatacgctta
22331 taatattcca tttgataata aagcaaggat tgaaaaatac gggcaaataa ttaaaaacta tgatagcttt
22401 ttaccgcaaa agttggacat tgtcgttttc ccgtcaaagt atggtggcgg agctggacat gttgaaattg
22471 ttgagagcgc taatctaaac actttcacat cgtttggcca aaattggaat ggtaaaggtt ggacaaatgg
22541 cgttgcgcaa cctggttggg gtcccgaaac cgttacaaga catgttcatt attacgatga cccaatgtat
22611 tttattagat taaatttccc agataaagta agtgttggag ataaagctaa aagcgttatt aagcaagcaa
22681 ctgccaaaaa gcaagcagta attaaaccta aaaaaattat gcttgtagcc ggtcatggtt ataacgatcc
22751 tggagcagta ggaaacggaa caaacgaacg cgattttata cgtaaatata taacgccaaa tatcgctaag
22821 tatttaagac atgccggtca tgaagtcgca ttatatggtg gctcaagtca atcacaagac atgtatcaag
22891 atacagcata cggtgttaat gtaggtaata aaaaagatta tggcttatat tgggttaaat cacaggggta
22961 tgacattgtt ctagaaatac atttagacgc agcaggagaa agcgcaagtg gtgggcatgt tattatctca
23031 agtcaattca atgcagatac tattgataaa agtatacaag atgttattaa aaataactta ggacaaataa
23101 gaggtgtaac acctcgtaac gatttactta atgttaacgt atcagcagaa ataaatataa attatcgctt
23171 atctgaatta ggttttatca ctaataaaaa tgatatggat tggattaaga aaaactatga cttgtattct
23241 aaattaatag ccggtgcgat tcatggtaag cctatcggtg gtgtgatatc tagtgaggtt aaaacaccag
23311 ttaaaaacga aaagaatccg ccagtgccag caggttatac acccgataaa aataatgtac cgtataaaaa
23381 agaaactggt tattacacag ttgccaatgt taaaggtaat aacgtaaggg acggctattc aactaattca
23451 agaattactg gtgtattacc taataacgca acaatcaaat atgacggcgc atattgtatc aatggctata
23521 gatggattac ttatattgct aatagtggac aacgtcgtta tattgctaca ggagaggtag acaaggcagg
23591 taatagaata agcagttttg gtaagtttag tgcagtttga taattgtata tgatgaatct taggcaggta
23661 cttcggtact tgcctattat ttaaaattaa taaacagtta atttttacat gaatatatta aattttaaaa
23731 aaacaaacgt ttttagtata taaattattt tgtgttcgta ttgtgtgcta tgattaaaaa gttgttatgg
23801 tcaactatat cgtggtttta tgtttattat caatcaaaat ataaattatt tataatttgt ttggtaatga
23871 acgggttttt ttcgaaataa tagtaaaaaa acacatttgt agatatttta aactcggtaa atctttttaat
23941 aaatatttaa ttttattaaa agttaaaaag gtttaatata aaaatgtaat aaaatttata aagaaaggaa
24011 atgattttta tggtcaaaaa aagactatta gctgcaacat tgtcgttagg aataatcact cctattgcta
24081 cttcgtttca tgaatctaaa gctgataaca atattgagaa tattggtgat ggcgctgagg tagtcaaaag
24151 aacagaagat acaagtagcg ataagtgggg ggtcacacaa aatattcagt ttgattttgt taaagataaa
24221 aagtataaca aagacgcttt gattttaaaa atgcaaggtt ttatcaattc aaagactact tattacaatt
24291 acaaaaacac agatcatata aaagcaatga ggtggccttt ccaatacaat attggtctca aaacaaatga
24361 ccccaatgta gatttaataa attatctacc taaaaataaa atagattcag taaatgttag tcaaacatta
24431 ggttataaca taggtggtaa ttttaatagt ggtccatcaa caggaggtaa tggttcattt aattattcaa
24501 aaacaattag ttataataaa ataaaaaatga ggtgataaga tgactcaatt tctaggggcg cttcttctta
24571 caggagtttt aggttacata ccatataaat atctaacaat gataggttta gttagtgaaa aaaacaaggt
24641 tatcaatact cctgtattat tgattttttc tattgaaaca tgtttgatat ggttttatag ttttataatt
24711 tttaataatg ttgatttaaa aatttgaat ttaattcagt tgcttacagg tctaaaagca aatattttgt
24781 ttctatttat ttttgtttta acagtgtttg tatttaatcc tttaattgtt aaatttatta tctggttaat
24851 taatataacc agaaagttta tgaaattgga ttgtataagc ttattagaca aagagacaa gttgtttaat
24921 aacaacggta aaccagtatt tatagttata aaagactttg aaaacagaat cattgaagag ggtgaactta
24991 aaacctataa ttcagctggt agcgatttcg atttactaga agttgagcga caagatttca aagtatctga
25061 tttaccgtca aacgatgaat tgtatattaa acatacactt gtagacctta aacaacaaat taaattggat
25131 ttatatttaa tgaatgaata ctaatctttt ttcttagctt tttctgataa agtgcttttt aatttttcgc
25201 tggcgcccgg cttttcaaaa cttttgttta ttgggttact acgagtagct tcttgttttt tgtttttatc
25271 cgccataaaa ttctcaccac cattcaacgt ctacacttgt aggcgttttt ttatttagta aagtcataat
25341 gaatcttctt tggttaactt atctccatct attttttgtg aaataaattc caagtattta cgcgcattat
25411 gtgacgataa atctttaggt aactcataag tgaatggttg attaccacta gttaaaactt catatactat
25481 agtttctttt tttattttgc aattagttat tttcattata aacttccttt caaacactgc tgaaatagac
25551 gtcttttata ttaaagcgcc acacaggcgc tgttaatcac aatacaactt tgcccattac tttaatatta
25621 ctaaacgaag cgactttgat atcatcatac ttcggattta gagataccaa attaatatag tcttcgcata
25691 tatctacacg cttgataaga cttactccat ctaatacaac gagtgcaatt gtaccatctt taatagaatc

```
25761  ttctttctta ataaaagcgt atgttccttg ttttaacata ggttccattg aatcaccatt aactaaaata
25831  caaaaatcag catttgatgg cgtttcgtct tctttaaaaa atacttcttc atgcaatatg tcatcatata
25901  attcttctcc tatgccagca ccagttgcac cacatgcaat atacgatact agtttagact ctttatatcc
25971  atctatagaa gtgactttat tctgttcttc caattgttca tttgcatagt taagtacgtt ttcttggcgg
26041  ggaggtgtga gtttgttgta tatggaagtg atgtcgttat cgtctttgta tgtagtattt gattcactat
26111  acaaatcatt aatcttcaca ttgaagtact cagccaaaat tttggcagtt gataatcgag gttcttcctt
26181  ttcattttcc cattttgata tcttgccttt cgttaatttc attaagtcgg gatatttatt attaagatca
26251  gttgctaatt gttccatagt catattttta ttttttcttt agcttcttta aaccttcacc aatacccata
26321  cgaaaccctc cttatataag ataatttcat tataaaagtt tcgaaaacga aacgcaagga aaatattatt
26391  gcaaaagttg ttgacatcga aacttttatg atgtattctt aaatcaagtt gttacaaacg aaacaaaagg
26461  agggggttca atgacaacta gtgtagcaga taaaccatac ttaaaaataa aaagcttgat tgcacttaaa
26531  ggaactaacc aaaaagaagt tgctaaagca atcggaatga gtagaagttt attgagtata aagataaatc
26601  gaattaatgg cagagatttt acaacttcag aagctaaaaa attagcagat catttaaatg ttaaagttga
26671  tgatttttt taaactttaa gtttcgaaag tgacaactaa ataaaaataa ggaggacact atggaacaaa
26741  taacgttaac caaagaagag ttgaaagaaa ttatagcgaa agaagttaga aatgctataa aaggcgagaa
26811  accaatcagc tcaggtgcaa ttttcagtaa agtaagaatc aataatgacg atttagaaga aatcaataaa
26881  aaactcaatt tcgcaaaaga tttgtcgcta ggaagattga ggaagctcaa tcatccgatt ccgctaaaaa
26951  agtatcagca tggcttcgaa tcaattcatc aaaaagctta tgtacaagat gttcatgacc atattagaaa
27021  attaacatta tcaatttttg gagtgacact taattcagac ttgagtgaaa gtgaatacaa cctagcagca
27091  aaaatttata gagatatcaa aaactattat ttatatatct atgaaaagag agtttcagaa ttaactatcg
27161  atgatttcga atgaaggagg aactacaaat gaaactacta agaaggctat tcaataaaaa acacgaaaac
27231  ttaattgacg tgtggcatgg aaatcaatgg ttaaaagtga aagaaagcaa attaaaaaaa tataaagtgg
27301  tctcggatag agaaggtaag aaatatctaa ttaaataagc gcacttaatt agtgcaagta atcaagtgcg
27371  ctattgcctt acaatcctaa atcttttctg ctttttttctt cttcttgtaa tcccaataac acagaagagt
27441  aaatgctgaa atagtcacga gcaacgctat ctttagcgaa tgcaattacg tcatcaccga cttcttgcca
27511  ttcgttatga atcttatgtc tatctagagc tctaggtaat agcgagattg taatatcgtg agcaattttc
27581  tctaaatcca taaatttcac ctccttccac tgggagataa ctaaattata taacaaaaca acttaaagga
27651  ggaacgacaa atgcaagctc aaaacaaaaa agtcatctat tactactatg acgaagaagg taataggcga
27721  ccattagata ttcaaattaa tgacggatat gaactgatgg tccgatctca tttcatcaac aacaccattg
27791  aagaaatacc atacgtaaat aataacttat atgccttggt tgatggttat gaatttaagt tagattgaat
27861  ttttgagaaa gatattgaaa agctaatttc cccataagat taagagacat actggatgtt ttgttaacga
27931  ctcttttaac ttcgttccaa gttttattgt ctctaatatt atcgagaaat tcatggccag accaagtgat
28001  gtcatcaata atccaagaaa cgaccctgcc ttcgatgaat ttcagatcgc aacaaataaa tttagcttct
28071  tctaatttta aaagtgagta cattactgtt tcaaaatcat atttatcaaa aataatatta tcgttgaaat
28141  tatgtcgagt aagtggttca cctatttttct tattagattc tatttctaag agcaagagtc taacgcaatc
28211  gtgattaagt ttcatcctat cacctccata acaggagtat agcagaaagg atcataaaca tcttaaaagg
28281  aggaataaca aatgaacatt caagaagcaa ctaagatagc tacaaaaaat cttgtctcta tgacacggaa
28351  agattggaaa gaaagtcatc gaactaagat attaccaaca aatgatagtt ttttacaatg catcatttca
28421  aatagcgatg ggacaaacct tatcagatat tggcaacctt cagccgatga cctcatggca aatgattggg
28491  aagttataaa cccaactaga gaccaggaat tattgaagca attttagaaa tgctatcaat gatacttttt
28561  aaattgtttt taaactcatt ttcaaagtaa acaacagtct tgtctgaaat tgttacatga taaatagtgt
28631  tactagcata cacgccgttt aggaacccag agtttttaag tttatttaaa tcgtatttta catcttcgaa
28701  atgtagtttt tgaaaatact ttgtatgtat atctttagca cttccaaaat tattgcaggt taatttaacc
28771  gaacctaact ttacacattc taaataatct ttgtagagta cggacaagat atattgttgg tctttagtaa
28841  gtgtatcaaa ttcatcagat atcaagggca tgttatcacc tccttaggtt gataacaaca ttatacacga
28911  aaggagcata aacaaatgaa cacaagatca gaaggattgc gtataggcgt cccacaagtt tctagcaaag
28981  ctgatgcttc ttcatcctat ttaacggaaa aggaacgtaa cttaggagcg gaaatattag agcttattaa
29051  aaaaagtgat tacagctact tagaaataaa caaagttttc tatgcattag atagagaact tcaatacagg
29121  gcgaataata acaaacttta acatttatct aaaggagtga tagagatgcc aaaaatcata ataccaccaa
29191  caccagaaaa cacatatcga ggcgaagaaa aatttgtgaa aaagttatac gcaacaccta cacaaatcca
29261  tcaattgttt ggagtatgta gaagtacagt atacaactgg ttgaaatatt accgtgaaga taatttaggt
29331  gtagaaaatt tatacattga ttattcagca acgggaacat tgattaatat ttctaaatta gaagagtatt
29401  tgatcagaaa gcataaaaaa tggtattagg aggattatca aatgagcgac acatataaaa gctacctatt
29471  agcagtgttg tgcttcacgg tcttagcgat tgtactcatg ccgtttctat acttcactac agcatggtca
29541  attgcgggat tcgcaagtat cgcaacattc atattttata aggaatactt ttatgaagaa taaagaaact
29611  gctacttgtt ggagcaagta acagtgcaag atgagcaatt gtcttaaata attatataag gagttattaa
29681  tatgacctta caacaaaaaa tactatcaca ttttgcaaca tatgacaatt tcaattctga tgatgttgtt
29751  gaagtttttg ggatatctaa aacacatgca aaatccacac tttcaagact taagaaaaaa ggaaagattg
29821  aattggaaag ttggggtatc tggcgtgttg ttgaaccgca gttacattta actgttgtag aacgtaagaa
29891  agagatatta gaagaacaat tcgagttatt ggcaagatta aacgaacaaa gtgatgaccc tagagaaata
29961  gaagaacgca tcaagttaat gattcgttta gccaaccaat tttaaggagg agttaatcaa tggcaatatt
30031  agaaggtatt tttgaagaat taaaactatt aaataagaat ttacgtgtgc taaatactga actatcaact
30101  gtagattcat caattgtaca agagaaagtt aaagaagcac caatgccaaa agatgaaaca gctcaactgg
30171  aatcagttga agaagttaag gaaacttctg ctgatttaac taaagattat gttttatcag taggaaaaga
30241  gttccttaaa aaagcagata cttctgataa gaaagaattt agaaataaac ttaacgaact tggtgcggat
30311  aagctatcta ctatcaaaga agagcattat gaaaaaattg ttgattttat gaatgcgaga ataaatgcat
30381  gaagctagat cactcaaata gagctcatgc aaagcttagt gcaagtggag caaaacaatg gctaaactgt
30451  ccaccgagta ttaaggcaag tgaaggtatt gcagataaaa gttcagtttt tgctgaagaa ggtacattcg
30521  ctcatgagtt aagtgagtta tatttcagtc ttaaatatga aggcctaaca cagtttgagt ttaataaagc
30591  ttttcaaaat tataagcgaa atcaatatta cagtgaagag ttgcgcgaat atgttgaaga gtacgtagct
30661  aatgtagaag aaaaatataa cgaagctttg agtagagatg acgatgtaat agctttattt gaaacaaaat
30731  tggatttagg taaatacgtc cctgaatctt ttggtactgg tgatgtcatt atattttcag gtggtgtact
30801  tgaaattatt gaccttaaat acggtaaagg cattgaagtt tcagctatag ataatcctca acttagatta
30871  tatggcttgg gcgcatatga actgcttagt ttaatgtatg acattcatac agttcgcatg actatcatac
30941  aaccacgaat agataacttt tctactgaag agttaccaat atcaagatta cttcaatggg gaaccgattt
```

```
31011  tgttaaacca ttagccagac ttgcttataa cggtgaaggt gagtttaaag caggtagtca ttgtagattc
31081  tgtaagataa agcattcatg tagaacacgt gcagaataca tgcaaaatgt gcctcaaaag ccaccacatt
31151  tgttgagtga tgaagagatt gcagaacttt tatataaact gcctgacatc aaaaaatggg ctgatgaagt
31221  agaaaaatat gcactagatc aagcgaaaga aaatgataaa aactattctg gttggaagct tgtagaaggt
31291  cgctcgcgaa gaatgataac tgatacaaat gcaacgcttg aaaagttagt tgaagcaggt tataaacctg
31361  aagatattac agaaaccaag ttacttagca ttacgaattt agaaaaatta atcggcaaaa aagcattttc
31431  taaaattgca gaaggcttta tagaaaagcc acaaggtaaa ttaacacttg ctaccgagtc tgataaacga
31501  ccagctataa agcaatctgc tgaagatgat tttgacaaac tataaaaatt aaaaaggacg gtatataaac
31571  atgaaagcaa aagtattaaa taaaactaaa gtgattacag gaaaagtaag agcatcatat gcacatattt
31641  ttgaacctca cagtatgcaa gaagggcaag aagcaaagta ttcaatcagt ttaatcattc ctaaatcaga
31711  tacaagtacg ataaaagcca ttgaacaagc tatagaagct gctaaagaag aaggaaaagt tagtaagttt
31781  ggaggcaaag ttcctgcaaa tctgaaactt ccattacgtg atggagatac tgaaagagaa gatgatgtga
31851  attatcaaga cgcttatttt attaacgcat caagcaaaca agcacctggt attattgacc aaaacaaaat
31921  tagattaacg gattctggaa ctattgtaag tggtgactat attagagctt caatcaattt atttccattc
31991  aacacaaatg gtaataaggg tatcgcagtt ggattgaaca acattcaact tgtagaaaaa ggcgaacctc
32061  ttggcggtgc aagtgcagca gaagatgatt tcgatgaatt agacactgat gatgaggatt tcttataagt
32131  caataggtgg ggtttttagc cccactttaa ttttaaagaa attgaggtgt caagaatttg aaatttatga
32201  atatagatat tgaaacatat agcagtaacg atatttcgaa atgtggtgtc tataaataca cagaagctga
32271  agatttcgaa atcttaatta tagcttattc aatagatggt ggaccgatta gtgcgattga catgactaaa
32341  gtagataatg agcctttcca cgctgattat gagacgttta aaattgctct atttgaccct gctgtaaaaa
32411  agtatgcatt caatgctaat ttcgaaagaa cttgtcttgc taaacatttt aataaacaga tgccacctga
32481  agaatggatt tgcacaatgg ttaattcaat gcgtattggc ttacctgctt cgcttgataa agttggagaa
32551  gttttaagac tacaaaacca aaaagataaa gcaggtaaaa atttaattcg ttatttctct ataccttgta
32621  agccaacaaa agttaatgga ggaagaacaa gaaatttgcc tgaacatgat cttgaaaaat ggcaacaatt
32691  tatagattac tgtattcgag atgtagaagt agaaatgaca attgctaata aaattaaaga ctttccagta
32761  actgtaattg aacaagcata ttgggttttt gaccaacata taaacgacag aggtattaag ctttctaaat
32831  cattgatgtt aggagctaat gtgctcgata agcagagtaa agaagaattg cttaaacaag ctaaacatat
32901  aacaggttta gaaaatccta atagtcctac acagttattg gcttggttaa aggatgaaca aggattagat
32971  atacctaatt tacaaaagaa aacggttcag gattacttaa aagtagcaac aggaaaagct aaaaaaatgc
33041  tagaaattag attgcaaatg tctaaaacca gtgtgaaaaa atacaacaaa atgcatgaca tgatgtgcag
33111  tgatgaacgg gtaagaggtc tgtttcaatt ctacggtgcc ggtactggaa gatgggcagg tagaggtgta
33181  caacttcaga atttaacaaa gcattatatt tcagatactg aattagaaat agcaagagat cttattaaag
33251  aacaacgttt tgacgattta gatttattac tcaatgttca tcctcaagac ttattaagtc aattagttag
33321  gacgacattt actgctgaag aaggtaatga actagcagta agtgattttt ctgcaataga ggcaagagtc
33391  atagcatggt atgcaaaaga acaatggcgt ttagatgtgt tcaacacaca cggaaagata tatgaagcat
33461  cggcttctca aatgtttaat gtaccggtag aaagcataac taaaggcgac cctctcagac aaaaggaaa
33531  agtgtccgaa ttagctttag gctatcaagg tggcgctgga gctttaaaag caatgggtgc attggaaatg
33601  ggcattgaag aaaacgagtt acaaggttta gttgatagtt ggcgtaacgc aaatcctaac atagttaatt
33671  tttggaaggc ttgccaagag gctgcaatta atactgtaaa atcccgaaag acgcatcata cacatggact
33741  tagattttat atgaaaaaag gttttctaat gattgaactg cctagtggaa gagctttagc ttatccaaaa
33811  gctttagttg gtgaaaatag ttggggtagt caagttgttg aatttatggg gttagatctt aaccgtaaat
33881  ggtcaaagtt aaaaacgtat ggtgggaagt tagtcgagaa tattgttcaa gcaactgcaa gggatttact
33951  tgcgatttct atagcaaggc ttgaagcatt aggttttaaa atagttggcc atgtccatga tgaagtaatt
34021  gtagaaatac ctagaggttc aaatggactt aaggaaatcg aaactatcat gaataagcct gttgattggg
34091  caaaaggatt gaatttgaat agtgacgggt ttacttctcc gttttatatg aaggattagg agtgtgattg
34161  catgcaacat caagcttata tcaatgcttc tgttgacatt agaattccta cagaagtcga aagtgttaat
34231  tacaatcaga ttgataaaga aaaagaaaat ttggcggact atttatttaa taatccaggt gaactattaa
34301  aatataacgt tataaatatt aaggttttag atttagaggt ggaatgatgg ctagaagaaa agttataaga
34371  gtgcgtatca aaggaaaact aatgacattg agagaagttt cagaaaaata tcacatatct ccagaacttc
34441  ttagatatag atacaaacat aaaatgcgcg gcgatgaatt attgtgtgga agaaaagact caaaatctaa
34511  agatgaagtt gaatatatgc agagtcaaat aaaagatgaa gaaaaagaga gagaaaaaat cagaaaaaaa
34581  gcgattttga acctatacca acgaaatgtg agagcggaat atgaagaaga aagaaagaga agattgagac
34651  catggcttta tgatggaacg ccacaaaaac attcacgtga tccgtactgg ttcgatgtca cttataacca
34721  aatgttcaag aaatggagtg aagcataatg agcgtaatca gtaacagaaa agtagatatg aacgaagcgc
34791  aagacaatgt taagcaacca gcgcactaca catacggcga cattgaaatt atagatttta tcgaacaggt
34861  tacggcacag tatccacctc aactagcatt cgcaataggt aatgcaataa aatacttgtc tagagcacct
34931  ttaaagaatg gtcatgagga tttagcaaag gcgaagtttt acgtccaaag agcttttgac ttgtgggagt
35001  gatgaccatg acagatagcg catgtaaaga atacttaaac caatttttcg gatctaagag atatctgtat
35071  caggataacg aacgagtggc acatatccat gtagtgaatg gcacttatta ctttcacggg catatcgtac
35141  caggctggca aggcgtgaaa aagacatttg atacagcgga agagctcgaa acatatataa agcaacatgg
35211  tttggaatac gaggaacaga agcaactaac tttattttaa ggagatagaa atgatgaaaa tcaaagttga
35281  aaaaataatg aaaatagacg aattaattaa gtgggcgcga gaaaatccgg agctatcatt tggcagaaaa
35351  tattatacaa cagacaaaaa tgatgaaaac tttatttact tcggtgtttt taaaaattgt tttaaaataa
35421  gcgattttat attagttaat gctactttta gtgtcaaagt tgaagaagaa gtaaccgaag aaactaagtt
35491  tgataggttg tttgaagtgt acgagattca agaaggagtc tataaatctg catcatatga gaatgctagt
35561  ataaacgaac gtttaaaaaa tgacagaatt tttcttgcta aagcattcta catcttaaac gacgacctaa
35631  ctatgacgtt aatttggaaa gaaggagagt tgattaaata atggaacacg gttcaaaaga atattacgaa
35701  aagcaaagtg aatactggtt tgatgaagca agcaagtttt tgaagcaacg tgatgagctt attggagata
35771  tagctaagtt aagagagtgc aacaaagagc tggagaagaa agcaagtgca tgggataggt attgcaagag
35841  cgttgaaaaa gatttaataa acgaatttgg caaagatggt gaaagagtta aatttggaat ggaattaaac
35911  aataaaattt ttatggagga agacgcaaat gaataaccgc gaacaaatcg aacaatcagt tattagtgct
35981  agcgcgtata acggcaatga cacagaggga ttattaaaag agattgagga cgtgtataag aaagcgcaag
36051  cgtttgatga aatacttgag ggtttaccta atgctatgca agatgcaatc aaagaagata ttggtcttga
36121  tgaagcagta ggaattatga cgggtcaagt tgtctataaa tatgaggagg agcaggaaaa tgactaacat
36191  attacaagtg aaactattat caaaagacgc tagaatgcca gaacgaaatc ataagacgga tgcaggttat
```

```
36261  gacatatttt cagctaaaac tgtcgtactt gagccacaag aaaaggcagt gatcaaaaca gatgtagctg
36331  taagcattcc agagggctat gtcggtttat taactagccg tagtggtgta agtagtaaaa cgcatttagt
36401  gattgaaaca ggcaagatag acgcgggata tcatggtaat ttagggatta atatcaagaa tgataatgaa
36471  acgttagaga gtgaggatat gagtaacttt ggtcggagtc cttctggtat agatggaaaa tacaccctac
36541  tacctgtaac agataaattt ttatgtatga atggtagtta tgtcataaat aaaggcgaca aactagctca
36611  attggttatc gtgcctatat ggacacctga actaaagcaa gtggaggaat tcgagagtgt ttcagaacgt
36681  ggagcaaaag gcttcggaag tagcggagtg taaagacata ttagatcgag tcaaggaggt tttggggaag
36751  tgagtgacat gttagaaata tttttcatag ggtttggtgt ttatctattt tgtcgcatag gtattatttt
36821  tctcaagagt aaaaagacta tacacacaaa cctatatgaa atgttgttga ttgctactat ctttgtgaca
36891  tctacatttg ctgataaaca tcaaaagacg catatcttaa tagcattttt agtaatgttt tttatgagta
36961  agctcaaaca agttcaaggg agctatgagg aatgacacaa tacctagtca caacatttaa agattcaaca
37031  ggacgtaagc atacacacat aactaaagct aagagcaatc aaaggtttac agttgttgat gcggagagta
37101  aagaagaagc gaaagagaag tacgaggcac aagttaaaag aaatgcagtt attaaattag ggcagttgtt
37171  tgaaaatata agggagtgtg ggaaatgact aaacaaatac taagattatt attcttacta gcgatgtatg
37241  agctaggcaa gtatgtaact gagcaagtat atattatgat gacggctaat gatgatgcag aggcgccgag
37311  tgactttgaa aaaatcagag ctgaagtttc atggtaatag ctattatcat ttttgaatta attatattaa
37381  tgtgtttagc aatagcactg gaggtgttgt aaatatgtgg attgtcattt caattgtttt atctatattt
37451  ttattgatct tgttaagtag catttctcat aagatgaaaa ccatagaagc attggagtat atgaatgctt
37521  atcttttcaa gcagttagta aaaaataatg gtgttgaagg tatagaagat tatgaaaatg aagttgaacg
37591  aattagaaaa agatttaaaa gctaaagaga ggcgttggct tctctgttct atttaaaata atgaaaggag
37661  ccgaacatgt tagacaaagt cactcaaata gaaacaatta aatatgatcg tgatgtttca tattcttatg
37731  ctgctagtcg tttatctaca cattggacta atcacaatat ggcttggtct gactttatgc agaagctagc
37801  acaaacagtt agaactaaag aagatttaac tgagtacaat aaaatgtcta agtctgaaca agccgatata
37871  aaagatgttg gcggatttgt cggtggttat ttaaaagaag gcaaacgacg tgctggtcaa gtcatgaatc
37941  gttcaatgtt aacacttgat atcgattatg ctgctcaaga tatgactgac atattatcta tgttttatga
38011  ttttgcatat tgtttatatt caacacataa gcatagagag ataagtccaa gactgcgttt agtgattcct
38081  ttaaaacgaa atgtaaatgc agatgagtat gaagctattg ggcgtaaagt cgcagatatc gttggcatgg
38151  attacttcga tgatacaact tatcaaccac ataggttaat gtattggcct tcaactagta acgatgcgga
38221  atttttcttt acctatgaag atttaccttt gttagaccca gataaaatat taaatgaata tgttgattgg
38291  actgacacat tagaatggcc aacgtcttca agggaagaga gtaagactaa aagattagca gataagcaag
38361  gcgacccaga agaaaagccg ggaattgttg gtgcattttg tagagcctat acgatagaag aagctataga
38431  aacttttatt cctgatttat acgaaaaaca ttctactaac cgttatacct atcatgaagg ttcaactgca
38501  ggtggattgg tgttatacga aaataacaag tttgcctatt ctcatcataa tacggatccc gtaagcggta
38571  tgcttgtgaa cagttttgat ttagtacgca tacacttata tggtgctcaa gatgaagacg ctaaaacaga
38641  tactccggtt aatcgactac ctagttataa agcaatgcag caaagagcgc aaaatgatga agttgttaaa
38711  aagcaattaa ttaacgacaa aatgtctgat gcaatgcagg atttcgatga aatagtaaat agcgatgatg
38781  catggtctga gacgttagaa attacttcga aaggtacttt caaagctagt atcccaaata tagaaattat
38851  attgcgtaat gatccaaatt taaaaggaaa aatagcattt aatgaattta caaaacaaat tgaatgctta
38921  gggaaaatgc catggaataa taattttaaa atacgtcaat ggcaagacgg tgatgatagc agtttaagaa
38991  gttatatcga aaagatttat gacatacacc attcaggcaa aacaaaagat gccattataa gcgtagcaat
39061  gcaaaatgcc tatcatccag taagagatta tctaaataaa atatcgtggg atggacataa acgtcttgaa
39131  aagttattta tcaaatactt aggtgttgaa gacactgaag tgaatagaac aactaccaaa aaggcattga
39201  ctgctggaat cgctcgagta atggagccag gatgtaaatt tgactatatg cttacacttt atggtcctca
39271  aggtgtaggt aaatctgctt tgctaaaaaa aataggtggt gcatggtttt ctgacagttt agtttctgtt
39341  actggtaagg aagcatatga ggcattacaa ggcgtttggt taatggaaat ggcagaactt gcagctacaa
39411  gaaaagctga agttgaagct attaagcatt tcatatctaa acaagttgac cggtttcgtg ttgcttatgg
39481  acattatatt gaagattttc caaggcaatg tattttcatt ggtacaacta ataaagttga tttcttaaga
39551  gatgaaactg gtggaagacg tttttggcca atgactgtaa atccagagag agttgaagtg aactggtcta
39621  aactaaccaa agaagagatc gaccaaatct gggcagaagc taaatactat tatgaacaag gagaagagtt
39691  gttccttaac cctgaactag aagaagaaat gcgttcaatc caaagtaaac atactgagga atctccatat
39761  acaggtatta ttgatgaata tcttaacacg ccaatcccaa gcaattggga agacttaact atctttgaaa
39831  gaagacgatt ttatcaaggt gatgttgata tgttaccaac aggaaatgta gattacattg aaagagacaa
39901  ggtctgtgcg cttgaagtgt ttgttgaatg ttttggtaaa gataagggag atagtagagg atctatggaa
39971  attagaaaga tttctaacgt cttaagacaa ttagacaatt ggtctgtata tgaaggcaat aaaagtggga
40041  aaattcgatt tggaaaagat tatggtgtac agatagcgta tgtaagagat gaaagtttag aggatttaat
40111  ataagaaata ttgaataaat atacattttt agatgttgta tcaaatgttg catcattttt tgagtgatgc
40181  aacacggtgg tgtaaaaagt aatcgtaggt gttgtatcat ttttggtgat gcaacattga tgcaacaaat
40251  gatacaacac ctctttccct tctcgctgta aggttcaacc ctgtttgttt ccaatgttgc atcaaattca
40321  ctataaagtt taaaaagtag tgttagggag taaaggggta taggggtaac cctctaacag ctatttttaa
40391  aagtttggca agaattgatg caacatcgga acacaaatat aaattttgta tacaaggtga ataaatgaaa
40461  gaatcgacat tagaaaaata tttagtgaaa gagataacaa agttaaatgg attatgttta aaatgggtcg
40531  cacctggaac aagaggtgta ccagatagaa ttattattat gccagaagga aaaacatatt ttgtagaaat
40601  gaagcaagaa aagggaaagt tacatccttt acaaaaatat gtgcatcggc aatttgaaaa cagagatcat
40671  acagtgtatg tgttatggaa taaagaacaa gtaaatactt ttataagaat ggtaggtgga acatttggcg
40741  attgatttca aaccacatag ctatcaaaag tatgcaatag ataaagtgat tgataatgag aaatacggtt
40811  tgtttttaga tatggggcta gggaaaacag tatcaacact tacagcattt agtgaattgc agttgttaga
40881  cactaaaaaa atgttagtca tagcacctaa acaagttgct aaagatacat gggttgatga agttgataag
40951  tggaaccatt taaatcatct gaaagtgtct ttagtcttag gaacacctaa agaaagaaat gatgcattaa
41021  acacagaggc tgatatctat gtaaccaata aagaaaatac taaatggtta tgtgatcaat ataaaaaaga
41091  atggccattt gacatggttg taattgatga actgtctaca tttaaaagtc ctaagagtca aaggtttaaa
41161  tctattaaaa agaaattacc actcattaat agatttatag gattaacagg aacacctagt ccaaatagtt
41231  tacaggattt atgggctcaa gtttatttga tagacagagg cgaaagactt gagtcttcat tcagtcgtta
41301  tcgagaaagg tactttaaac caacacatca agttagcgaa catgttttta actgggagct aagagacgga
41371  tctgaagaaa agatatatga acgaatagaa gatatatgtt taagcatgaa agcgaaagat tatctggata
41441  tgcctgacag agttgatact aaacaaacag tagtcttatc tgaaaaagaa agaaaagtat atgaagaatt
```

```
41511  agaaaaaaac tatattttag aatcggaaga agaaggaaca gttgtagctc agaatggggc atcattaagt
41581  caaaaactac ttcaactatc taacggtgca gtttatacag atgatgaaga tgtaagactt atacatgata
41651  agaagttaga taagttagag gaaattatag aggagtctca aggccaacca atattattgt tttataactt
41721  caaacatgat aaagaaagaa tacttcaaag gtttaaggaa gcaaccacat tagaggattc aaactataaa
41791  gaacgttgga atagtggaga cattaagctg cttatagcac atccagcaag tgcagggcat ggattaaact
41861  tacaacaagg tgggcacatt attgtttggt ttggacttac atggtcattg gaattatacc aacaagcaaa
41931  tgcaagatta tatagacaag gacaaaatca tacgactatt attcatcaca tcatgaccga taacacaata
42001  gatcaaagag tatataaagc tttacaaaat aaagaactaa cgcaagaaga attgatgaaa gctattaaag
42071  caagaatagc taagcataag taatggaggt ataagatggg aaaggcgtca tatgatatta agccaggaac
42141  atttaaatat attgaatcag aaatatataa tttaaatgag aacaagaaag agataaatag attgagaatg
42211  gagatactta acccaacgaa agaactagac accaacattg tgtatggacc gttacaaaaa ggagagccag
42281  ttagaacaac tgagttaatg gcgacaaggt tattgactaa taagatgtta cgtaacttag aagagatggt
42351  tgaagcagtt gaaagtgagt acttaaagtt acctgaagat cataagaaag taataaggtt aaagtattgg
42421  aataaagata agaagctaaa gatagaacaa ataggggatg cttgtcacat gcatcgcaat acagttacta
42491  caatacgaaa gaactttgtt aaagcgatag cgtatcatgc aggtatcaaa taacattgtg caaagattgt
42561  gcaaaaggcc tacaaatctg tagtaatatg atagtatcgg aaagatgtat aaagttatct gaaagttata
42631  cgacataaat acatgaggca catcgctaag cggtgtgtct tttgttatgc aatcaaagag gtgtaagaga
42701  tgaccaagca taataacatt tataagcatg gtcgtaagtc atatcaatac gattggttct atcattcaaa
42771  agcatggaag aagttaagag agatagcatt agatagagat aattatcttt gtcaaatgtg tttacgcgaa
42841  gatattataa cagatgcaaa gattgtgcat cacattattt atgttgatga agattttaac aaagctttag
42911  acttagataa tctaatgtca gtttgttata gctgtcataa caaaattcat gcaaatgata atgacaaaag
42981  taatcttaag aaaattagag ttctaaaaat ttaaataaaa aaattattta aataaaattt tatgcccccc
43051  tgcccatcgg cttaaaatgt tttttcgccg ggtaccggag aggcc
```

Table 8

Bacteriophage 3A ORFs list

SID	LAN	FRA	POS	a.a.	RBS sequence	STA	STO
100379	3AORF001	1	8515..13488	1657	acaggtacggatttaagaaaacttt	ttg	taa
100380	3AORF002	2	37667..40114	815	tttaaaataatgaaaggagccgaac	atg	taa
100381	3AORF003	1	32188..34149	653	ttaaagaaattgaggtgtcaagaat	ttg	tag
100382	3AORF004	3	17457..19370	637	gctattttattagaaaggaaggtgc	att	taa
100383	3AORF005	1	334..2034	566	agaaaaaagatagttcaagaagaag	gtg	taa
100384	3AORF006	1	15571..17154	527	cttttatttataggtaggtgattta	atg	taa
100385	3AORF007	2	19337..20836	499	atgatagtaaaacaagttcagggcc	atg	taa
100386	3AORF008	3	22176..23630	484	aatgatttagggtaggtgttgacca	atg	tga
100387	3AORF009	1	40726..42093	455	gtaaatacttttataagaatggtag	gtg	taa
100388	3AORF010	3	13491..14738	415	gaggcggactaacgctacagtaaaa	att	taa
100389	3AORF011	2	2039..3277	412	attaaagacataatgcgttaaggag	gtg	taa
100390	3AORF012	2	4001..5209	402	aaaaaagagaaaaaattaaacgcga	atg	taa
100391	3AORF013	1	30379..31545	388	attttatgaatgcgagaataaatgc	atg	taa
100392	3AORF014	2	14738..15562	274	attatatgggaggtttgactaatta	atg	tag
100393	3AORF015	3	3249..4034	261	cttgaattaagaaaatctttgaaag	gtg	tag
100394	3AORF016	-2	25587..26273	228	aagaagctaagaaaaaaataaaaat	atg	tga
100395	3AORF017	3	6729..7370	213	ttaatttttaaggaggaaataagca	atg	taa
100396	3AORF018	3	24540..25154	204	aataaaataaaaagtaggtgataag	atg	taa
100397	3AORF019	2	31565..32128	187	ctataaaaattaaaaaggacggtat	ata	taa
100398	3AORF020	3	36150..36713	187	gcagtaggaattatgacgggtcaag	ttg	taa
100399	3AORF021	2	24011..24535	174	gtaataaaatttataaagaaaggaa	atg	tga
100400	3AORF022	-2	12423..12938	171	taaagtaccagtagacaatgtaggt	att	tga
100401	3AORF023	1	7462..7917	151	aaaataaatcaaaggagaataattt	atg	taa
100402	3AORF024	1	26731..27174	147	actaaataaaaataaggaggacact	atg	tga
100403	3AORF025	1	42106..42543	145	taagcataagtaatggaggtataag	atg	taa
100404	3AORF026	2	35255..35671	138	aagcaactaactttattttaaggag	ata	taa
100405	3AORF027	2	5888..6298	136	atattggctataatacagtggtttt	atc	taa
100406	3AORF028	-3	27845..28255	136	ccttttaagatgtttatgatccttt	ctg	taa
100407	3AORF029	3	34344..34748	134	ttaaggttttagatttagaggtgga	atg	taa
100408	3AORF030	2	6299..6694	131	tataaaaaaggagttggccagataa	atg	tag
100409	3AORF031	1	20833..21225	130	ttaacaaaattataggagtgagaaa	ata	taa
100410	3AORF032	-2	39984..40361	125	aaatagctgttagagggttacccct	ata	tag
100411	3AORF033	1	7957..8325	122	gaatatctgcgtctttttatttga	ata	taa
100412	3AORF034	-2	28506..28871	121	gttatcaacctaaggaggtgataac	atg	tag
100413	3AORF035	-2	10671..11036	121	tcctagcttcctaacagcaccgcca	ata	tga
100414	3AORF036	2	30020..30382	120	accaattttaaggaggagttaatca	atg	tga
100415	3AORF037	2	21818..22165	115	aagtgtaagtaatagttaagagtca	gtg	tag
100416	3AORF038	-2	42003..42347	114	gtactcactttcaactgcttcaacc	atc	tga
100417	3AORF039	2	21386..21727	113	tccagaaaatctagagtcataggtt	ata	taa
100418	3AORF040	-3	29654..29995	113	ttgattaactcctccttaaaattgg	ttg	taa
100419	3AORF041	-1	4333..4671	112	tactaaatctacatctgatccatga	att	tga
100420	3AORF042	3	5568..5900	110	taaaaaagtggtaggtgatttttaa	atg	tga
100421	3AORF043	1	25690..26019	109	taccaaattaatatagtcttcgcat	ata	tag
100422	3AORF044	3	29676..30005	109	gtcttaaataattatataaggagtt	att	taa
100423	3AORF045	3	30..353	107	cgctagcaacgcggataaatttttc	atg	taa
100424	3AORF046	3	27894..28214	106	aagatattgaaaagctaatttcccc	ata	tga
100425	3AORF047	-2	11907..12227	106	ttcgccgccaaaatgattagcattt	ctg	tga
100426	3AORF048	-3	40343..40663	106	ccataacacatacactgtatgatct	ctg	taa
100427	3AORF049	-3	6749..7069	106	tgttaaaccatcttcagattctcca	ata	taa
100428	3AORF050	1	42700..43014	104	ttatgcaatcaaagaggtgtaagag	atg	taa
100429	3AORF051	-2	13077..13388	103	ttgtacgtaatcccacacatcgccg	att	tga
100430	3AORF052	-3	3722..4024	100	gcatttcatttcctcctaataactc	att	tga
100431	3AORF053	3	17145..17444	99	tcgagacaatggatatagggagtgt	att	tag
100432	3AORF054	-1	19915..20211	98	ataatttatagcttgcgaaacataa	ata	tga
100433	3AORF055	-1	42436..42729	97	aatcgtattgatatgacttacgacc	atg	tag
100434	3AORF056	3	40455..40745	96	taaattttgtatacaaggtgaataa	atg	tga
100435	3AORF057	-1	38665..38952	95	atcatcaccgtcttgccattgacgt	att	taa
100436	3AORF058	-1	21265..21549	94	gaaatttctatctaacttgtcataa	att	tga
100437	3AORF059	-2	10278..10562	94	tttagccgcgcttccaactgcacgt	att	tag
100438	3AORF060	1	5278..5556	92	atatcagccgaataggggtgatgaa	atg	tag
100439	3AORF061	1	35668..35946	92	tttggaaagaaggagagttgattaa	ata	taa

100440	3AORF062	2	35912..36187	91	gttaaatttggaatggaattaaaca	ata	taa
100441	3AORF063	3	36720..36995	91	cggaagtagcggagtgtaaagacat	att	tga
100442	3AORF064	-2	35694..35969	91	ccgttatacgcgctagcactaataa	ctg	taa
100443	3AORF065	-2	32697..32972	91	aaccgttttcttttgtaaattaggt	ata	taa
100444	3AORF066	3	29157..29429	90	caaactttaacatttatctaaagga	gtg	tag
100445	3AORF067	-2	26661..26930	89	atacttttttagcggaatcggatga	ttg	taa
100446	3AORF068	-2	9624..9893	89	ttttaatgcatctcccatgtattga	ata	tga
100447	3AORF069	-3	13847..14110	87	tgcatttcctcctgattcgtgttga	atc	tga
100448	3AORF070	1	34993..35250	85	tttacgtccaaagagcttttgactt	gtg	taa
100449	3AORF071	2	34745..35002	85	aaatgttcaagaaatggagtgaagc	ata	tga
100450	3AORF072	-1	27379..27636	85	tttgtcgttcctctttaagttgtt	ttg	taa
100451	3AORF073	2	37367..37615	82	tggtaatagctattatcatttttga	att	taa
100452	3AORF074	-2	23466..23714	82	cgtttgtttttttaaaatttaatat	att	taa
100453	3AORF075	-3	2471..2719	82	agtactgtttgaaatcttctaacac	ttg	tga
100454	3AORF076	1	26047..26292	81	aagtacgttttcttggcggggaggt	gtg	tag
100455	3AORF077	2	28292..28537	81	aacatcttaaaaggaggaataacaa	atg	tag
100456	3AORF078	-1	5836..6075	79	ttttgtataaggcttagatttagtc	att	taa
100457	3AORF079	-2	5460..5699	79	attcagtcgcttttaaaatttctct	atc	taa
100458	3AORF080	-2	31350..31586	78	cctgtaatcactttagttttattta	ata	taa
100459	3AORF081	-3	8252..8488	78	aagttttcttaaatccgtacctgta	atg	tga
100460	3AORF082	-1	35905..36138	77	atatttatagacaacttgacccgtc	ata	taa
100461	3AORF083	-1	34039..34272	77	atagttcacctggattattaaataa	ata	tga
100462	3AORF084	-1	12007..12240	77	acatttttttcatttcgccgccaaa	atg	taa
100463	3AORF085	-2	32367..32597	76	cttacaaggtatagagaaataacga	att	taa
100464	3AORF086	-2	30618..30848	76	atataatctaagttgaggattatct	ata	taa
100465	3AORF087	-3	24746..24973	75	ataggttttaagttcaccctcttca	atg	tga
100466	3AORF088	-3	12980..13204	74	tctttctttttcgtaccaccatgga	att	tag
100467	3AORF089	3	4290..4508	72	acaggagaagcttatcaatctttaa	atg	taa
100468	3AORF090	3	28926..29141	71	ttatacacgaaaggagcataaacaa	atg	taa
100469	3AORF091	-2	13587..13802	71	cttgtcttgctaattgcttagataa	atg	tag
100470	3AORF092	2	26471..26683	70	aaacgaaacaaaaggaggggttca	atg	taa
100471	3AORF093	-1	2524..2736	70	tccaccgttttcttcatagtactgt	ttg	tga
100472	3AORF094	-3	25334..25546	70	tggcgctttaatataaaagacgtct	att	tga
100473	3AORF095	3	8316..8525	69	aagagatgggaaagacagaagaaca	atc	tag
100474	3AORF096	2	36992..37198	68	aacaagttcaagggagctatgagga	atg	tga
100475	3AORF097	-1	32593..32799	68	aaagcttaatacctctgtcgtttat	atg	taa
100476	3AORF098	-1	15346..15552	68	aatccattaaatcacctacctataa	ata	tag
100477	3AORF099	1	7225..7428	67	actggtgactggatgaacagaaaag	ttg	tag
100478	3AORF100	-2	22620..22823	67	cgacttcatgaccggcatgtcttaa	ata	taa
100479	3AORF101	-1	40060..40260	66	aaccttacagcgagaagggaaagag	gtg	taa
100480	3AORF102	-1	35035..35235	66	ttctatctccttaaaataaagttag	ttg	taa
100481	3AORF103	-2	1149..1349	66	attttttggagtgttgggtaatca	ata	taa
100482	3AORF104	1	27661..27858	65	aaacaacttaaaggaggaacgacaa	atg	tga
100483	3AORF105	-2	9420..9617	65	gcctaagtcaaccgcttgattagac	atg	tga
100484	3AORF106	-2	23244..23438	64	caccagtaattcttgaattagttga	ata	taa
100485	3AORF107	2	11966..12157	63	tctaaaaaagatgctgtagtagacg	ttg	taa
100486	3AORF108	-3	35054..35245	63	ttttcatcatttctatctccttaaa	ata	tag
100487	3AORF109	-3	16010..16201	63	gttcttaattccaatgtactgacag	ttg	taa
100488	3AORF110	-1	6184..6372	62	attttcagtgactttataatagtat	att	taa
100489	3AORF111	-2	16500..16688	62	gtagtcaacaattgctttgtattga	ttg	tga
100490	3AORF112	-2	8502..8690	62	cttaattctcgcctgatacttttcc	att	taa
100491	3AORF113	1	34162..34347	61	tatgaaggattaggagtgtgattgc	atg	tga
100492	3AORF114	2	12356..12541	61	ggatatcacactaaggctatagcta	ata	taa
100493	3AORF115	-2	7635..7820	61	tgaagttccctcagctacaccgtga	att	tga
100494	3AORF116	-1	26434..26613	59	tttagcttctgaagttgtaaaatct	ctg	tga
100495	3AORF117	-3	17804..17983	59	atagccattatttctagcttgtgtc	atg	tga
100496	3AORF118	2	27899..28075	58	attgaaaagctaatttccccataag	att	taa
100497	3AORF119	-1	39268..39444	58	acgaaaccggtcaacttgtttagat	atg	tga
100498	3AORF120	-2	37152..37328	58	tagctattaccatgaaacttcagct	ctg	taa
100499	3AORF121	-2	18900..19076	58	aaggtactctctcccatttaccact	att	taa
100500	3AORF122	-1	21550..21723	57	taagcatggtaatcacctcctttaa	atg	taa
100501	3AORF123	-3	33062..33235	57	aaacgttgttctttaataagatctc	ttg	tag
100502	3AORF124	2	21212..21382	56	aaattagaagaggttaaaggagaga	ctg	tag
100503	3AORF125	-1	22051..22221	56	aaatcaggattgaactgcttcccta	atg	tga
100504	3AORF126	-2	7821..7991	56	tgtttttcctgttttacggtcttta	att	tga
100505	3AORF127	-3	34712..34882	56	ttgcattacctattgcgaatgctag	ttg	taa
100506	3AORF128	-3	24056..24226	56	tttttaaaatcaaagcgtctttgtt	ata	taa
100507	3AORF129	-3	4940..5110	56	cataccatgcagttaatacaaacaa	ata	tga
100508	3AORF130	3	27171..27338	55	cagaattaactatcgatgatttcga	atg	taa
100509	3AORF131	-1	40387..40554	55	ccttctggcataataataattctat	ctg	taa
100510	3AORF132	-2	1860..2027	55	gcgataacattcacctccttaacgc	att	tga

100511	3AORF133	-3	42317..42484	55	acaaagttctttcgtattgtagtaa	ctg	tag
100512	3AORF134	2	12671..12835	54	tcatacaaatctttaaaaggttgga	ctg	tag
100513	3AORF135	-1	39484..39648	54	ataatagtatttagcttctgcccag	att	taa
100514	3AORF136	1	29710..29871	53	accttacaacaaaaaatactatcac	att	taa
100515	3AORF137	1	37186..37347	53	ggcagttgtttgaaaatataaggga	gtg	taa
100516	3AORF138	2	20996..21157	53	aatggggaaatagtttttaacgaag	att	taa
100517	3AORF139	3	15114..15275	53	tcaactgaaattgaagtaagtttaa	atg	taa
100518	3AORF140	3	29442..29603	53	aaaatggtattaggaggattatcaa	atg	taa
100519	3AORF141	-1	39883..40044	53	tacaccataatcttttccaaatcga	att	taa
100520	3AORF142	-1	20416..20577	53	accacctggaaaagtcccataaaaa	att	tga
100521	3AORF143	-1	1942..2103	53	ataaagcttagaagttgactgatca	atc	taa
100522	3AORF144	-3	39380..39541	53	ttccaccagtttcatctcttaagaa	atc	taa
100523	3AORF145	3	20388..20546	52	tctgagtggtcagaattagctatta	atg	taa
100524	3AORF146	-2	2358..2516	52	aacatgtccatattatgaacaatca	att	tga
100525	3AORF147	-3	5606..5764	52	gtgatttgtttgtggtagatattca	att	tga
100526	3AORF148	2	34145..34300	51	tttacttctccgttttatatgaagg	att	taa
100527	3AORF149	-1	7918..8073	51	tattctcttgatttactaattctaa	ata	taa
100528	3AORF150	-2	11745..11900	51	ttcatccttatgtctttgatcagca	ata	taa
100529	3AORF151	-3	7097..7252	51	tttaccttcatgatacccgtataca	ata	tga
100530	3AORF152	1	21652..21804	50	ctaaaaatattagagacatcaagat	gtg	taa
100531	3AORF153	2	5381..5533	50	tcggctaagtctgaattactattaa	gtg	tga
100532	3AORF154	-1	39670..39822	50	ttgataaaatcgtcttctttcaaag	ata	taa
100533	3AORF155	-1	38233..38385	50	ataggctctacaaaatgcaccaaca	att	tag
100534	3AORF156	-1	33040..33192	50	tatctgaaatataatgctttgttaa	att	tag
100535	3AORF157	-2	10119..10271	50	cttcaatgatttgctatagctatta	att	tga
100536	3AORF158	-3	36074..36226	50	atccgtcttatgatttcgttctggc	att	taa
100537	3AORF159	-3	18338..18490	50	taaatagtttctattatttggatta	ctg	taa
100538	3AORF160	3	39399..39548	49	gtttggttaatggaaatggcagaac	ttg	taa
100539	3AORF161	-2	8976..9125	49	ttgtacttttagtttttgaacttga	ttg	tga
100540	3AORF162	-3	31199..31348	49	tctgtaatatcttcaggtttataac	ctg	tga
100541	3AORF163	-3	14459..14608	49	attatcctgagaagaaacagtttga	atc	tga
100542	3AORF164	3	25182..25328	48	ttttttcttagctttttctgataaa	gtg	tag
100543	3AORF165	3	28353..28499	48	aatcttgtctctatgacacggaaag	att	taa
100544	3AORF166	-1	8899..9045	48	gtactgcgtcacttgctctttttag	ttg	taa
100545	3AORF167	-2	411..557	48	taatacaagttgacgtttagatcct	ttg	tga
100546	3AORF168	-3	25973..26119	48	gctgagtacttcaatgtgaagatta	atg	tag
100547	3AORF169	-3	25151..25297	48	aaaaaaacgcctacaagtgtagacg	ttg	tag
100548	3AORF170	-3	24995..25141	48	taagaaaaaagattagtattcattc	att	tag
100549	3AORF171	1	23437..23580	47	aaaggtaataacgtaagggacggct	att	tag
100550	3AORF172	2	32414..32557	47	ctatttgaccctgctgtaaaaaagt	atg	taa
100551	3AORF173	-1	38005..38148	47	ataagttgtatcatcgaagtaatcc	atg	taa
100552	3AORF174	-1	4123..4266	47	atttaaagattgataagcttctcct	gtg	tga
100553	3AORF175	-1	3124..3267	47	ttcatttgaaaatacttagctttca	ttg	tag
100554	3AORF176	-1	580..723	47	cattttctccatcttgtgatacagc	ata	taa
100555	3AORF177	-2	39819..39962	47	ttagaaatctttctaatttccatag	atc	tag
100556	3AORF178	-2	38466..38609	47	ttagcgtcttcatcttgagcaccat	ata	tag
100557	3AORF179	-2	33927..34070	47	ttttgcccaatcaacaggcttattc	atg	tga
100558	3AORF180	-2	33555..33698	47	cgtctttcgggattttacagtatta	att	tga
100559	3AORF181	-2	29538..29681	47	atagtatttttgttgtaaggtcat	att	tga
100560	3AORF182	-3	17099..17242	47	aatatcactactgcctgcataaggt	atc	tag
100561	3AORF183	2	23750..23890	46	ttaaaaaaacaaacgtttttagtat	ata	taa
100562	3AORF184	-1	31648..31788	46	tggaagtttcagatttgcaggaact	ttg	tga
100563	3AORF185	-1	30565..30705	46	attttgtttcaaataaagctattac	atc	tag
100564	3AORF186	-1	16951..17091	46	gagaattcaaagtactagtgtataa	atg	tga
100565	3AORF187	-1	7153..7293	46	tatccaacgaatacttttttgaaga	att	taa
100566	3AORF188	-1	1237..1377	46	ccagctcttctaaagaaacaatttc	att	taa
100567	3AORF189	-2	33309..33449	46	catttgagaagccgatgcttcatat	atc	tga
100568	3AORF190	-2	7197..7337	46	gtaacgaacttgcagaatcctctga	atg	taa
100569	3AORF191	-3	41459..41599	46	tcatctgtataaactgcaccgttag	ata	tag
100570	3AORF192	3	4863..5000	45	gatgctattattaacgctttagcag	att	tag
100571	3AORF193	3	25965..26102	45	tatacgatactagtttagactcttt	ata	tga
100572	3AORF194	-1	37069..37206	45	ctagtaagaataataatcttagtat	ttg	tga
100573	3AORF195	-1	11749..11886	45	tttgatcagcaatagctaataattt	atc	tga
100574	3AORF196	-2	40764..40901	45	atctttagcaacttgtttaggtgct	atg	tga
100575	3AORF197	-2	31989..32126	45	ggctaaaaaccccacctattgactt	ata	tga
100576	3AORF198	-3	36431..36568	45	tttatttatgacataactaccattc	ata	tga
100577	3AORF199	-3	33515..33652	45	ttccaaaaattaactatgttaggat	ttg	tga
100578	3AORF200	-3	21233..21370	45	ataagattataacctatgactctag	att	tga
100579	3AORF201	1	23293..23427	44	aagcctatcggtggtgtgatatcta	gtg	taa
100580	3AORF202	-1	39088..39222	44	atagtcaaatttacatcctggctcc	att	taa
100581	3AORF203	-1	16309..16443	44	tttgcttgccgtctaaaatcaactt	ata	tga

100582	3AORF204	1	23845..23976	43	atgtttattatcaatcaaaatataa	att	taa
100583	3AORF205	1	29500..29631	43	gtgttgtgcttcacggtcttagcga	ttg	taa
100584	3AORF206	2	16667..16798	43	gaaaaatcaacagtcttaaatttaa	ttg	tag
100585	3AORF207	-1	35386..35517	43	tgcagatttatagactccttcttga	atc	taa
100586	3AORF208	-1	30013..30144	43	cagttgagctgtttcatcttttggc	att	taa
100587	3AORF209	-1	28366..28497	43	taattcctggtctctagttgggttt	ata	tga
100588	3AORF210	-1	15739..15870	43	catcaagcttatttgattccactga	gtg	tag
100589	3AORF211	-1	7693..7824	43	taactgaagttccctcagctacacc	gtg	tga
100590	3AORF212	-2	4314..4445	43	ggttctgaaacaatttctttagaaa	gtg	tag
100591	3AORF213	-2	4011..4142	43	tgtttgatgtcttccatatcaatat	ttg	taa
100592	3AORF214	-2	1722..1853	43	tctgtctagtttcaactgaacatta	ttg	taa
100593	3AORF215	-3	16616..16747	43	tcttcatttgtttgcgtattagcat	atc	tag
100594	3AORF216	-3	15833..15964	43	gtcattttgaccgaagttttttgat	ttg	taa
100595	3AORF217	3	6363..6491	42	gatgcagagctccaaacatatataa	att	taa
100596	3AORF218	-1	32146..32274	42	aataagctataattaagatttcgaa	atc	taa
100597	3AORF219	-1	29800..29928	42	ctagggtcatcactttgttcgttta	atc	taa
100598	3AORF220	-1	18409..18537	42	gcattaacctgatacgcttcttctc	ctg	tag
100599	3AORF221	-1	13234..13362	42	ttttatcgcctaaccaagatgcacc	atc	tag
100600	3AORF222	-1	12313..12441	42	cccaagctttatctgaggcatctga	ata	tga
100601	3AORF223	-1	4915..5043	42	tccatcatagttaattccaaaataa	ttg	taa
100602	3AORF224	-1	2125..2253	42	attaactactttataatcttcatac	att	taa
100603	3AORF225	-2	26298..26426	42	tcgtttgtaacaacttgatttaaga	ata	taa
100604	3AORF226	-2	17184..17312	42	cgcctatttttaaattatctaattt	att	tag
100605	3AORF227	-2	1425..1553	42	atcttcttcccattctctatagggt	att	taa
100606	3AORF228	-3	31055..31183	42	catttttgatgtcaggcagtttat	ata	taa
100607	3AORF229	-3	22592..22720	42	gttataaccatgaccggctacaagc	ata	taa
100608	3AORF230	-1	27883..28008	41	gaaggcagggtcgtttcttggatta	ttg	tag
100609	3AORF231	-2	29988..30113	41	gcttctttaactttctcttgtacaa	ttg	taa
100610	3AORF232	-2	22485..22610	41	tatctgggaaatttaatctaataaa	ata	tag
100611	3AORF233	-2	9264..9389	41	aagtttgccgaaatgactttgagct	atc	tga
100612	3AORF234	-3	23033..23158	41	acctaattcagataagcgataattt	ata	tga
100613	3AORF235	1	25558..25680	40	aacactgctgaaatagacgtctttt	ata	tag
100614	3AORF236	1	34420..34542	40	acattgagagaagtttcagaaaaat	atc	taa
100615	3AORF237	3	38442..38564	40	gaagaagctatagaaactttattc	ctg	taa
100616	3AORF238	-1	33628..33750	40	caatcattagaaaacctttttttcat	ata	taa
100617	3AORF239	-1	29248..29370	40	tcttctaatttagaaatattaatca	atg	tag
100618	3AORF240	-2	18156..18278	40	gtctctcaattctgtatagaatttt	att	taa
100619	3AORF241	-2	8088..8210	40	tttcaaggcttttgtataagtttta	gtg	tga
100620	3AORF242	-3	39149..39271	40	ttagcaaagcagatttacctacacc	ttg	taa
100621	3AORF243	-3	23558..23680	40	aaaattaactgtttattaatttaa	ata	taa
100622	3AORF244	-3	1697..1819	40	catttcattaaaggattattattaa	ata	tga
100623	3AORF245	1	19015..19134	39	agttatgcaaggaatatgatgactt	ttg	tag
100624	3AORF246	1	22504..22623	39	gctaatctaaacactttcacatcgt	ttg	taa
100625	3AORF247	-1	40567..40686	39	aaagtatttacttgttctttattcc	ata	taa
100626	3AORF248	-1	23956..24075	39	tttagattcatgaaacgaagtagca	ata	taa
100627	3AORF249	-1	11113..11232	39	caccttttccccaacacttttacagt	atc	tga
100628	3AORF250	-1	8719..8838	39	ttttattagcttctactagctttaa	ata	taa
100629	3AORF251	-2	16899..17018	39	aactcgtctgttaagcgcttgttga	att	tga
100630	3AORF252	-3	37025..37144	39	acaactgccctaatttaataactgc	att	tga
100631	3AORF253	-3	29138..29257	39	tctacatactccaaacaattgatgg	att	taa
100632	3AORF254	-3	15476..15595	39	caaatcaattcattaaaatccatta	ctg	taa
100633	3AORF255	1	13552..13668	38	ttaatagacaaagtaaaatcgtggt	ttg	tag
100634	3AORF256	2	12545..12661	38	aaaagtgcaaagggctggctaacgg	ata	taa
100635	3AORF257	2	41870..41986	38	gggcatggattaaacttacaacaag	gtg	tga
100636	3AORF258	3	10827..10943	38	tcaaacttttgaaaaacggtttagg	att	taa
100637	3AORF259	-1	34570..34686	38	gtgacatcgaaccagtacggatcac	gtg	tga
100638	3AORF260	-1	32389..32505	38	aagcaggtaagccaatacgcattga	att	tag
100639	3AORF261	-1	23830..23946	38	ccttttaacttttaataaaattaa	ata	tga
100640	3AORF262	-1	8158..8274	38	ccatctcttctggttcagtttctga	atc	taa
100641	3AORF263	-2	14001..14117	38	ttatacctgcatttcctcctgattc	gtg	tga
100642	3AORF264	-2	294..410	38	tttgcttgtttttatttttcccttga	gtg	taa
100643	3AORF265	-3	42683..42799	38	tgacaaagataattatctctatcta	atg	tga
100644	3AORF266	-3	31979..32095	38	aatcctcatcatcagtgtctaattc	atc	taa
100645	3AORF267	-3	26306..26422	38	ttgtaacaacttgatttaagaatac	atc	tga
100646	3AORF268	-3	16490..16606	38	tacatacaaggcttagctttttat	ttg	tag
100647	3AORF269	-3	9872..9988	38	tgagacccctctaaccctgagttag	ata	tag
100648	3AORF270	1	21829..21942	37	atagttaagagtcagtgcttcggca	ctg	tag
100649	3AORF271	2	29468..29581	37	tgagcgacacatataaaagctacct	att	taa
100650	3AORF272	3	2955..3068	37	gagttaaacagattttacttgcagc	ata	taa
100651	3AORF273	3	5010..5123	37	tttggcaaaccagtagtatttacag	atg	taa
100652	3AORF274	3	19956..20069	37	tcaagtatagatgaattaaagcaac	ttg	tga

100653	3AORF275	3	39882..39995	37	gatatgttaccaacaggaaatgtag	att	taa
100654	3AORF276	-1	27211..27324	37	attaagtgcgcttatttaattagat	att	tga
100655	3AORF277	-1	13516..13629	37	cgaccgtcattaaagttaagtccac	ctg	tga
100656	3AORF278	-1	11893..12006	37	ttttatatacacgaccactggataa	atc	taa
100657	3AORF279	-2	17535..17648	37	tttgtaaagatttgtttactgctgc	ttg	taa
100658	3AORF280	-2	6474..6587	37	tcaaaataagcatctaactgactag	atg	taa
100659	3AORF281	-2	759..872	37	ttttgatatcgttgcgtcataatgg	att	tga
100660	3AORF282	-3	36608..36721	37	cccaaaacctccttgactcgatcta	ata	tga
100661	3AORF283	-3	14960..15073	37	tttcagttgaagaaccatcttttaa	att	taa
100662	3AORF284	1	18859..18969	36	atgttaacagagccaggtctttact	att	taa
100663	3AORF285	2	8237..8347	36	aaaacttatacaaaagccttgaaag	ata	taa
100664	3AORF286	3	5157..5267	36	tatgatcagcaacgtacattagaca	gtg	tag
100665	3AORF287	3	38610..38720	36	tttgatttagtacgcatacacttat	atg	taa
100666	3AORF288	-1	36454..36564	36	tttatgacataactaccattcatac	ata	tga
100667	3AORF289	-1	30217..30327	36	aacaatttttttcataatgctcttct	ttg	taa
100668	3AORF290	-1	16678..16788	36	gctttttttgcaaattctaacagctt	atc	tga
100669	3AORF291	-2	14310..14420	36	gtctagttaaagggataaccatctc	ctg	tga
100670	3AORF292	-2	11457..11567	36	ttctttcaattctttgattttctga	ttg	tga
100671	3AORF293	-3	29462..29572	36	ttcataaaagtattccttataaaat	atg	tag
100672	3AORF294	-3	22388..22498	36	accattccaattttggccaaacgat	gtg	tag
100673	3AORF295	-3	18629..18739	36	aaaaggaacgcctcttgagtgaagt	att	tag
100674	3AORF296	-3	6332..6442	36	tatcagacatgaagtctgaaggtaa	atc	taa
100675	3AORF297	1	13984..14091	35	aaatggttgaagtcacttaaaggta	gtg	tag
100676	3AORF298	1	40174..40281	35	tatcaaatgttgcatcatttttga	gtg	taa
100677	3AORF299	2	1481..1588	35	gccgcgtgtgctacttttgcgttag	ata	taa
100678	3AORF300	2	40451..40558	35	aatataaattttgtatacaaggtga	ata	tag
100679	3AORF301	3	25479..25586	35	accactagttaaaacttcatatact	ata	taa
100680	3AORF302	3	32106..32213	35	gaagatgatttcgatgaattagaca	ctg	tga
100681	3AORF303	3	36024..36131	35	gacacagagggattattaaaagaga	ttg	tag
100682	3AORF304	-1	37762..37869	35	accgacaaatccgccaacatctttt	ata	tga
100683	3AORF305	-1	24088..24195	35	tttatctttaacaaaatcaaactga	ata	tga
100684	3AORF306	-1	19507..19614	35	atcattaggtaattgaaattttaaa	ata	tga
100685	3AORF307	-1	16081..16188	35	atgtactgacagttgcagatacagt	atc	tag
100686	3AORF308	-1	11398..11505	35	tttctttagttctagttaaaatgtt	ttg	taa
100687	3AORF309	-2	33003..33110	35	aaacagacctcttacccgttcatca	ctg	taa
100688	3AORF310	-2	24894..25001	35	gtaaatcgaaatcgctaccagctga	att	taa
100689	3AORF311	-2	22005..22112	35	ttcgtaggtgtcattacttctttaa	ttg	tag
100690	3AORF312	-2	21711..21818	35	aaaataaaaagccagtgccgaagca	ctg	tag
100691	3AORF313	-2	17901..18008	35	cattaggtcttagacgacttagcat	ata	taa
100692	3AORF314	-2	16710..16817	35	taattcagtcttaggagtatcattt	att	tag
100693	3AORF315	-2	15990..16097	35	acatatctccgtatcatttgggtaa	att	tag
100694	3AORF316	-2	2862..2969	35	aattcttcttcatactgtttgacga	ttg	tag
100695	3AORF317	-3	40217..40324	35	tccctaacactacttttttaaacttt	ata	tga
100696	3AORF318	-3	37535..37642	35	tgttcggctcctttcattattttaa	ata	taa
100697	3AORF319	-3	34421..34528	35	ttcttcatcttttatttgactctgc	ata	tga
100698	3AORF320	-3	28262..28369	35	catttgttggtaatatcttagttcg	atg	tga
100699	3AORF321	1	23989..24093	34	taaaaaggtttaatataaaaatgta	ata	tga
100700	3AORF322	1	34660..34764	34	aagagaagattgagaccatggcttt	atg	taa
100701	3AORF323	3	30105..30209	34	ctaaatactgaactatcaactgtag	att	taa
100702	3AORF324	3	30258..30362	34	ggaaaagagttccttaaaaaagcag	ata	tga
100703	3AORF325	3	40236..40340	34	gttgtatcatttttggtgatgcaac	att	tag
100704	3AORF326	-1	36964..37068	34	cgcatcaacaactgtaaacctttga	ttg	tga
100705	3AORF327	-1	35242..35346	34	atttttgtctgttgtataatatttt	ctg	taa
100706	3AORF328	-1	21916..22020	34	ccatttaccttcttgagatgttgga	ttg	tga
100707	3AORF329	-1	18820..18924	34	ggtggcttaacttccaagaaccaac	ctg	taa
100708	3AORF330	-1	15631..15735	34	ttatgaagttttcacaaattagtaa	atc	tag
100709	3AORF331	-2	37998..38102	34	ttacgcccaatagcttcatactcat	ctg	tag
100710	3AORF332	-2	7359..7463	34	tttataaacctttaaagttttagtc	ata	taa
100711	3AORF333	-3	24584..24688	34	aaaaattataaaactataaaaccat	atc	taa
100712	3AORF334	-3	24269..24373	34	tatttttaggtagataatttattaa	atc	tga
100713	3AORF335	-3	14273..14377	34	cacttcagcaagttgatgctttgta	atc	tga
100714	3AORF336	2	7559..7660	33	gtaactttatctaatttagaagcgg	ata	tag
100715	3AORF337	2	13277..13378	33	aatataggtaaaaaagcaggagaat	ttg	tag
100716	3AORF338	3	9501..9602	33	taggacgtacgatgacgatgggcgt	atc	taa
100717	3AORF339	3	27348..27449	33	atatctaattaaataagcgcactta	att	tga
100718	3AORF340	-1	37372..37473	33	ttctatggttttcatcttatgagaa	atg	taa
100719	3AORF341	-1	33421..33522	33	aagctaattcggacacttttccttt	ttg	taa
100720	3AORF342	-1	29047..29148	33	tttggcatctctatcactcctttag	ata	taa
100721	3AORF343	-1	7549..7650	33	atgatacgcctgagactagaattgg	att	taa
100722	3AORF344	-1	7297..7398	33	ctgctgaaactgttgcagattttga	att	tga
100723	3AORF345	-2	23850..23951	33	ttaaacctttttaacttttaataaa	att	taa

100724	3AORF346	-2	20607..20708	33	aaagatgtacgactagatttagtta	atc	taa
100725	3AORF347	-2	14175..14276	33	atctgttgttaaagaacgctaataa	ctg	taa
100726	3AORF348	-2	6984..7085	33	cgtacactggttgacctgttaaacc	atc	tag
100727	3AORF349	-2	6882..6983	33	tagaacgaccaataactgtatttag	atc	taa
100728	3AORF350	-3	40748..40849	33	aactgcaattcactaaatgctgtaa	gtg	tga
100729	3AORF351	-3	38345..38446	33	ggttagtagaatgtttttcgtataa	atc	taa
100730	3AORF352	-3	38081..38182	33	tagttgaaggccaatacattaacct	atg	taa
100731	3AORF353	-3	35432..35533	33	tagcattctcatatgatgcagattt	ata	taa
100732	3AORF354	-3	34952..35053	33	ttatcctgatacagatatctcttag	atc	taa

Table 9

Bacteriophage 96, complete genome sequence

```
1       catagttata ggcttttcag ctatatacca agataagatt tatcccgccg tctccataaa aatatgcttg
71      gaaaccttga tttaatgggg ttttaatcta gcaagtgtca aatatgtgtc aagaaaataa ttttctgaca
141     cgttgacctt gctctttttt atgttcatca agtaagtgag agtaggtgtc taaagttata gatatattat
211     aatggcctaa tcttttgcta atatattcaa taggtatacc tttagaaagt aggaaagatg tatgcgtgtg
281     tcttaatgaa taaggtgtta ttgtagtatc atttagtcct atttgactct tagcatggtt aaatgacttt
351     ttaacggcat tatgactcaa tttaaacaac ttattatctg tacgttttgg taattttgat aatttagctt
421     taatatgttg tatatccttt tttggtacct ccacaagtct gtccgcgtta actgtttttg ttccacgaag
491     atgtattgta ccctcttttt cgtttagatc gataggcaac atattaatta catcgctgta tcttgcacca
561     gtgatagcta ggatgaataa aaaaatataa ctcgattcgt ctctagattt aaagtattct atcaattgca
631     agtattgttc tatggtgatg aatttagagt gttcgtcttt tgatttttgt gtaccacgaa tatctatttg
701     atagctaggg tctttcttta aatagccctc atatactgca tctctgaagc attgtgataa acaactgttt
771     aatttacgaa ccgtttcatt agtacgacct cgaccgaatt cgttcaaaaa cttttgatac tccgaacgtt
841     tgatgttttt tattaaaaaa tcactcccga aatattcgtt aaataatttt aatgaacgtt gataccaata
911     gaattgttgt gaagcgacat gtttcttatt ttttgaatct aaccaatcat tgtaatattc ttcaaacttt
981     ttattttcat ctaaattgtt tccatcatcc aaatctctaa gcagttgttg agcagcgttg gttgcctcag
1051    ctttagtttt gaatcctgac tttcttttct ttcctgattt gaaagacgga tgttttacgt cgtactgcca
1121    agatgctgtt gctttattct tccttttgt aattgtaaat gacgccattt tacttttcct cctcaaaatt
1191    ggcaaaaaat aataagggta ggcgagctac ccgaaatttt attgttgaac aactattgct tcacttcttg
1261    cttttcctac ttcttttcta aaactatcat atgattgatt agggtgtgtt aacgacattc ctggaccacc
1331    tccagcatgt tggtttttgt ccggattatt ttccatttct tcagtggctc ttttagcatt taaatattct
1401    tcgtaactag gttcgtttgg gtcgcgtggt tgtgcttgtt gtccattatt ggtagctgga agattcttct
1471    gtacctgttg cttagatgtg ttattggttt gttgattgtt gttaatgttt gtgttgttct cgttgtttac
1541    ttgattattg ttatcgtttt gattactatt ttctttttcc gcttctgctt tatctttagt ttctttcttt
1611    ttgtctttgt tctctttctt tgtttcggtt ttcttgcttt cctctttctt atcgccgtcg ttgctaccgc
1681    atgcacctaa cactaacgca ctagctaata ataaaactaa taatcttttc atgttttaca ctcctttatt
1751    tgctatttgt tttaataaat ctatgatttc attgttttgt tctatgattt tgttttcatt tttaagatgt
1821    tcgtctaaca tctctattaa gacgaaattt tgatttatca tttcgtaagt aaacatttga cctgtgttgt
1891    taggattaga aaacgaacta ctgaaacgcg ttgaaaagct atctataaat tgaccaactt tatttttaa
1961    taacatatct ttaccgctct cagacattgt atttagttcg cgcttattta aagtttttc tataattttg
2031    tattttgttt cctgatttct ttcgatttct tctacttcaa aagggatatt gttattaaat ttttcgataa
2101    tatcacgttt ttcagaaact gacatacgat caaatacttg tttttgacct ttatttaact tccctcgaat
2171    ttttccggca gtccaagact ctttaactgt taacttatca ttaggaactt gattcatctt ttatatgact
2241    ccttttctca tatttcttta tatttaaaaa ctctcaacgg ctcaaatgta atcgaatact cgccatagtg
2311    agttccaata ccgtatatct tcttatattg ttctattgcc tccaatatgt attcttcgct taattgtaga
2381    tactcagaca actcatacaa gttacgtacg ccataattgt aagcttctac aatttcgcgt aacgggactg
2451    ctgagataaa gccgtgtcgt cttgcgtaat tttcgaactt gcgattgttg aatttcgatt gatctaaaat
2521    gttgccatac gtcaacttgt ggtgggcaag ttcttcatat aatacttcta atttgttcct ttcggataag
2591    gaaggtctaa taaaaatttc tccttcttga taccaaccat cgaatcctcg aggtactctt tgtgtttctt
2661    tcacttcaac ttcacatttc ataagcaatt cttcgtattt tcccatgcgc caaacccctt tggtgtctta
2731    tttctttcta tctctaaccc attgcataaa attttcgatt tcttcccatt cttcgggagt aaattcatct
2801    ttatttgcat gaccggctat agtttcttga tgaatacttc tttcttctgt aattctcgat ttaggtacat
2871    taaagtaatc tgctaattgt tggacttttg atattctagg atatttaagt tctttaagcc agttagagat
2941    tgttgattga cttaccccga ttgcttcaga caattctact tgagtaatgt tgttctcttt cataagttgt
3011    tctaagttct ctgataaaat ttttctagca ctcttatatt ccataatttt ctcctttagt attacttaat
3081    gtaatactaa tttaccataa gtaatatcac ttttcaatac aaaatattac ttttttgaaa taaatatcac
3151    tttaggtgtt gacatattac tttaagtgat agtatagttg taaatgtcaa cgggaggtga tacgaaatgc
3221    cagaaaattt taaagagttc tctgtaaagg tctggagaac taattcgaat atgacacaac aagatgtcgc
3291    tgataaatta ggcgttacta aacaatctgt aataagatgg gaaaaagatg acgcagaatt aaaaggctta
3361    caattgtatg ctttagccaa attattcaac acagaagttg attatataaa ggctaaaaaa atttaacatt
3431    aatatcactt taagtgataa aggaggaaac tgaaatgcaa gaattacaaa catttaattt tgaagaatta
3501    ccagtaagga aaattgaagt ggaaggagaa cccttctttt taggtaagga tgttgctgaa attttagggt
3571    atgcacgagc agataacgcc atacgcaatc atgttgatag tgaagatagg ctgatgcacc aaattagtgc
3641    gtcaggtcaa aacagaaata tgatcatcat caacgaatct ggattataca gtttaatctt tgacgcttct
3711    aaacaaagta aaaacgaaaa cattagagaa accgctagga aattcaaacg ctgggtaact tcggaagttt
3781    taccgacgtt aagaaaaact ggtgcttacc aagtacctag tgacccaatg caagcattga gattaatgtt
3851    tgaagctaca gaagaaacaa aacaagaaat taaaaacgtg aaagatgatg ttattgattt gaaagaaaat
3921    caaaaactgg atgcgggaga ctacaatttc ttaactagaa caatcaatca aagagtagct catatacaaa
3991    gactacatgc gataacaaac caaaaacaac gtagcgaatt attcagggat attaattcag aagtgaaaaa
4061    gatgactggt gcgagttcaa gaacgaacgt aagacaaaaa catttcgacg atgtaattga aatgattgct
4131    aattggttcc cgtcacaagc tactttatac agaatcaagc aaattgaaat gaaattttaa aacgaaatat
4201    aggagaggct gaatatggaa tacatcggat atgcagacgc aaatgcgttt gtaaaaataa gtggcatttc
4271    aaaagatgat ctagagaaaa aagtctactc gaacaaagag tttcaaaaag aatgcatgta cagatttggt
4341    cgaggacaaa agcgttatat aaaaattgac aaagctattc aatttatcgg taccaattta atgattaatg
4411    aatacgaatt ataggaggag ttatcaaatg agtaaaactt ataaaagcta cctagtagca gtactatgct
4481    tcacagtctt agcgattgta cttatgccgt ttctatactt cactacagcg tggtcaattg caggattcgc
4551    aagtatcgca acattcatat actacaaaga atacttttat gaagaataaa aaaactgcta cttgcgtcaa
4621    caagtaacag tgacaaacat ttatcaaaat atacaactta attaaatcaa aatatacgga ggtagtcaac
4691    tatggctgaa aatattaaaa ctgaacaaca ttattacact aaagatttct caggatacag aaatgaagaa
```

```
4761  gataactttg tagcaaatca agaattgaca gtaacaatca cattgaacga gtacagaaaa cttattgaaa
4831  taaaggctgt taaagataaa gaagaagata cttacagagg taagtatttt gcggaagaaa gaaaaaacga
4901  aaaattggaa aaagaaaata taaaactaaa aaacaaaatt tatgaattac aaaacgaaga agataacgag
4971  gaggacgaag aagacaagga ggacgagaac gatgtattac aaaattggtg agataaaaaa caaaattata
5041  agctttaacg ggtttgaatt taaagtgtct gtgatgaaga gacatgacgg tatcagtata caaatcaagg
5111  atatgaataa tgttccactt aaatcgtttc atgtcataga tttaagcgaa ctatatattg cgacggatgc
5181  aatgcgtgac gttataaacg aatggattga aaataacaca gatgaacagg acaaactaat taacttagtc
5251  atgaaatggt aggaggtatg aaaagtgaat gatttacaag agagagaatt agaaacattc gaacaagacg
5321  accgattcaa agtaactgat ctagacagtg ctaactgggt ttttaagaaa ctggatgcaa tcacaactaa
5391  agagaatgaa atcaacgatt tagcaaataa agaaattgaa cgcataaacg aatggaaaga taaagaagta
5461  gaaaaattac agagtggcaa agaatattta caaagccttg taattgaata ttacagaata caaaaagaac
5531  aagatagcaa attcaagttg aatacacctt acggaaaagt gacagccaga aaaggttcaa aagtcattca
5601  agttagcaat gagcaagaag tcattaaaca acttgagcaa cgaggttttg acaactatgt aaaagtaact
5671  aaaaaactta gccaatcaga cattaagaaa gatttcaatg taactgaaaa cggcacattg attgacgcaa
5741  acggcgaagt tttagagggt gctagcattg tggagaaacc aacgtcatac acggtaaagg tgggagaata
5811  gatgactgaa aaaactaatc aagatgtcga tattttaacg caactaggtg taaaagacat cagcaaacaa
5881  aatgcaaaca agttttataa atttgcgata tacggcaagt tcggtactgg taaaactacg tttttaacaa
5951  aagataacaa taccttagta ctagatataa atgaggacgg aacaacggta acagaagatg gggcagttgt
6021  gcagattaag aattataagc attttagtgc agtgattaaa atgctgccta aaattattga acaactaaga
6091  gaaaacggaa aacaaattga tgttgtagtg attgaaacaa tccaaaagtt acgtgatatc actatggacg
6161  acatcatgga cggtaaatca aagaaaccga catttaatga ttggggcgag tgtgctacac gcattgtaag
6231  tatttatcgt tatatttcta aattacaaga acattatcaa tttcatcttg ctataagcgg acacgagggc
6301  attaacaaag acaaagatga tgagggaagt actatcaatc caacaatcac gatagaggca caagaccaaa
6371  taaaaaaagc agtcatcagt caatctgacg tgttagcaag aatgacaata gaagaacatg agcaagacgg
6441  cgaaaaaact tatcaatatg tacttaacgc tgaaccatca aatttattcg agacaaagat aagacactca
6511  agcaacatca aaattaacaa caaacgtttc attaatccaa gtattaacga tgttgtacaa gcaattagaa
6581  atggtaatta aaaattaatt aaaaggacgg tataaaaatt atgaaaatca ctggtagaac acaatacatt
6651  caagaaacta atcaagaggc attcatgaaa ggtggggact ttttaggagc tggagaattt acagtaaaag
6721  ttgcaaatgt cgagtttaac gacagagaaa acagatactt cacgattgtt tttgaaaaca acgaaggtaa
6791  acaatacaaa cacaaccaat tcgtcccacc attccaacaa gattatcaag aaaaacaata tatcgagtta
6861  cttagtagat taggaattaa attgaactta ccagatttaa cttttgacac agatcaatta attaacaaaa
6931  tcggaactat tgtacttaaa aataaattta acgaggaaca aggcaagtat tttgtaagac tctcatatgt
7001  aaaagtttgg aataaagacg atgaagtagt taataaacca gaacctaaaa ctgatgagat gaaacaaaaa
7071  gaacagcaag caaatggtaa acagacacct atgagtcaac aatcaaaccc attcgctaat gctaatggtc
7141  caatagaaat caatgatgat gatttaccgt tctaggacgt ggtttaaatg caatacatta caagatacca
7211  gaaagacaat gacggtactt attccgtcgt tgctactggt gttgaacttg aacaaagtca cattgattta
7281  ctagaaaacg gatatccgct aaaagcagaa gtagaggttc cggacaataa aaaactatct atagaacaac
7351  gcaaaaaaat attcgcaatg tgtagagata tagaacttca ctggggcgaa ccagtagaat caactagaaa
7421  attattacaa acagaattgg aaattatgaa aggttatgaa gaaatcagtc tgcgtgactg ttcaatgaaa
7491  gttgcgagag agttaataga actgattata tcgtttatgt ttcatcatca aatacctatg agtgtagaaa
7561  cgagtaagtt gttaagcgaa gataaagcgt tattatattg ggctacaatc aaccgcaact gtgtaatatg
7631  cggaaagcct cacgcagacc tggcacatta tgaagcagtc ggcagaggta tgaacagaaa caagatgaat
7701  cactacgaca aacatgtgtt agcactgtgt agacaacatc ataatgaaca gcacgcaatt ggtgttaagt
7771  cgtttgatga taaatatcaa ttgcatgact cgtggataaa agttgatgag aggctcaata aaatgttgaa
7841  aggagagaaa aatgaataag ttactaatag atgactatcc gatacaagta ttaccgaaat tagctgaatt
7911  aatagggtta aacgaagcaa tagtattgca acaaattcat tattggctaa acaactcaaa acataaatac
7981  gatggcaaaa cttggatttt taattcttat ccagaatggc aaaaacaatt tccattttgg agcgagagaa
8051  ctataaaaag gacatttggg agtttagaaa aacaaaattt attgcatgta ggtaactaca acaaggctgg
8121  atttgaccgt acaaaatggt attcaatcaa ttatgaaaca ttaaacaaac tagtggcacg accatcggga
8191  caaaatggcc cgacgatgag gacaaattgg cacgatgcaa gaggacaaaa tgacccgacc aataccatag
8261  actacacaga gactaacaaa catagagaga cagacgacgt ctcaaagtca tttaagtata ttagtaccaa
8331  tttagaaatt atacaaaacc ctttaaaagc agaacagtta gaacacgaaa ttaaatcatt taagcaagat
8401  cagttcgaaa tagtaaaagt cgctaccgat tactgcaaag aaaacaacaa aggtctgaat tacttactaa
8471  ctgtattaaa gaactggaat aaagaaggcg tttcagataa agaaagtgct gaaaacaaat tgaaacctcg
8541  taactctaaa aaagaaacta ctgatgatgt catagcacaa atggaaaaag aattgagtga tgactaatgc
8611  cgatgagcaa aacacaagca ttagaaatta ttaaaaaagt taggtacgta tacaacatcg attttgataa
8681  accaaagtta gaaatgtgga ttgatgtatt aagtcaaaac ggggattatc aaccaactgt aaaagctgta
8751  gatggatata tcaacagtaa caacccgtac ccgcctaacc taccagcaat catgcgtaag gcacctaaaa
8821  aagtatctat tgagccggta gacaacgaaa ccgctacaca ccaatggaaa atgcagaatg accccgaata
8891  tgtcagacaa agaaaaatag cgctagataa cttcatgaat aagttggcag aatttggggg cgataacgaa
8961  tgaattacgg tcaatttgaa attgaaagca caataatcgc tacgctactt aaacaaccgg acgtactaga
9031  aaagataaga gttaaagatt acatgtttac gaacgaaaag tttaaaacct ttttcaatta tgtaatggac
9101  gtcggaaaga tagatcatca agaaatctat ttaaaagcaa ctaaagataa agagttttta gatgcagata
9171  ctataactaa actttacaac tccgatttca ttggatacgg attctttgaa cgttatcaac aagaattatt
9241  ggaaagttat caaatcaaca aagcgaaaga attggtaact gagttcaaac aacaacctac gaaccaaaat
9311  tttaataact tgattgatga actcaaggat ttaaaaacaa ttactaacag aaaagaagac ggaaccaaga
9381  agtttgttga ggagtttgtc gatgagttat acagcgatag ccctaagaag caaattaaga cgggttataa
9451  gctcatggat tacaaaatag ggggattgga gccgtcgcaa ttaatcgtca tcgcagcgcg tccctcagtg
9521  ggtaagacag gttttgcatt aaacatgatg ctgaacatag cacaaaatgg atacaaaaca tctttcttta
9591  gtctcgaaac aactggcaca tcagtattga aacgtatgtt atcaacaatt actggtattg agttaacaaa
9661  gataaaagaa atcaggaact taacgccgga tgacttaaca aagttaacga atgcgatgga taaaatcatg
9731  aaattaggca tcgatatttc tgataaaagt aatatcacac cgcaagatgt gcgagcgcaa gcaatgaggc
9801  attcagacag gcaacaagtt atttttatag attatcttca actgatggat actgatgcga aagttgatag
9871  acgtgtagca gtagaaaaga tatcacgtga cttaaagata atcgctaacg agacaggcgc aatcatcgta
9941  ctactttcac aactgaatcg tggtgtcgag tctagacagg ataaaagacc aatgctatcg gacatgaaag
```

```
10011  aatcaggcgg aatagaagca gatgcgagtt tagcgatgct actttaccgt gatgattatt ataaccgtga
10081  cgaagatgac agtatcactg gcaaatctat tgttgaatgt aacatagcca aaaacaaaga cggcgaaacc
10151  ggaataattg aatttgagta ttacaagaag actcagaggt ttttcacatg aatataatgc aattcaaaag
10221  cttattgaaa tcgatgtatg aagagacaaa gcaaagcgac ccgattgtag caaatgtata tatcgagact
10291  ggttgggcgg tcaatagatt gttggacaat aacgagttat cgcctttcga tgattacgac agagttgaaa
10361  agaaaatcat gaatgaaatc aactggaaga aaacacacat taaggagtgt taaaaaatgc cgaaagaaaa
10431  atattactta taccgagaag atggcacgga agatattaag gtcatcaagt ataaagacaa cgtaaatgaa
10501  gtttattcgc tcacaggagc ccatttcagc gacgaaaaga aaattatgac tgatagtgac ctaaaacgat
10571  ttaaaggcgc tcacgggctt ctatatgagc aagagctagg attgcaagca acgatatttg atatttagag
10641  gtggcacaat gagtaaatac aatgctaaga aagttgagta caaaggaatt gtatttgata gcaaagtaga
10711  gtgcgaatat taccaatatt tagaaagtaa tatgaatggc actaactatg atcgtatcga aatacaaccg
10781  aaatttgaat tacaacctaa attcgggaaa caaagaccga ttacgtatat agccgatttc tctttgtgga
10851  aggaagggaa actggttgaa gttatagacg ttaaaggtaa ggcgactgaa gttgccaaca tcaaagcgaa
10921  gatattcaga tatcagtata gagatgtgaa tttaacgtgg atatgtaaag cgcctaaata cacaggtcaa
10991  gaatggatgg tatatgagga cttagtgaaa gtcagacgta aaagaaaaag agaaatgaag tgatctaatg
11061  caacaacaag catatataaa cgcaacaatt gatataagaa tacctacaga agttgaatat cagcattacg
11131  atgatgtgga taaagaaaaa gatacgctgg caaagcgctt agatgacaat ccggacgaat tactaaagta
11201  tgacaacata acaataagac atgcatatat agaggtggaa taaatgaagt tgaacgaagt attcgcaact
11271  aatttaaggg taatcatggc tagagataac gtaagtgtcc aagatttgca caatgaaact ggcgtatcaa
11341  gatcaactat tagtggatat aaaaacggaa aagctgagat ggttaactta aatgtattag ataaattggc
11411  agatgctcta ggtgttaatg taagtgaact atttactaga aatcacaaca cgcacaaatt agaggattgg
11481  attaaaaaag taaatgtata gaggtggaat aaatgagtat cgtaaagatt aacggtaaac catataaatt
11551  taccgaacat gaaaatgaat tgataaaaaa gaacggttta actccaggaa tggttgcaaa aagagtacga
11621  ggtggctggg cgttgttaga agccttacat gcaccttatg gtatgcgctt agctgagtat aaagaaattg
11691  tgttatccaa aatcatggag cgagagagca aagagcgtga aatggttagg caacgacgta aagaggctga
11761  actacgtaag aagaagccac atttgtttaa tgtgcctcaa aaacattctc gtgatccgta ctggttcgat
11831  gtcacttata accaaatgtt caagaaatgg agtgaagcat aatgagcata atcagtaaca gaaaagtaga
11901  tatgaacaaa acgcaagaca atgttaaaca accggcgcat tacacatacg gcaacattga aattatagat
11971  tttatcgaac aggttacggc acagtatcca cctcaactag cattcgcaat aggtaatgca atcaaatact
12041  tgtctagagc accgttaaag aatggtcatg aggatttagc aaaggcgaag ttttacgtcc aaagagcttt
12111  tgacttgtgg gagggttaac gatggcaacg caaaaacaag ttgattacgt aatgtcatta caggaacaat
12181  tgggattaga agactgtgaa aaatatacag acgaacaagt taaagctatg agtcataaag aagttagcaa
12251  tgtgattgaa aactataaga caagcatatg ggatgaagag ctatataacg aatgcatgtc gtttggtctg
12321  cctaattgtt aaaaggagtg atgaccatga acgatagcgc acgcaaagaa tacttaaacc aatttttcag
12391  ctctaagaga tatctgtatc aagacaacga gcgagtggca catatccatg tagtaaatgg cacttattac
12461  tttcacggac attataaaac gatgtttaaa ggcgtgaaaa agacatttga tactgctgaa gagctcgaaa
12531  tatatataaa gcaacatgat ttggaatatg aggaacagaa gcaaccaact ttattttaga ggagatggaa
12601  ataatggcaa agattaaaag aaaaaagaag atgacgctac tcgaactggt ggaatgggca tggaacaatc
12671  ctgaacaagt tgaaagtaaa gtgtttcaat cagatagaat gggcacgctt ggagaatgta gcgaagtaca
12741  tttttcaact gatgggcatg ggttttatac aaaagtagta acagataaag atatttttac tgtagaaatc
12811  acagaggaag tcactgaaga tactgagttt gattgtctag tagaactaaa cgatattgaa ggttttgaaa
12881  tatatgaaaa tgattcaatc agagagttga tagacggtac ttccagagcg ttttatatac taaacgaaga
12951  taaaactatg acattaattt ggaaagatgg ggagttggta gtatgatgca aacctataaa gtatgtcttt
13021  gtatcaagtt ctttgcatct aaatgtgatt ataaattaaa gaaacattat ttcgtgaaaa gtacgaatga
13091  ggaaaaagcc acgaacatgg tattaaaact gattcgtaaa aagctcccgt tcgaaactgc aagcatagaa
13161  gtcgaaaaag tggaggcaat ataatgatac aaccaacaag agaagaatta attaatttca tgaaaaaaca
13231  tggagctgaa aatgttgact ctatcactga tgagcaaagt gcaataagac actttagagc tcaatcaaaa
13301  gtttttaaag acgaacgtga tgagtacaag aagcaacgag atgagcttat cgaggatata gctaagttaa
13371  gaaaacgtaa cgaagagctg gagaacatgt ggcgcacagt caaaaatgaa ttgcttggaa gatacgaaca
13441  ttactgtttt aaaattagag aactacaccc tgagagcaaa gcgaacagga taggagctct ctatatagga
13511  ggtaaaagca ctgcagatat tatactgtcg cgaatggaag aactagacgg aacaaatgag ttctacgaat
13581  ttttagggca aatggaggca gacacaaatg aataaccgtg aacaaataga acaatcagtg atcagtacta
13651  gtgcgtataa cggtaatgac acagaggggt tactaaaaga gattgaggac gtgtataaga aagcgcaagc
13721  gtttgatgaa atacttgagg gaatgacaaa tgctattcaa cattcagtta aagaaggtat tgaacttgat
13791  gaagcagtag gggttatggc aggtcaagtt gtctataaat atgaggagga gcaggaaaat gagtattagt
13861  gtaggagata aagtatataa ccatgaaaca aacgaaagtc tagagattgt gcaattggtc ggagatatta
13931  gagatacaca ttataaactg tctgatgatt cagttattag cattatagat tttattacta aaccaattta
14001  tctaattaag ggggacgagt gagtggaatg gaaacgatta aaaaatgtgg tgccgcaccc agttatcaaa
14071  aataaaaatt taaagtcggt atacgtaaca aaagataatg tgaaagaggt tcaaaaagaa ttaggtttct
14141  ttgaaatttt taatgaagaa gtgttattaa ctggattttt atcatttcaa aggataccta tttacattat
14211  ttggattaat cctaaatctc ataagacgcc tagatattac tttgctaacg agcatgagat tgaaagatat
14281  tttgaatttt tggaggacga gtaaatgctt gaaatcatcg accaacgtga tgcattgcta gaagaaaagt
14351  atttaaacga cgactggtgg tacgagctag attattggtt gaataaacgc aagtcagaaa atgaacagat
14421  tgatattgat agagtgctta aatttattga ggaattaaaa cgataggaga taacgaataa atgaataatt
14491  taacagtaga tcaattaaaa gaacttttac aaatacaaaa ggagttcgac gatagaatac cgactagaaa
14561  tttaaatgac acagtagcta gtatgattat tgaatttgcg gagtgggtta acacacttga gttttttaaa
14631  aattggaaga aacaaccagg taagccatta gatacacaat tagatgagat tgctgattac ttagctttca
14701  gtttgcaatt aactctgact attgttgatg aagaagattt ggaagagact actgaggtta tggttgattt
14771  gattgaaaat gaagttactt tacctaaact acattcagtt tattttgttc atgtaatgca tacactaaca
14841  gaacaatttg taaaaggtat tgataatagt attgtacaag ttttaataat gccttttttg tacgccaata
14911  cttactatac aatcgaccaa ctcattgacg catacaaaaa gaaaatgaaa aggaaccacg aaagacaaga
14981  tggaacagca gacgcaggaa aaggatacgt gtaaagacat cttagatcga gtcaaggagg ttttggggaa
15051  gtgacgcaat acttagtcac aacattcaaa gattcaacag gacaaccaca tgaacatttt actgctgcta
15121  gagataatca gacgtttaca gttgttgagg cggagagtaa agaaggagcg aaagagaagt acgagaaaca
15191  agttaagata aggagagatg gagatgccaa agaaaacggt aacgattgat gtagatgaaa acttattagt
```

```
15261  agtagctagt aatgaaatat cagaactatt atatgaatat gacagtgagt taatgtcagc tgatgaagat
15331  ggcgataata gagatatcga aaaaaaaaga gacgcattaa aacaagctat acaaattatc gataaattaa
15401  catgtcgagg aggcagacga tgattaacat acctaaaatg aaattcccga aaaagtacac tgaaataatc
15471  aagaaatata aaaataaaac acctgaagaa aaagctaaga ttgaagatga tttcattaaa gaaattaatg
15541  ataaagacag tgaattttac agtcctatga tggctaatat gaatgaacat gaattaaggg ctatgttaag
15611  aatgatgcct agtttaattg atactggaga tggcaatgat gattaaaaaa cttaaaaata tggattggtt
15681  cgatatcttt attgctggaa tactgcgatt attcggcgta atcgcactga tgcttgttgt catatcgcct
15751  atctatacag tggctagtta ccaaaacaaa gaagtatatc aagggacaat tacagataaa tataacaaga
15821  gacaagataa agaagacaag ttctatattg tgttagacaa caagcaagtc atcgaaaact ctgacttact
15891  attcaaaaag aaatttgata gcgcagacat acaagctagg ttaaaagtag gcgacaaagt agaagttaaa
15961  acgattggtt atagaataca ctttttaaat ttatatccgg tcttatacga agtaaagaag gtagataaat
16031  aatgattaaa caaatattaa gactattatt cttactagcg atgtatgagc taggtaagta tgtaactgag
16101  aaagtatata ttatgacgac ggctaatgat gatgtagagg cgccgagtga cttcgcaaag ttgagcgatc
16171  agtctgattt gatgagggcg gaggtgtcag agtagatgta tagcaaagag tcaattgtta atatgatagg
16241  cacacataaa atgaagtgta atgtattagc tgatgtaata ccggaatatg atagcaattc aattgcacag
16311  tatggcatac aagcaacgtt gccgaaacca caaggggaaa actcaagtaa agttgaagat gttgttgtga
16381  ggcttgagag agcaaataaa aggtatgctc agatgttaaa agaggttgag tttataaatc aatcgcaaca
16451  gagattggga cacgttgact tttgcttctt agagttattg aagaaaggtt ataacaggga tgcgattatc
16521  aagaagatgc ctaactctaa attaaataga aacaacttct tagcgcgccg tgatgagtta gcagaaaaga
16591  tttatctact acagtgacga aaatgacaaa aatgacagaa atgacgaaaa tgacactatt tttaaactgt
16661  gaattaattt tatataattg atttgtaaga attatcttaa gacgtggggt aatagccaca ttagatgttc
16731  tcatcgatgt gattgagaag tgacaaacat ataaaagatg atatgttacg ctattaatca cctactacct
16801  gcctatatgg tgggtagttt aattcttgca ttttgagtca taactatttt cctcctttca catttattga
16871  acgtagctcc tgcacaagat gtaggggcat tttttatatt taaataacta gagtaattaa cgtaaaggcg
16941  tgtgatacag tgaaaacaat tgattaaatt aacaccgaag caagaaaagt ttgtgctagg actcatagag
17011  ggcaagagcc aacggaaagc atatattgac gcagggtatt cgactaaagg taagagtggg gaatatctag
17081  ataaagaagc gagtacactt tttaaaaatc ggaaggtttc cggaaggtac gaaaaattgc gtcaagaagt
17151  agctgaacaa tcaaaatgga cacgccaaaa ggcctttgaa gaatatgagt ggctaaagaa tgtagctaag
17221  aatgacattg aaatagaggg agtgaagaaa gcgacagctg atgcattcct cgctagttta gatggtatga
17291  atagaatgac gttaggtaac gaagttttag ctaaaaagaa aatagaaact gaaattaaga tgcttgagaa
17361  gaagattgaa caaatagata aaggtgacag tggaacagaa gataaaatca aacaacttca cgacgcaata
17431  acggaagtga tcgtcaatga ataaacttaa atctttatat acggacaaac aaattgaaat attgaagcaa
17501  acgcaaaaac aagattggtt tatgttaatt aatcacggag caaagcgtac aggtaaaaca atattaaaca
17571  atgacttatt tttacgtgag ttaatgcgtg tgcgaaagat agcagacgaa gaaggaattg agacacctca
17641  atatatactt gctggtgcaa cattaggtac gattcaaaaa aacgtactaa tagagttaac taacaaatat
17711  ggcattgagt ttaattttga taaatataat tcattcatgt tatttggcgt tcaagtggtt cagacaggtc
17781  acagtaaagt aagtggtata ggagctatac gtggtatgac atcgtttggt gcatatatca atgaagcgtc
17851  gttagcgcat gaagaggtgt ttgacgagat taagtcacgt tgtagtggaa ctggtgcaag aatattggta
17921  gataccaacc ctgaccatcc cgagcattgg ttgttgaaag attatattga aaatacagat cctaaagcag
17991  gtatactgag tcaccaattt aagctcgatg acaataactt tcttaatgat agatataaag agtctattaa
18061  ggcttcaaca ccatcaggta tgttctatga acgtaatatc aacggtatgt gggtgtctgg tgacggtgta
18131  gtatatgccg actttgattt gaatgagaat acgattaaag cagatgaact ggacgacata cctatcaaag
18201  aatactttgc tggtgtcgac tggggttacg agcactatgg atctattgtg ttaataggac gaggtataga
18271  tggtaacttt tattttattg aggagcacgc acaccaattt aagtttattg atgattgggt ggttattgca
18341  aaagatattg taagtagata tggcaatatt aatttttact gcgatactgc acgacctgaa tacatcactg
18411  aatttagaag acatagatta cgtgcaatta acgctgataa aagtaaacta tcgggtgtgg aggaagttgc
18481  taagttgttc aaacaaaaca agttacttgt tctttatgat aatatggata ggtttaagca agaggtattt
18551  aaatatgttt ggcaccctac aaacggagag cctataaaag aatttgatga cgtgttggac tcgttaagat
18621  atgccatata cacacatact aaacctgaac gattaaggag ggggaaatga cattgtataa gttaatagat
18691  gatattgaag cacaaggaat attgcctaag catattgagg ctctaataga gtcacataaa gacgatagag
18761  agagaatggt taatctctat aatagataca agacacatat tgactatgta ccaatattca aacgtcgacc
18831  aattgaagaa aaagaagatt ttgaaactgg tggaaatgta aggcgattag acgtgtctgt taataacaaa
18901  cttaacaact cttttgacag cgaaattgtt gatacacgtg ttggttattt acatggtgtt cctgttactt
18971  atgatttaga tgaaaacgca gaaaaaaacg aaaagttgaa aaagtttata accaactttg ccattagaaa
19041  tagtgttgat gatgaggatt ctgaaatagg taaaatggca gcaatttgcg gatatggtgc taggttagca
19111  tatattgata cgaatggtga tattaggatt aagaatatag atccctataa tgttattttt gttggcgaca
19181  atattttaga acctacatac tcattgcgct acttttatga aaaagatgat gataatggca ctgattatgt
19251  gtacgcagag ttttacgata atgcttatta ttatgtattt cgaggagaag gtattgacgc tttgcaagaa
19321  gttggacgat atgaacattt atttgattac aatccattgt ttggtgtacc taacaacaaa gagatgatag
19391  gagatgctga aaaggttatt cacttaattg acgcatatga tttaacaatg agcgatgcat caagtgagat
19461  tagtcagaca cgtttagcat accttgtgtt acgcggtatg ggtatgagtg aagaaatgat tcaagaaaca
19531  caaaagagtg gcgcatttga gttgttcgac aaagatatgg acgttaaata cttaacaaaa gatgtaaatg
19601  acacaatgat tgagaaccat ttagatcgaa tcgaaaagaa tatcatgcgt tttgcaaagt cagtaaactt
19671  taattctgac gagtttaacg gaaatgtacc tatcattgga atgaaactta aacttatggc tttagagaac
19741  aagtgtatga cgtttgagcg taagatgaca gctatgttga ggtatcaatt caaagttatt ttatctgcat
19811  taaagcgtaa agggtacaac ttggatgatg atagttattt aaacctgata tttaagttca ctcgtaacat
19881  tccagttaat aagttagaag aatcacaagt gctaattaac ctgaagggac aagtttcaga acgaacaagg
19951  ttaggacaat cacaactagt tgatgatgtt gattacgaat tagacgaaat ggaaaaagaa agtcttgaat
20021  ttaatgacaa attacctgac atagatgaag gtgacgcaaa tgacaaatcc caaaataacc aatcagaatg
20091  atattgatga gtatatcgag ggtttaatct ctaaagcaga aaaaccaata gaacaactat ttgctaatcg
20161  acttaaagag ataaaacaaa tcatcgcaga tatgtttgag aaatatcaaa atgatgatgt gtatgttaca
20231  tggactgaat tcaataaata caacaggctc aataaggagt taactcgtat aggtacaatg ttgacttatg
20301  actataggca agtagctaag atgattcaga agtcacaaga agatgcttat atagaaaaat tccttatgag
20371  cctttattta tatgaaatgg cgagtcaaac atctatgcag tttgatgttc cgagtaaaga ggtaatcaaa
20441  tcagctattg aacaacctat tgagttcatt cgtttaatgc caacactaca aaaacatcgt gatgaagtat
```

```
20511  tgaaaaagat acgtatgcac attacacaag gtattatgag tggagagggt tactctaaga tagctaaagc
20581  aatacgtgat gatgtcggca tgtctaaagc tcaatcattg cgtgtggctc gtacagaagc aggcagagca
20651  atgtcacaag ctggacttga tagcgcaatg gttgctaaag ataacggttt gaatatgaag aaacgttggc
20721  atgctactaa agatacacga acacgtgata ctcatcgtca tttagatggg gaatcagtgg aaatagatca
20791  gaattttaaa tcaagtgggt gtgttgggca ggcgcccaag ctatttattg gtgtaaacag tgcgaaagag
20861  aatattaatt gtcgttgcaa attactttat tatattgatg aaaatgaatt gccaactgta atgagagcac
20931  gtaaagacga tggtaaaaat gaagttatcc cattcatgac ttatcgtgag tgggagaaat ataagcgaaa
21001  aggtggtaat tgatatggat tttaaaataa aagtaaatgt tgatactggc gaagctatag aaaagttaga
21071  acgcattaaa tccttgtacg aagagataat agagttacaa aacgaaaaag ttgttgtaaa cgtaacagtt
21141  aaaaatgaag ctgatttaga tatggttaaa acatctatta gcgaagaaaa tgctaaaaat aatgatttca
21211  cacttttta gttgtctctt tgctactcga ccttagcatg tcgttaaact gctttttatt atgcactttt
21281  cggactgtta gggtacgcga agggcaaaaa ggagttttga tatatgaata tcgaagaagt taagtctttt
21351  tttgaagaac acaaagacga taaagaagta aaagattatc taaagggact taagacggtg tctgttgatg
21421  acgttaaagg ctttttagat acagaagaag gtaaacgatt cattcaacct gaattagatc gttatcattc
21491  gaaaggatta gaatcatgga aagagaaaaa tcttgaggat ctaatcgaac aagaagtacg gaagcgtaat
21561  cctgagcaat cagaagaaca aaaacgtatt agtgctcttg aacaagagtt agaaaaacgc gacgcagagg
21631  caaaacgtga gaagttaaga agtaacgcgc taggtaaagc gcaggaacta aatttaccaa catccttagt
21701  tgatagattt ttaggcgatt ctgatgaaga tactgagcaa aacttaaaag ctttaaaaga aacctttgac
21771  aagtatgttc aaaaaggcgt tgagtctaaa tttaaatcga gtggaagaga tgttaaagaa tcacgaaatc
21841  aagatttaga cccttcaaat gtaaagtcca ttgaagaaat ggcgaaagaa atcaatatta gaaaataaag
21911  tgaggtaata aaatatggca actccaacat acacgccagg caatgttatt ttatcggatt ttaaaaacgg
21981  cgttattcca gcagaacaag gtactttaat catgaaagac attatggcta attcagcaat tatgaaatta
22051  gctaaaaatg agccaatgac agcacaaaag aaaaaattta cttacttagc aaaaggtgta ggcgcctact
22121  gggtatcaga aacggaacgt attcaaactt ctaagcctga atatgcgcaa gcagaaatgg aagctaagaa
22191  aattggtgta attattccgt tatcaaaaga gtttcttaaa tggactgcaa aagatttctt taatgaggtt
22261  aaacctctaa ttgcagaggc attttacaaa gcgtttgacc aagctgttat ctttggtact aaatcacctt
22331  acaacacttc aactagtggt aaaccgcttg ttgaaggcgc agaagagaaa ggtaacgttg ttacagatac
22401  taataattta tacgtagacc tttcggcatt aatggctact attgaagatg aagagttaga tccaaacgga
22471  gtattaacta cacgttcatt cagaagtaaa atgcgtaatg ctttagatgc taatgacaga ccattatttg
22541  atgctaacgg gaacgagatt atgggattac cactatctta tactggagcg gatgtatacg acaaaaagaa
22611  atcgttagca ctaatgggtg attgggatta cgcacgttac ggtatcttac aaggtattga gtatgcaatt
22681  tctgaagatg ccacgttaac gacgttacaa gcatcagatg cttctggcca accagtatca ttatttgaac
22751  gtgatatgtt cgctttacgt gcgacgatgc atattgcata catgaacgtt aaaccagaag cgttcgcaac
22821  gcttaaacca actgaatagg aggagatatg atggctaatc ctgcagaaga gattaaggta aaaaaagaca
22891  atatgactat tactgttaca aagaaggcat ttgactctta ttacagtctt gtcggttaca aagaggttaa
22961  atcacgtcgt actacgtctg ataagagcga gtgataaaaa tgactcttta tgaagatgtt aaacttttac
23031  tcaagaaaaa tggagtggaa gttaaaagtg atgaagaaga aatatttaag atggaagttg acggaatact
23101  agaagatgtt agggatataa caaacaatga ttttatgaaa gatggtcaag tcatttatcc ttactcaatc
23171  aaaaagtatg tcgcagatgt cctagagtat tatcaacgac ctgaagttaa aaagaattta aagtcaagaa
23241  gtatggggac agtgtcgtac acttataacg atggtgtccc tgattacatt agtggagtat taaacaggta
23311  taaacgagca aagtttcatc cgtttaaacc aataaggtag aggtgttgtt tgtgtttaac ccatacgacg
23381  aattccctca cactatttct attggaagta tcaaaaaagt aggagagtat ccaattatac aagagcgctt
23451  tgtaagcgat aaaacaatta aaggatttat ggatacgcct actacatctg aacaactaaa atttcatcaa
23521  atgtcacaag aatatgacag aaacctatat gtaccttatg acttgccaat atctaaaaac aatttatttg
23591  agtatgaggg tagaatcttt agtattgaag gtgattctgt agatcagggc ggacaacatg aaattaagtt
23661  actacgactt aagcaggtgc catatggcaa aagttaagta cggtgctgat agcatggttg ttgaattgga
23731  taagttcgat aagaaaatag aagagtgggt taaaaaaggt attgctaaaa caacgacgaa gatttacaac
23801  actgctgtag cattagctcc tgttgactta ggtttttag aagaaagtat tgactttaaa tatttcgatg
23871  gtgggttatc cagtgttata agtgtcggcg cagattatgc aatatacgtt gaatacggta ctggtatata
23941  tgctactggt cctggtggta gtcgtgctac aaagattccg tggagtttta aaggtgatga cggcgaatgg
24011  tacaccacat atggtcaagc gccacagcca ttttggaacc ctgcaattga cgcaggacgc aagacattcg
24081  agcagtattt ttcatagagg tggttaaata tgtgggtatc agttgagcct gaacttacaa atcaaatata
24151  taaaagatta atctcagacc ctaacattaa caaactagtt gatgataggg tttttgacgt tgttcaagat
24221  gacgctgttt acccatatat tgttgtgggt gaatcaaacg tcactaacaa cgaatctagc gcaacaatga
24291  gagaaacagt cggtattgtc atacatgtgt attcacagtt cgctacacaa tacgaggcta agctcatttt
24361  aagcgcgata ggttatgtgc ttaacagacc tatagaaata gataattacg agtttcaatt tagccgtatc
24431  gatagtcaag cagtattccc tgatatagac aggtttacta agcatggcac gatacggctt ttatttaagt
24501  acagacataa aaagaaaaac gaaggagtgt attaaatggc gcaaaaaaac tatttagcag ttgtacgtcc
24571  agctgaaact gacttagatc cagtagaatc tttattatta gctgacttac aagaaggtgg acatacgatt
24641  gaaaatgatt tagctgaaat agtacgaggc ggtaaaacgg actattctcc caatgcaatg tcagaatcat
24711  ttaaattaac aattggtaat gtgcctggag ataaaggaat tgaagcagtg aaacacgctg tacaaacagg
24781  tggacagttg cgtatatggc tttatgagcg taataaacgt gcagacggta aacatcacgg aatgtttggt
24851  tatgttgttc cagaatcatt tgaaatgtca tttgatgatg aaagtgacaa aatcgaacta tcattaaaag
24921  ttaaatggaa tacagcagaa ggtgctgaag ataacttgcc gaaagagtgg tttgaagctg caggtgcgcc
24991  tacagttgaa tacgaaaaat tcggcgaaaa agtcggaaca ttcgagaatc aaaagaaagc tagtgttgta
25061  tctgattcac acacggaaga ccattctatg taaactaata gatcaagggg gcgtaagctc cctatttttt
25131  tataaaaaaa ttgaaaagag gtatatattt tgactgaatt taatccaatt acaacattaa aaattaatga
25201  cggagaaaaa gattacgaag tagaagcaaa agtaacattt gcatttgacc gaaaagctga aaaattctca
25271  gaagatagcg aagatgggag aaaaggagca atgccaggat tcaatgttat ctttaacggt ttgctagaat
25341  ctagaaacaa agcgatttta caatttgggg aatgtgctac tgcttattta aaaaacccac caactcgaga
25411  acaattagaa aaagcaattg atgatttcat cactgaaaac gaggatactt tgccgttatt acaaggggct
25481  ttggacaaac ttaacaatag tggtttttc aagagggaga gtcgctcgta ctggatgaca ttgaacaaag
25551  caccgaatat ggccaaaagc gaggacaaag aaatgacgaa agcaggcata gaaatgatga aagagaatta
25621  caaggaaatc atgggcgcag aaccttacac gattactcaa aaataaggca actgacagct agatatttag
25691  gatatatccc tgaacatgaa ttgttagcac taacacctgc tgaatggcgt gattggctta ttggtggtca
```

```
25761  ggataggtac ctagatcaaa gacaattatt aattgaacaa gcgcaagcta acggcttagt acaagcttct
25831  aagaggctaa ctagtatgat tcgtgacatt gagaaacaac gttacgaaat aagagaacct ggtagctatg
25901  ctcgtgtaca aaaagctaga ttagaagaag aaaaaagaag acgtgaactc ttcaaagaag gtacaagaaa
25971  attccttgaa tcgaaaggag gttagccttt ggatactcat tttatggcaa agattatggc caatattaga
26041  gatttccaaa gcaacgtaag gaaagctcaa cgattagcaa agacgtctgt accaaacgaa attgaaacag
26111  atgtaaaagc agatatttca agattccaaa gagctttaca acgcgctaaa tcaatggctc aacgatggcg
26181  agagcattct gttaaattat tcatgaaaac agatgagtat aaagcgaatt tagaacgcgc taaagctcaa
26251  gtagagcgat ttaaacaaca taaagtagat ttgaaactaa gtaacactga attaatggcc aaatataatg
26321  caactaaagc tactgtcgaa gcttggagaa aacatgttgt taagttggat ttagatgcaa accccgctaa
26391  aatggcggtt aaagggttta aagaagattt aatagatctt agcaggcata gttttgatat tgattccagc
26461  agatggaaat taggaaataa attcacaaaa gaattcaatg aagtcgaagg agcagttaaa cgttctttcg
26531  gaagaattgg tcagattatg agaaaagaag taaatggaac aagtgatatt tggggtaaac ttaacaactc
26601  attgaaagat tacggcgaga aaatggacgc cttagctact aaaatccgaa ctttcggtac tatcttcgcg
26671  caacaggtca aaggcttaat gattgctagt atacaagcat tgataccagt gattgccgga ttagtacctg
26741  caataatggc agtacttaat gcggttggtg tattaggtgg tggcgtttta ggtttagttg gcgcattctc
26811  tgtcgcaggt cttggagttg ttggctttgg tgcaatggct attagcgctc ttaaaatggt tgaagatgga
26881  acattggcag taacaaaaga agttcaaaac tttagagatg cgagcgatca gttaaaaact acatggcgtg
26951  atattgttaa agagaatcaa gcaagtatct ttaatgcgat gtcagcaggt atcagaggcg ttacaagtgc
27021  gatgtctcaa ttaaaaccat tcttatccga agtatctatg ctagttgaag caaacgcacg cgagtttgag
27091  aattgggtta aacattccga aacagctaag aaagcgtttg aagcattgaa tagcataggt ggcgcaatct
27161  tcggagattt attgaacgct gcaggacgat ttggcgacgg attagttaac attttcactc aattaatgcc
27231  gttgttcaaa tttgtgtctc aaggactaca gaacatgtct atagctttcc aaaattgggc taatagtgta
27301  gctggtcaga atgctattaa agcgtttatt gactacacta ccactaactt acctaagatt ggtcagatat
27371  ttggtaatgt gttcgctggt attggtaatt taatgattgc ttttgcacaa aacagttcca acatttttga
27441  ttggttggtt aaattaactt ctcaatttag agcatggtca gaacaagtag gacaatcaca agggtttaaa
27511  gactttatca gttatgttca agagaatggt cctactatta tgcagttaat cggtaatatc gtaaaagcat
27581  tagttgcttt tggtactgca atggctccta tagctagtaa attgttagac tttatcacta atctagctgg
27651  atttatcgct aaactattcg aaacacaccc agctatagca caagttgctg gcgttatggg tattttaggc
27721  ggtgtatttt gggctttaat ggctccgatt gttgctataa gtagtgtact tacaaatgtg tttggtttga
27791  gcttattcag cgtcactgaa aagattttag acttcgttag aacatcaagt ttagttactg gagctacgga
27861  agcattaata ggtgcattcg gttcgatttc agcacctatt ttagcagttg ttgcagtaat tggtgcattc
27931  attggtgtcc tcgtttattt atggaaaaca aacgagaact ttagaaatac tattactgaa gcgtggaacg
28001  gtgttaaaac ggcagtttct ggtgcgattc aaggtgtagt cggctggtta actgaattgt ggggcaaaat
28071  ccaatctacc ttacaaccga taatgcctat attgcaagta ttaggacaaa tattcatgca agttttaggt
28141  gttttggtaa taggcatcat tacaaacgtt atgaatatca tacaaggttt gtggacttta attacaattg
28211  cgttccaagc cataggaaca gtgatatccg tagcagtcca aatcatagta ggtttgttca ctgctttaat
28281  tcagttgctt actggcgact tctcaggtgc ttgggagact attaaaacta cggttaccaa tgtgcttgat
28351  acgatttggc aatacatgca atcagtttgg gagtcaatta tcggcttttt aactggcgta atgaatcgaa
28421  cactttctat gtttggtaca agttggtcac agatatggag tacaatcact aattttgtta gcagtatttg
28491  gaacactgtt acaagttggt tcagtcgagt ggcttcgagt gtagctgaaa aaatggggca agcactaaac
28561  tttattatca caaaaggttc tgaatgggtt tctaacattt ggaatacagt tacaagtttc gcgagtaaag
28631  tagctgatgg gtttaaaaga gttgtctcaa atgtaggtga cggtatgagt gatgcacttg gtaagattaa
28701  aagtttcttc agtgatttct taaatgccgg agcggaatta atcggcaaag tagctgaggg tgtagccaaa
28771  tctgcgcaca aagtagtcag cgcggtaggc gatgcgattt catcagcttg ggactctgta acttcattcg
28841  taagtggaca cggtggaggt agtagcttag gtaaaggttt agcggtatca caagcaaaag taattgctac
28911  agactttggc agtgccttta ataaagagct atcctctact ttgacagata gtatagtaaa tcctgtaagt
28981  acttctatag acagacacat gactagcgat gttcaacata gcttaaaaga aaataataga cctattgtga
29051  atgtaacgat tagaaatgag ggcgaccttg atttaattaa atcacgcatt gatgacatga acgctataga
29121  cggaagtttc aacttattat aagggaggtt tgttagttga tagcgcacga tatagaagta ataaggaatg
29191  gttcacagta tcgcgtcagt gacaatcctt tcacttataa tcacttggaa gtagttgaat ataacgttac
29261  aggcgcagga tatcatcgta actattctga tatagagggt attgatggta gatttcataa ttacgctaaa
29331  gaagaactta aaaaagtaga gcttaagata aggtataaag tacctaaaat tgcttatgct tcacatttaa
29401  agtcagacgt ccaagcacta tttgctggac gtttttattt aagggaatta gctacaccag acaattcaat
29471  taagtatgag catatattag atataccaaa agacaaacaa gcatttgagc ttgattatgt tgatggacga
29541  caacttttg taggactagt aagtgaagtt tcttttgaca caacacaaac atcaggggaa ttttctttgt
29611  cgtttgaaac aaccgaacta ccatactttg aaagtgtcgg ttatagtact gatcttgaaa gtaataacga
29681  ccctgaaaaa tggtcggtac ctgatagatt gcctacaaac gaaggtgata agaggcgtca aatgacattt
29751  tacaacacta actcaggaga agtttattat aacggtgatg ttcctttaac acagtttaat cagtttaatg
29821  ttgttgaaat agagttagct gaagatgtta aagctaatga taaggatgga ttcactttct atacagataa
29891  aggaaatatc tcagttatta aggaagttga tttaaaagcc ggagataaaa taatcttcga cggtaaacat
29961  acctatagag gttatttaaa tatagattct tttaataaaa ctttagaaca accggtttta tatccaggct
30031  ggaatcgatt caagtctaat aaagtaatga aacaaattac atttagacac aaattatatt ttagataagg
30101  agtagcctat gccaatttta ttaaaaagtc tacagggtgt agggcacgct attaatgtta gtacaaaggt
30171  aagtaaaaag ctaaatgaag atagttcttt ggatctaact attatcgaga acgcgagtac gtttgacgca
30241  ataggtgcta taactaaaat gtggacgatc actcatgttg aaggtgaaga tgatttcaac gaatatgtaa
30311  ttgtcatact tgataagtct actattggcg aaaaaataag gcttgatatc aaagctaggc aaaaagaact
30381  tgatgacctt aacaattcta ggatttacca agagtataac gaaagtttta caggcgttga gttcttcaat
30451  actgtcttta aaggaacggg ttataagtat gtattacatc caaaagtaga tgcatctaaa ttcgagggat
30521  taggcaaagg agatacacga ttagaaatct ttaaaaaagg acttgagcgt tatcatctcg aatatgaata
30591  cgatgcaaag actaaaacgt ttcatttgta tgatgaatta tctaagtttg ccaattatta cattaaagct
30661  ggtgtgaatg ctgataacgt caaaatacaa gaagatgcat ctaaatgtta tacctttatt aaaggttatg
30731  gtgattttga tggacaacag acttttgcag aagcgggact acaaattgaa ttcactcatc cattagcaca
30801  attgataggt aaaagagaag cgccaccgct tgttgatgga cgtattaaaa aagaagatag tttaaaaaaa
30871  gcaatggagt tattgataaa gaaaagtgtc actgcttcta tttccttaga ctttgtagcg ttacgtgaac
30941  atttcccaga agctaaccct aaaataggtg atgttgttag agtggtggat tctgccatag gatataacga
```

```
31011  cttagtgaga atagtcgaaa tcactacaca tagagatgcg tacaataata tcactaagca agatgtagta
31081  ttaggagact ttacaaggcg taatcgttat aacaaagcag ttcatgatgc tgcaaattat gttaaaagcg
31151  taaaatctac aaaatccgac ccatctaaag aactaaaagc attaaacgca aaagttaacg caagtttatc
31221  tataaataat gaattggtta agcagaatga aaaaataaac gctaaagtcg ataagatgaa tactaaaaca
31291  gttacaactg ctaatggtac gatcatgtac gactttacta gtcaatcaag tataagaaac atcaaatcaa
31361  ttggaacgat tggcgactct gtagctagag ggtcgcacgc aaaaactaat ttcacagaaa tgttaggcaa
31431  gaaattgaaa gctaaaacga ctaatcttgc aagaggtggc gcaacaatgg caacagttcc aataggtaaa
31501  gaagcggtag aaaacagcat ttatagacaa gcagagcaaa taagaggaga cctaatcata ttacaaggca
31571  ctgatgatga ctggttacac ggttattggg caggcgtacc gataggcact gataaaacgg atacaaaaac
31641  gttttacggt gccttttgtt ctgcaattga agttattaga aagaataatc cagattcaaa aatactagtg
31711  atgacagcta caagacaatg ccctatgagt ggtacaacaa tacgccgtaa agacacggac aaaaacaaac
31781  tagggttaac acttgaggac tatgtaaacg ctcaaatatt agcttgtagt gagttagatg taccagtgtt
31851  tgacgcatat cacacagatt actttaagcc atacaatcca gcttttagga aagcgagcat ggaggacggc
31921  ttacacccta acgaaaaagg tcacgaggtt attatgtacg agttaatcaa ggattattac agtttttacg
31991  actaaaggag gcaaccaatg gcttacggat taattacaag tttacattca atgacaggtc ggaaaatagt
32061  tgctcaacat gagtataact atcgcttgtt agatgaaggt atgagcaaac ttgagaaaat gtttatatac
32131  catcaaaaag aagaaatata cgcacactca gcgaaacaaa ttaaatactt gaatgacagt gttgaagatt
32201  atttaacgta tttaaatagc cgttttagca atatgattct aggccataac ggcgacggta tcaatgaagt
32271  aaaagacgcg cgtattgata atacaggtta tggtcataag acattgcaag atcgtttgta tcatgattat
32341  tcaacactag atgctttcac taaaaaggtt gagaaagctg tagatgaaca ctataaagaa tatcgagcga
32411  cagaataccg attcgaacca aaagagcaag aaccggaatt tatcactgat ttatcgccat atacaaatgc
32481  agtaatgcaa tcattttggg tagaccctag aacgaaaatt atttatatga cgcaagctcg tccaggtaat
32551  cattacatgt tatctagatt gaagcccaac ggacaattta ttgatagatt gcttgttaaa aacggcggtc
32621  acggtacaca caatgcgtat agatacattg atggagaatt atggatttat tcagctgtat tggacagtaa
32691  caaaaacaac aagtttgtac gtttccaata tagaactgga gaaataactt atggtaatga aatgcaagat
32761  gtcatgccga atatatttaa cgacagatat acgtcagcga tttataatcc tatagaaaat ttaatgattt
32831  tcagacgtga atataaagct tctgaaagac aagctaagaa ttcattgaat ttcattgaag taagaagtgc
32901  tgacgatatt gataaaggta tagacaaagt attgtatcaa atggatatac ctatggaata cacttcagat
32971  acacaaccta tgcaaggtat cacttatgat gcaggtatct tatattggta tacaggtgat tcgaatacag
33041  ccaaccctaa ctacttacaa ggtttcgata taaaaacaaa agaattgtta tttaaacgac gtatcgatat
33111  tggcggtgtg aataataact ttaaaggaga cttccaagaa gctgagggtc tagatatgta ttacgatcta
33181  gaaacaggac gtaaagcact tttaataggg gtaactattg gacctggtaa taacagacat cactcaattt
33251  attctatcgg ccaaagaggt gttaaccaat tcttaaaaaa cattgcacct caagtatcga tgactgattc
33321  aggtggacgt gttaaaccgt taccaataca gaacccagca tatctaagtg atattacgga agttggtcat
33391  tactatatct atacgcaaga cacacaaaat gcattagatt tcccgttacc gaaagcgttt agagatgcag
33461  ggtggttctt ggatgtactg cctggacact ataatggtgc tctaagacaa gtacttacca gaaacagcac
33531  aggtagaaat atgcttaaat tcgaacgtgt cattgacatt ttcaataaga aaaacaacgg agcatggaat
33601  ttctgtccgc aaaacgccgg ttattgggaa catatcccta agagtattac aaaattatca gatttaaaaa
33671  tcgttggttt agatttctat atcactactg aagaatcaaa acgatttact gattttccta aagactttaa
33741  aggtattgca ggttggatat tagaagtaaa atcgaataca ccaggtaaca caacacaagt attaagacgt
33811  aataacttcc cgtctgcaca tcaattttta gttagaaact ttggtactgg tggcgttggt aaatggagtt
33881  tattcgaagg aaaggtggtt gaataatgat agtagataat ttttcgaaag acgataactt aatcgagtta
33951  caaacaacat cacaatataa tccaattatt gacacaaaca tcagtttcta tgaatcagat agaggaactg
34021  gtgttttaaa ttttgcagta actaagaata acagaccgtt atctataagt tctgaacatg ttaaaacatc
34091  tatcgtgtta aaaaccgatg attataacgt agatagaggc gcttatattt cagacgaatt aacgatagta
34161  gacgcaatta atgggcgttt gcagtatgtg ataccgaatg aatttttaaa acattcaggc aaggtgcatg
34231  ctcaggcatt ctttacacaa aacgggagta ataatgttgt tgttgaacgt caatttagct tcaatattga
34301  aaatgattta gttagtgggt ttgatggtat aacaaagctt gtttatatca aatctattca agatactatc
34371  gaagcagtcg gtaaagactt taaccaatta aagcaagata tggatgatac acaaacgtta atagcaaaag
34441  tgaatgatag tgcgacaaaa ggcattcaac aaatcgaaat caagcaaaac gaagctatac aagctattac
34511  tgcgacgcaa actagtgcaa cacaagctgt tacagctgaa gtcgataaaa tagttgaaaa agagcaagcg
34581  atttttgaac gtgttaacga agttgaacaa caaatcaatg gcgctgacct tgttaaaggt aattcaacaa
34651  caaattggca aaagtctaaa cttacagatg attacggtaa agcaattgaa tcgtatgagc agtccataga
34721  tagcgtttta agcgcagtta acacatctag gattattcat attactaatg caacagatgc gccagaaaag
34791  acggatatag gcacgttaga gaagcctgga caagatggtg ttgatgacgg ttcttcgttc gatgaatcaa
34861  cttatacatc aagcaaatct ggtgtgttag ttgtttatgt tgttgataat aatactgctc gtgcaacatg
34931  gtacccagac gattcaaacg atgagtacac aaaatacaaa atctacggca catggtaccc gttttataaa
35001  aagaatgatg gaaacttaac taagcaattt gttgaagaaa cgtctaacaa cgctttaaat caagctaagc
35071  agtatgtaga tgataaattc ggaacaacga gctggcaaca acataagatg acagaggcga atggtcaatc
35141  aattcaagtt aacttaaata atgcgcaagg cgatttggga tatttaactg ctggtaatta ctatgcaaca
35211  agagtgccgg atttaccagg tagtgttgaa agttatgagg gttatttatc ggtattcgtt aaagacgata
35281  caaacaagct atttaacttc acgccttata actctaaaaa gatttacaca cgatcaatca caaacggcag
35351  acttgagcaa cagtggacag ttcctaatga acataagtca acggtattgt tcgacggtgg agcaaatggt
35421  gtaggtacaa caatcaatct aaccgaacca tacacaaact attctatttt attagtaagt ggaacttatc
35491  caggtggcgt tattgaggga ttcggactaa ccacattacc taatgcaatt caattaagta aagcgaatgt
35561  agttgactca gacggtaacg gtggcggtat ttatgagtgt ttactatcca aaacaagtag cactacttta
35631  agaatcgata acgatgtgta ctttgattta ggtaaaacat caggttctgg agcgaatgcc aacaaagtta
35701  ctataactaa aattatgggg tggaaataat gaaaatcaca gtaaatgata aaaatgaagt tatcggatac
35771  gttaatactg gcggtttacg caatagttta gatgtagacg ataacaatgt gtctatcaaa ttcaaagaag
35841  agttcgaacc tagaaagttc gttttcacta acggcgaaat taaatacaat agcaatttcg aaaaagaaga
35911  cgtaccgaat gcatcaaacc aacaaagtgc gtcagattta agtgatgagg aacttcgcgg aatggttgca
35981  agtatgcaaa tgcagatgac gcaagtgaac atgttgacaa tgcaattgac gcaacaaaac gctatgttaa
36051  cacaacagtt gaccgaactg aaaactaaca aaacaaatac tgaggggggac gtttaaatga tgaagatgat
36121  ttatccaact tttaaagaca ttaaaacttt ttatgtgtgg ggttgctata aaaatgagca aattaagtgg
36191  tacgtagaca tgggtgtaat cgacaaagaa gaatatgcat tgatcactgg tgaaaaatat ccagaggcaa
```

```
36261  aagatgaaaa gtcacaggtg taatgcttga ggctttttaa tttaacacaa agtaggtggc gtaatgtttg
36331  gatttaccaa acggcacgaa catgaatggc gaattagaag attagaagag aatgataaaa caatgcttag
36401  cactctcaat gagattaaat taggtcaaaa aactcaagag caagttaaca ttaaattaga taaaacttta
36471  gatgctatcc agagggaaag acagatagac gaaaaaaata agaaagaaaa cgacaaaaat atacgcgata
36541  tgaaaatgtg gattctcggt ttgataggga ctatcttcag tacgattgtc atagctttac taagaactat
36611  ttttggtatt taaaggaggt gattaccatg cttaaaggga ttttaggata tagcttctgg gcgtgcttct
36681  ggtttggtaa atgtaaataa cagttaagag tcagtgcttc ggcactggct ttttattttg attgaaatga
36751  ggtgcataca tgggattacc taacccaaag actagaaagc ctacagctag tgaagtggtg gagtgggcaa
36821  agtcgaatat tggtaagagg attaatatag ataattatcg gggcagtcaa tgttgggata cacctaactt
36891  tatttttaaa agatattggg gttttgtaac atggggcaat gctaaggata tggctaatta cagatatcct
36961  aagggtttcc gattctatcg ttattcatct ggatttgtac cggaacctgg agacatcgca gtttggcacc
37031  ctggcaacgg aataggttcg gacggacaca ccgcaatagt agtaggacca tctaataaaa gttatttta
37101  tagcgttgac caaaactggg ttaattctaa tagttggaca ggttctccag gaagattagt aagacaccct
37171  tatgtaagtg ttacaggctt tgttaggcct ccatactcaa aagatactag caaacctagt agtactgata
37241  caagttcagc atcaaaagcc aatgactcaa caattactgg cgaagcgaag aaaccgcaat ttaaagaagt
37311  taaaacagta aaatacactg cttacagcaa tgttttagat aaagaagagc acttcattga tcatatagtt
37381  gtaatgggtg atgaacgctc agatattcaa ggattatata taaaagaatc aatgcatatg cgttctgtag
37451  acgaactgta tacgcaaaga aataagttta taagcgatta tgaaataccg catttatatg tcgatagaga
37521  ggctacatgg cttgctagac caaccaattt tgatgacccg cgtcacccta attggctagt tattgaagta
37591  tgtggtggtc aaacagatag caaacgacaa ttcttattga atcaaataca agcgttaata cgtggtgttt
37661  ggttattgtc agggattgat aaaaacttat ctgaaacgac gttaaaggta gaccctaata tttggcgtag
37731  tatgaaagat ttaattaatt acgacttgat taagcaaggt ataccggata acgcaaagta tgagcaagtt
37801  aaaaagaaaa tgcttgagac atacattaaa cgagatatat tgacacgaga aaatataaaa gaagtaacga
37871  caaaaacaac aataagaatt agtgataaaa catcagttga cagtgcgtcc acacgaggcc ctactccatc
37941  agacgaaaaa ccaagcatcg ttactgaaac aagtccattc acattccagc aagcactgga tagacaaatg
38011  tctaggggta acccgaaaaa atctcataca tggggctggg ctaatgcaac acgagcacaa acgagctcgg
38081  caatgaatgt taagcgaata tgggaaagta acacgcaatg ctatcaaatg cttaatttag gcaagtatca
38151  aggcatttca gttagtgcgc ttaacaaaat acttaaagga aaaggaacgc tcgacggaca aggcaaagca
38221  ttcgcggaag cttgtaagaa aaacaacatt aacgaaattt atttgatcgc gcacgctttc ttagaaagtg
38291  gatacggaac aagtaacttc gctagtggta gatacggtgc atataattac ttcggtattg gtgcattcga
38361  caacgaccct gattatgcaa tgacgtttgc taaaaataaa ggttggacat ctccagcaaa agcaatcatg
38431  ggcggtgcta gcttcgtaag aaaggattac atcaataaag gtcaaaacac attgtaccga attagatgga
38501  atcctaagaa tccagctacc caccaatacg ctactgctat agagtggtgc caacatcaag caagtacaat
38571  cgctaagtta tataaacaaa tcggcttaaa aggtatctac ttcacaaggg ataaatataa ataaagaggt
38641  gtgtaaatgt acaaaataaa agatgttgaa acgagaataa aaaatgatgg tgttgactta ggtgacattg
38711  gctgtcgatt ttacactgaa gatgaaaata cagcatctat aagaataggt atcaatgaca aacaaggtcg
38781  tatcgatcta aaagcacatg gcttaacacc tagattacat ttgtttatgg aagatggctc tatattcaaa
38851  aatgagcccc ttattatcga cgatgttgta aaagggttcc ttacctacaa aatacctaaa aaggttatca
38921  aacacgctgg ttatgttcgc tgtaagctgt ttttagagaa agaagaagaa aaaatacatg tcgcaaactt
38991  ttctttcaat atcgttgata gtggtattga atctgctgta gcaaaagaaa tcgatgttaa attggtagat
39061  gatgctatta cgagaatttt aaaagataac gcgacagatt tattgagcaa agactttaaa gagaaaatag
39131  ataaagatgt catttcttac atcgaaaaga atgaaagtag atttaaaggt gcgaaaggtg ataaaggcga
39201  accgggacaa cctggtgcga aaggtgatac aggtaaaaaa ggagaacaag gcgcacccgg taaaaacggt
39271  actgtagtat caatcaatcc tgacactaaa atgtggcaaa ttgatggtaa agatacagat atcaaagcag
39341  aacctgagtt attggacaaa atcaatatcg caaatgttga agggttagaa gataaattgc aagaagttaa
39411  aaaaatcaaa gatacaactc tcaacgactc taaaacgtat acggattcaa aaattgctga actagttgat
39481  agcgcgcctg aatctatgaa tacattaaga gaattagcag aagcaataca aaacaactct atttcagaaa
39551  gtgtattgca acagattggc tcaaaagtta gtacagaaga ttttgaggaa ttcaaacaaa cactaaacga
39621  tttatatgct ccaaaaaatc ataatcatga tgagcggtat gttttgtcat ctcaagcttt tactaaacaa
39691  caagcggata atttatatca actaaaaagc gcatctcaac cgacggttaa aatttggaca ggaacagaaa
39761  atgaatataa ctatatatat caaaaagacc ctaatacact ttacttaatt aaggggtgat ttttatggaa
39831  ggtaatttta aaaatgtaaa gaagtttatt tacgaaggtg aagaatatac aaaagtatat gctggaaata
39901  tccaagtatg gaaaaagcct tcatcttttg taataaaacc cttacctaaa aataaatatc cggatagcat
39971  agaagaatca acagcaaaat ggacaataaa tggagttgaa cctaataaaa gttatcaggt gacaatagaa
40041  aatgtacgta gcggtataat gagggtttcg caaactaatt taggttcaag tgatttagga atatcaggag
40111  tcaatagcgg agttgcaagt aaaaatatca actttagtaa tccttcaggg atgttgtatg tcactataag
40181  tgatgtttat tcaggatctc caacattgac cattgaataa ttttaaacga ctaatttttt agtcgttttt
40251  tattttggat aaaaggagca aacaaatgga tgcaaaagta ataacaagat acatcgtatt gatcttagca
40321  ttagtaaatc aattcttagc gaacaaaggt attagcccga ttccagtaga cgatgagact atatcatcaa
40391  taatacttac tgttgttgct ttatatacta cgtataaaga caatccaaca tctcaagaag gtaaatgggc
40461  aaatcaaaag ctaaagaaat ataaagctga aaacaagtat agaaaagcaa cagggcaagc gccaattaaa
40531  gaagtaatga cacctacgaa tatgaacgac acaaatgatt tagggtaggt gttgaccaat gttgataaca
40601  aaaaaccaag cagaaaaatg gtttgataat tcattaggga agcagttcaa tcctgatttg ttttatggat
40671  ttcagtgtta cgattacgca aatatgtttt ttatgatagc aacaggcgaa aggttacaag gtttatacgc
40741  ttataatatt ccatttgata ataaagcaag gattgaaaaa tacgggcaaa taattaaaaa ctatgatagc
40811  tttttaccgc aaaagttgga tattgtcgtt ttcccgtcaa agtatggtgg cggagctgga catgttgaaa
40881  ttgttgagag cgcaaattta aacactttca catcatatgg gcaaaattgg aatggtaaag gttggacaaa
40951  tggcgttgcg caacctggtt ggggtcctga aactgttaca agacatgttc attattacga tgacccaatg
41021  tattttatta gattaaattt cccagataaa gtaagtgttg gagataaagc taaaagcgtt attaagcaag
41091  caactgccaa aaagcaagca gtaattaaac ctaaaaaaat tatgcttgta gccggtcatg gttataacga
41161  tcctggagca gtaggaaacg gaacaaacga acgcgatttt atccgtaaat atataacgcc aaatatcgct
41231  aagtatttaa gacatgcagg tcatgaagtt gcattatatg gtggctcaag tcaatcacaa gacatgtatc
41301  aagatactgc atacggtgtt aatgtaggaa ataataaaga ttatggatta tattgggtta aatcacaggg
41371  gtatgacatt gttctagaga ttcatttaga cgcagcagga gaaaatgcaa gtggtgggca tgttattatc
41441  tcaagtcaat tcaatgcgga tactattgat aaaagtatac aagatgttat taaaaataac ttaggacaaa
```

```
41511  taagaggtgt aacacctcgt aatgatttac tgaacgttaa tgtatcagca gaaataaata tcaattatcg
41581  tttatctgaa ttaggtttta ttactaataa aaaagatatg gattggatta agaagaatta tgacttgtat
41651  tctaaattaa tagctggtgc gattcatggt aagcctatag gtggtttggt agctggtaat gttaaaacat
41721  cagctaaaaa ccaaaaaaat ccaccagtgc cagcaggtta tacacttgat aagaataatg tgccttataa
41791  aaaagagact ggtaattaca cagttgccaa tgttaaaggt aataacgtaa gggacggcta ttcaactaat
41861  tcaagaatta caggtgtatt acctaataac gcaacaatca aatatgacgg cgcatattgc atcaatgggt
41931  atagatggat tacttatatt gctaatagtg gacaacgtcg ctatattgcg acaggagagg tagataaagc
42001  aggtaatagg ataagtagtt ttggtaagtt tagcacgatt tagtatttac ttagaataaa aattttgcta
42071  cattaattat agggaatctt acagttatta aataactatt tggatggatg ttaatattcc tatacacttt
42141  ttaacattac tctcaagatt taaatgtaga taacaggcag gtactacggt acttgcctat ttttttgtta
42211  taatgtaatt acattaccag taaccaatct ggcttaaaac cacatttccg gtagccaatc cggctatgca
42281  gaggacttac ttgcgtaaag tagtaagaag ctgactgcat atttaaacca cccatactag ttgctgggtg
42351  gttgtttttt atgttatatt ataaatgatc aaaccacacc acctattaat ttaggagtgt ggttattttt
42421  tatgcaaaaa aaacgaaaaa aagttcataa aaagtattgc atatcacgtt taaccgtgtt ataataaggt
42491  ataccagttg agaggaggat aaaaagtgtt agaaaatttt aaaactatag cagaaatcgc cttttataca
42561  atgtcagcaa ttgccatagc gaaaacattg aaaaaagacg ataagtaagt agacaagccc gaaagggctg
42631  tctatatata aattctaaca ctaaaatact atgaaaacaa tttacattat tttaatcatt cttatttgga
42701  taaacgtgtt tttaggcaac gatataagta aaagtgttgt tgcactgctt actactttac tgcttatcaa
42771  tttatggaag agggataaaa atgacagcaa taaaagaaat aattgaatca atagaaaagt tattcgaaaa
42841  agaaacggga tataaaattg ctaaaaattc cggattacca tatcaaactg tgcaagattt aagaaatgga
42911  aaaacatctt tatcagatgc cagatttaga acgataataa agttatacga gtatcaaaga tcgcttgaaa
42981  acgaagaaga taaataaaag gagccaaaaa tatgtttgtt acaaaagaag aatttaaaac tttgaatgta
43051  aaagaagtat ttgaatcagg taaaaacttt ataaaaatta cagatggaag acatgcaata tattgggtaa
43121  atgatagata cgtagtactt gaccataaaa aaggcgattt gtacccgcaa aaagcatacc caaaatatat
43191  caaaagaaaa ttagtaagtt aaataattag aaaaccacgt cttaattgac gtggttattt tttaggtttg
43261  cgcgtgtcaa atacgtgtca atttagttct atttctttag ttttctttct aaacttaatt gcttgtaaac
43331  cgcatagtta taggcttttc agctatatac caagataaga tttatcccgc cgtctccata aaaatatgct
43401  tggaaacctt gatttaatgg ggttttaatc tagcaagtgt caaatatgtg tcaagaaaat aattttctga
43471  cacgttgacc ttgctctttt ttatgttcat caagtaagtg agagtaggtg tctaaagtta tagatatatt
43541  ataatggcct aatcttttgc taatatattc aatagg
```

Table 10

Bacteriophage 96 ORFs list

SID	LAN	FRA	POS	a.a.	RBS sequence	STA	STO
100733	96ORF001	1	25999..29142	1047	ccttgaatcgaaaggaggttagcct	ttg	taa
100734	96ORF002	1	32008..33906	632	tttttacgactaaaggaggcaacca	atg	taa
100735	96ORF003	1	30109..31995	628	ttatattttagataaggagtagcct	atg	taa
100736	96ORF004	1	36760..38634	624	attttgattgaaatgaggtgcatac	atg	taa
100737	96ORF005	3	33903..35729	608	gtttattcgaaggaaaggtggttga	ata	taa
100738	96ORF006	2	40589..42043	484	aatgatttagggtaggtgttgacca	atg	tag
100739	96ORF007	1	18652..20091	479	tatacacacatactaaacctgaacg	att	tga
100740	96ORF008	2	8960..10201	413	tggcagaatttgggggcgataacga	atg	tga
100741	96ORF009	2	17447..18670	407	gacgcaataacggaagtgatcgtca	atg	tga
100742	96ORF010	1	38647..39819	390	taaatataaataaagaggtgtgtaa	atg	tga
100743	96ORF011	-1	119..1195	358	gtagctcgcctacccttattatttt	ttg	tga
100744	96ORF012	2	20045..21013	322	tttaatgacaaattacctgacatag	atg	tga
100745	96ORF013	3	29157..30098	313	acttattataagggaggtttgttag	ttg	taa
100746	96ORF014	1	21925..22839	304	agaaaataaagtgaggtaataaaat	atg	tag
100747	96ORF015	1	5812..6591	259	atacacggtaaaggtgggagaatag	atg	taa
100748	96ORF016	1	7852..8607	251	aataaaatgttgaaaggagagaaaa	atg	taa
100749	96ORF017	3	3444..4190	248	aaatttaacattaatatcactttaa	gtg	taa
100750	96ORF018	-3	28281..29000	239	taagctatgttgaacatcgctagtc	atg	tga
100751	96ORF019	3	7188..7859	223	tttaccgttctaggacgtggtttaa	atg	taa
100752	96ORF020	3	21324..21908	194	gaagggcaaaaaggagttttgatat	atg	taa
100753	96ORF021	3	6612..7175	187	attaaaaattaattaaaaggacggt	ata	tag
100754	96ORF022	2	24536..25093	185	aaagaaaaacgaaggagtgtattaa	atg	taa
100755	96ORF023	1	5275..5811	178	catgaaatggtaggaggtatgaaaa	gtg	tag
100756	96ORF024	3	14481..15014	177	taaaacgataggagataacgaataa	atg	taa
100757	96ORF025	2	25157..25666	169	ataaaaaaattgaaaagaggtatat	att	taa
100758	96ORF026	-3	15084..15590	168	tcattcttaacatagcccttaattc	atg	tga
100759	96ORF027	-1	1229..1732	167	aatagcaaataaaggagtgtaaaac	atg	taa
100760	96ORF028	1	16960..17454	164	aaggcgtgtgatacagtgaaaacaa	ttg	taa
100761	96ORF029	-1	1736..2227	163	tatgagaaaaggagtcatataaaag	atg	taa
100762	96ORF030	1	25531..25995	154	ttttcaagagggagagtcgctcgta	ctg	tag
100763	96ORF031	2	23633..24097	154	tttagtattgaaggtgattctgtag	atc	tag
100764	96ORF032	-2	2248..2706	152	ataagacaccaaaggggtttggcgc	atg	tga
100765	96ORF033	-3	39147..39605	152	agcatataaatcgtttagtgtttgt	ttg	taa
100766	96ORF034	2	13181..13615	144	tagaagtcgaaaaagtggaggcaat	ata	taa
100767	96ORF035	2	10628..11053	141	gagctaggattgcaagcaacgatat	ttg	tga
100768	96ORF036	2	24110..24535	141	gtatttttcatagaggtggttaaat	atg	taa
100769	96ORF037	1	12583..12996	137	atgaggaacagaagcaaccaacttt	att	tga
100770	96ORF038	1	15628..16032	134	atgttaagaatgatgcctagtttaa	ttg	taa
100771	96ORF039	3	39816..40220	134	ctaatacactttacttaattaaggg	gtg	taa
100772	96ORF040	-3	27528..27932	134	tttccataaataaacgaggacacca	atg	tga
100773	96ORF041	3	16206..16607	133	gatgagggcggaggtgtcagagtag	atg	tga
100774	96ORF042	2	35720..36106	128	aagttactataactaaaattatggg	gtg	taa
100775	96ORF043	-2	35713..36081	122	ttaaacgtccccctcagtatttgtt	ttg	taa
100776	96ORF044	-2	9460..9828	122	agtatccatcagttgaagataatct	ata	taa
100777	96ORF045	-3	5139..5504	121	ttctttttgtattctgtaatattca	att	tga
100778	96ORF046	2	11513..11872	119	aagtaaatgtatagaggtggaataa	atg	taa
100779	96ORF047	2	22991..23350	119	gtcgtactacgtctgataagagcga	gtg	tag
100780	96ORF048	3	8607..8963	118	tggaaaaagaattgagtgatgacta	atg	tga
100781	96ORF049	1	23353..23697	114	atccgtttaaaccaataaggtagag	gtg	taa
100782	96ORF050	-2	2728..3072	114	tggtaaattagtattacattaagta	ata	taa
100783	96ORF051	3	4692..5021	109	tcaaaatatacggaggtagtcaact	atg	tga
100784	96ORF052	-1	20882..21211	109	gtagcaaagagacaactaaaaaagt	gtg	taa
100785	96ORF053	1	40252..40578	108	acgactaatttttagtcgttttt	att	tag
100786	96ORF054	1	4942..5262	106	aatataaaactaaaaaacaaaattt	atg	tag
100787	96ORF055	-2	4840..5151	103	ccgtcgcaatatatagttcgcttaa	atc	taa
100788	96ORF056	3	36324..36623	99	aatttaacacaaagtaggtggcgta	atg	taa
100789	96ORF057	2	1394..1690	98	cttcagtggctcttttagcatttaa	ata	taa
100790	96ORF058	-3	26247..26537	96	tacttcttttctcataatctgacca	att	tga
100791	96ORF059	-1	21485..21772	95	agactcaacgccttttgaacatac	ttg	tga
100792	96ORF060	-3	22647..22931	94	cctctttgtaaccgacaagactgta	ata	taa
100793	96ORF061	1	14023..14304	93	ttatctaattaaggggacgagtga	gtg	taa

100794	96ORF062	-2	38281..38559	92	tatataacttagcgattgtacttgc	ttg	taa
100795	96ORF063	-3	30786..31064	92	gtctcctaatactacatcttgctta	gtg	tga
100796	96ORF064	-2	30205..30480	91	atgcatctacttttggatgtaatac	ata	tag
100797	96ORF065	1	2617..2886	89	aaggtctaataaaaatttctccttc	ttg	taa
100798	96ORF066	3	28056..28325	89	aaggtgtagtcggctggttaactga	att	taa
100799	96ORF067	-3	17142..17411	89	ttccgttattgcgtcgtgaagttgt	ttg	tga
100800	96ORF068	2	12326..12589	87	aatgcatgtcgtttggtctgcctaa	ttg	tag
100801	96ORF069	2	42734..42997	87	tttttaggcaacgatataagtaaaa	gtg	taa
100802	96ORF070	1	11869..12129	86	aaatgttcaagaaatggagtgaagc	ata	taa
100803	96ORF071	3	15396..15656	86	aacaagctatacaaattatcgataa	att	taa
100804	96ORF072	-3	37749..38009	86	agatttttcgggttacccctagac	att	taa
100805	96ORF073	3	11244..11501	85	acatgcatatatagaggtggaataa	atg	tag
100806	96ORF074	-3	42936..43193	85	aattatttaacttactaattttctt	ttg	taa
100807	96ORF075	-3	26610..26867	85	tactgccaatgttccatcttcaacc	att	taa
100808	96ORF076	-1	11126..11380	84	tttatctaatacatttaagttaacc	atc	taa
100809	96ORF077	-2	16537..16791	84	tacccaccatataggcaggtagtag	gtg	tag
100810	96ORF078	-3	19521..19775	84	aataactttgaattgatacctcaac	ata	tga
100811	96ORF079	3	13608..13859	83	ttagggcaaatggaggcagacacaa	atg	tag
100812	96ORF080	-3	28029..28280	83	tgagaagtcgccagtaagcaactga	att	tga
100813	96ORF081	3	20973..21221	82	aatgaagttatcccattcatgactt	atc	tag
100814	96ORF082	-1	8729..8974	81	cgattattgtgctttcaatttcaaa	ttg	tga
100815	96ORF083	-3	3147..3392	81	tttagcctttatataatcaacttct	gtg	tga
100816	96ORF084	3	1611..1853	80	tgctttatctttagtttctttcttt	ttg	tga
100817	96ORF085	-2	29470..29709	79	ctcttatcaccttcgtttgtaggca	atc	taa
100818	96ORF086	1	35188..35424	78	gcgcaaggcgatttgggatatttaa	ctg	tag
100819	96ORF087	-2	13039..13275	78	ttttgattgagctctaaagtgtctt	att	tag
100820	96ORF088	3	24930..25163	77	gaactatcattaaaagttaaatgga	ata	tga
100821	96ORF089	-3	22329..22562	77	tccagtataagatagtggtaatccc	ata	taa
100822	96ORF090	-3	16803..17036	77	acctttagtcgaataccctgcgtca	ata	tag
100823	96ORF091	-1	22559..22789	76	aacgcttctggtttaacgttcatgt	atg	taa
100824	96ORF092	3	18360..18587	75	attgcaaaagatattgtaagtagat	atg	taa
100825	96ORF093	-2	25384..25608	74	catgatttccttgtaattctctttc	atc	taa
100826	96ORF094	1	10417..10638	73	aacacacattaaggagtgttaaaaa	atg	tag
100827	96ORF095	3	12963..13184	73	tactaaacgaagataaaactatgac	att	taa
100828	96ORF096	1	42994..43212	72	gatcgcttgaaaacgaagaagataa	ata	taa
100829	96ORF097	-1	36047..36265	72	tcaagcattacacctgtgacttttc	atc	taa
100830	96ORF098	-2	36766..36984	72	caggttccggtacaaatccagatga	ata	taa
100831	96ORF099	-2	34765..34983	72	tcattctttttataaaacgggtacc	atg	tag
100832	96ORF100	1	10198..10413	71	acaagaagactcagaggtttttcac	atg	taa
100833	96ORF101	1	15208..15423	71	gagaaacaagttaagataaggagag	atg	tga
100834	96ORF102	3	4209..4424	71	attttaaaacgaaatataggagagg	ctg	tag
100835	96ORF103	3	11673..11888	71	catgcaccttatggtatgcgcttag	ctg	taa
100836	96ORF104	3	12117..12332	71	tttacgtccaaagagcttttgactt	gtg	taa
100837	96ORF105	3	23892..24107	71	gatggtgggttatccagtgttataa	gtg	taa
100838	96ORF106	-3	34428..34643	71	tagacttttgccaatttgttgttga	att	taa
100839	96ORF107	-3	24495..24710	71	ggcacattaccaattgttaatttaa	atg	taa
100840	96ORF108	-1	23876..24088	70	acatatttaaccacctctatgaaaa	ata	taa
100841	96ORF109	-2	17317..17529	70	acctgtacgctttgctccgtgatta	att	taa
100842	96ORF110	-3	38931..39143	70	actttcattcttttcgatgtaagaa	atg	taa
100843	96ORF111	-3	21855..22067	70	agtaaatttttttcttttgtgctgtc	att	tga
100844	96ORF112	1	3217..3426	69	aaatgtcaacgggaggtgatacgaa	atg	taa
100845	96ORF113	-1	25469..25678	69	tcagggatatatcctaaatatctag	ctg	taa
100846	96ORF114	-2	9838..10047	69	ataataatcatcacggtaaagtagc	atc	tga
100847	96ORF115	1	13819..14022	67	gcagtaggggttatggcaggtcaag	ttg	tga
100848	96ORF116	-1	41033..41236	67	caacttcatgacctgcatgtcttaa	ata	taa
100849	96ORF117	-3	24711..24914	67	tctgctgtattccatttaactttta	atg	taa
100850	96ORF118	-1	12374..12574	66	tccatctcctctaaaataaagttgg	ttg	taa
100851	96ORF119	-1	3980..4180	66	ctcctatatttcgttttaaaatttc	att	tga
100852	96ORF120	-3	6033..6233	66	ttgtaatttagaaatataacgataa	ata	taa
100853	96ORF121	-2	37939..38136	65	ctgaaatgccttgatacttgcctaa	att	tga
100854	96ORF122	2	37892..38086	64	acgacaaaaacaacaataagaatta	gtg	tga
100855	96ORF123	-3	29193..29387	64	ggacgtctgactttaaatgtgaagc	ata	tga
100856	96ORF124	1	4408..4599	63	tttatcggtaccaatttaatgatta	atg	taa
100857	96ORF125	-1	7787..7978	63	ttaaaaatccaagttttgccatcgt	att	tga
100858	96ORF126	-3	27027..27218	63	aaatttgaacaacggcattaattga	gtg	tga
100859	96ORF127	3	15051..15239	62	atcgagtcaaggaggttttggggaa	gtg	tga
100860	96ORF128	-1	6914..7102	62	agcgaatgggtttgattgttgactc	ata	tga
100861	96ORF129	-3	31332..31520	62	tcttatttgctctgcttgtctataa	atg	tga
100862	96ORF130	-3	30084..30272	62	gaaatcatcttcaccttcaacatga	gtg	taa
100863	96ORF131	3	11058..11243	61	agaaaaagagaaatgaagtgatcta	atg	taa
100864	96ORF132	-1	36434..36619	61	taagcatggtaatcacctcctttaa	ata	tga

100865	96ORF133	-1	35591..35776	61	ctaaactattgcgtaaaccgccagt	att	taa
100866	96ORF134	-2	9250..9435	61	atccatgagcttataacccgtctta	att	tga
100867	96ORF135	1	29563..29745	60	cgacaacttttttgtaggactagtaa	gtg	tga
100868	96ORF136	-3	12486..12668	60	cactttactttcaacttgttcagga	ttg	taa
100869	96ORF137	-1	14501..14680	59	caaactgaaagctaagtaatcagca	atc	tga
100870	96ORF138	-2	23326..23505	59	cttgtgacatttgatgaaattttag	ttg	tga
100871	96ORF139	-3	42672..42851	59	aatccggaatttttagcaattttat	atc	taa
100872	96ORF140	-3	31137..31316	59	acttgattgactagtaaagtcgtac	atg	taa
100873	96ORF141	-3	18969..19148	59	aacaaaaataacattatagggatct	ata	taa
100874	96ORF142	-3	4740..4919	59	cataaattttgtttttttagttttat	att	tga
100875	96ORF143	2	36107..36283	58	aacaaatactgaggggggacgtttaa	atg	taa
100876	96ORF144	3	16029..16205	58	tatacgaagtaaagaaggtagataa	ata	tag
100877	96ORF145	-3	29013..29189	58	tgtcactgacgcgatactgtgaacc	att	tga
100878	96ORF146	-3	14883..15059	58	aatctttgaatgttgtgactaagta	ttg	taa
100879	96ORF147	-1	18251..18424	57	tatcagcgttaattgcacgtaatct	atg	taa
100880	96ORF148	-1	13583..13756	57	aataccttctttaactgaatgttga	ata	taa
100881	96ORF149	-2	10756..10929	57	taaattcacatctctatactgatat	ctg	tag
100882	96ORF150	2	14171..14341	56	atttttaatgaagaagtgttattaa	ctg	tag
100883	96ORF151	2	19217..19387	56	cctacatactcattgcgctactttt	atg	tga
100884	96ORF152	-1	12614..12784	56	atttctacagtaaaaatatctttat	ctg	taa
100885	96ORF153	-2	11836..12006	56	ttgcattacctattgcgaatgctag	ttg	taa
100886	96ORF154	-2	4165..4335	56	atataacgcttttgtcctcgaccaa	atc	tga
100887	96ORF155	-3	40464..40634	56	aaatcaggattgaactgcttcccta	atg	tga
100888	96ORF156	3	423..590	55	tggtaattttgataatttagcttta	ata	taa
100889	96ORF157	-1	41879..42046	55	gtagcaaaatttttattctaagtaa	ata	taa
100890	96ORF158	-2	36166..36333	55	cattcatgttcgtgccgtttggtaa	atc	tag
100891	96ORF159	-2	16228..16395	55	tttaacatctgagcatacctttttat	ttg	taa
100892	96ORF160	3	1038..1202	54	atctctaagcagttgttgagcagcg	ttg	taa
100893	96ORF161	-1	19193..19357	54	tctttgttgttaggtacaccaaaca	atg	tag
100894	96ORF162	-1	18074..18238	54	ctcgtcctattaacacaatagatcc	ata	tga
100895	96ORF163	-1	15386..15550	54	agccatcataggactgtaaaattca	ctg	taa
100896	96ORF164	-1	10049..10213	54	tacatcgatttcaataagcttttga	att	tag
100897	96ORF165	-2	18514..18678	54	gtgcttcaatatcatctattaactt	ata	taa
100898	96ORF166	-2	11104..11268	54	ctagccatgattacccttaaattag	ttg	tag
100899	96ORF167	-3	13764..13928	54	agacagtttataatgtgtatctcta	ata	tga
100900	96ORF168	1	14305..14466	53	ttttgaatttttggaggacgagtaa	atg	tag
100901	96ORF169	-1	17885..18046	53	gtgttgaagccttaatagactcttt	ata	tga
100902	96ORF170	-1	10790..10951	53	taggcgctttacatatccacgttaa	att	taa
100903	96ORF171	-3	12765..12926	53	atcttcgtttagtatataaaacgct	ctg	taa
100904	96ORF172	3	22836..22994	52	cgttcgcaacgcttaaaccaactga	ata	tga
100905	96ORF173	-1	15956..16114	52	ctctacatcatcattagccgtcgtc	ata	taa
100906	96ORF174	-1	10571..10729	52	tagtgccattcatattactttctaa	ata	taa
100907	96ORF175	-1	3440..3598	52	cagcctatcttcactatcaacatga	ttg	taa
100908	96ORF176	-3	37170..37328	52	tttatctaaaacattgctgtaagca	gtg	taa
100909	96ORF177	-3	6693..6851	52	ttcctaatctactaagtaactcgat	ata	taa
100910	96ORF178	-3	5655..5813	52	gacatcttgattagtttttcagtc	atc	tag
100911	96ORF179	1	34564..34719	51	gttacagctgaagtcgataaaatag	ttg	tag
100912	96ORF180	1	42661..42816	51	atataaattctaacactaaaatact	atg	tga
100913	96ORF181	-2	37741..37896	51	tggacgcactgtcaactgatgtttt	atc	taa
100914	96ORF182	-2	25039..25194	51	ttcgtaatctttttctccgtcatta	att	tga
100915	96ORF183	-2	4534..4689	51	tcagttttaatattttcagccatag	ttg	tga
100916	96ORF184	1	6721..6873	50	ggagctggagaatttacagtaaaag	ttg	tag
100917	96ORF185	2	36548..36700	50	acaaaaatatacgcgatatgaaaat	gtg	taa
100918	96ORF186	-1	40025..40177	50	tggagatcctgaataaacatcactt	ata	tga
100919	96ORF187	-1	34466..34618	50	attacctttaacaaggtcagcgcca	ttg	tga
100920	96ORF188	-1	33842..33994	50	agttcctctatctgattcatagaaa	ctg	taa
100921	96ORF189	-1	24914..25066	50	acatagaatggtcttccgtgtgtga	atc	taa
100922	96ORF190	-2	20395..20547	50	tatcttagagtaaccctctccactc	ata	tga
100923	96ORF191	3	24768..24917	49	aaaggaattgaagcagtgaaacacg	ctg	taa
100924	96ORF192	-1	16169..16318	49	ttgtggtttcggcaacgttgcttgt	atg	tga
100925	96ORF193	-2	39100..39249	49	cagtaccgtttttaccgggtgcgcc	ttg	taa
100926	96ORF194	-2	25921..26070	49	ttggtacagacgtctttgctaatcg	ttg	taa
100927	96ORF195	-2	17779..17928	49	caaccaatgctcgggatggtcaggg	ttg	tga
100928	96ORF196	-2	14182..14331	49	ttaaatacttttcttctagcaatgc	atc	tga
100929	96ORF197	-2	7609..7758	49	ttatcatcaaacgacttaacaccaa	ttg	tga
100930	96ORF198	-2	1537..1686	49	ttattagctagtgcgttagtgttag	gtg	taa
100931	96ORF199	-3	7719..7868	49	taatacttgtatcggatagtcatct	att	taa
100932	96ORF200	2	22271..22417	48	ttctttaatgaggttaaacctctaa	ttg	tag
100933	96ORF201	2	30353..30499	48	tctactattggcgaaaaaataaggc	ttg	tag
100934	96ORF202	2	32591..32737	48	agattgaagcccaacggacaattta	ttg	taa
100935	96ORF203	2	39131..39277	48	agcaaagactttaaagagaaaatag	ata	tag

100936	96ORF204	-2	36985..37131	48	atcttcctggagaacctgtccaact	att	tga
100937	96ORF205	-3	38721..38867	48	aaggaaccctttacaacatcgtcg	ata	taa
100938	96ORF206	-3	35880..36026	48	gttaacatagcgttttgttgcgtca	att	taa
100939	96ORF207	-3	11550..11696	48	ttgctctctcgctccatgattttgg	ata	taa
100940	96ORF208	2	37178..37321	47	agattagtaagacacccttatgtaa	gtg	taa
100941	96ORF209	2	42341..42484	47	tgcatatttaaaccacccatactag	ttg	taa
100942	96ORF210	3	41850..41993	47	aaaggtaataacgtaagggacggct	att	tag
100943	96ORF211	-1	6662..6805	47	ttgttggaatggtgggacgaattgg	ttg	tga
100944	96ORF212	-2	25213..25356	47	agtagcacattcccaaaattgtaaa	atc	taa
100945	96ORF213	-3	42219..42362	47	gtggtttgatcatttataatataac	ata	taa
100946	96ORF214	3	27834..27974	46	aaaagattttagacttcgttagaac	atc	tag
100947	96ORF215	3	35811..35951	46	ttacgcaatagtttagatgtagacg	ata	taa
100948	96ORF216	-1	5402..5542	46	tttccgtaaggtgtattcaacttga	att	tga
100949	96ORF217	-2	24229..24369	46	tataggtctgttaagcacataacct	atc	taa
100950	96ORF218	-2	6253..6393	46	ttgtcattcttgctaacacgtcaga	ttg	taa
100951	96ORF219	1	883..1020	45	aaatcactcccgaaatattcgttaa	ata	taa
100952	96ORF220	2	32936..33073	45	gataaaggtatagacaaagtattgt	atc	taa
100953	96ORF221	3	41703..41840	45	ggtaagcctataggtggtttggtag	ctg	taa
100954	96ORF222	-1	39860..39997	45	acttttattaggttcaactccattt	att	taa
100955	96ORF223	-1	24716..24853	45	acatttcaaatgattctggaacaac	ata	taa
100956	96ORF224	-2	26794..26931	45	caatatcacgccatgtagtttttaa	ctg	taa
100957	96ORF225	-2	19201..19338	45	caaacaatggattgtaatcaaataa	atg	tga
100958	96ORF226	-2	15709..15846	45	tgacttgcttgttgtctaacacaat	ata	taa
100959	96ORF227	-3	36711..36848	45	acattgactgccccgataattatct	ata	tga
100960	96ORF228	3	2325..2459	44	tcgccatagtgagttccaataccgt	ata	taa
100961	96ORF229	-1	38612..38746	44	ttgtcattgatacctattcttatag	atg	tga
100962	96ORF230	-1	31733..31867	44	gctggattgtatggcttaaagtaat	ctg	tag
100963	96ORF231	-2	12076..12210	44	tgactcatagctttaacttgttcgt	ctg	taa
100964	96ORF232	-3	31644..31778	44	atagtcctcaagtgttaaccctagt	ttg	taa
100965	96ORF233	-3	23988..24122	44	atttgatttgtaagttcaggctcaa	ctg	taa
100966	96ORF234	-3	17529..17663	44	agtacgtttttttgaatcgtaccta	atg	taa
100967	96ORF235	1	7153..7284	43	aatgctaatggtccaatagaaatca	atg	tag
100968	96ORF236	2	2681..2812	43	ttctttcacttcaacttcacatttc	ata	tga
100969	96ORF237	2	4496..4627	43	gtactatgcttcacagtcttagcga	ttg	taa
100970	96ORF238	-1	41720..41851	43	cacctgtaattcttgaattagttga	ata	tga
100971	96ORF239	-1	35324..35455	43	acttactaataaaatagaatagttt	gtg	taa
100972	96ORF240	-1	8570..8701	43	atccccgttttgacttaatacatca	atc	tga
100973	96ORF241	-2	33502..33633	43	ataattttgtaatactcttagggat	atg	tag
100974	96ORF242	-2	23662..23793	43	agctaatgctacagcagtgttgtaa	atc	tag
100975	96ORF243	-3	32391..32522	43	acctggacgagcttgcgtcatataa	ata	tag
100976	96ORF244	-3	30273..30404	43	aaaactttcgttatactcttggtaa	atc	tga
100977	96ORF245	-3	5895..6026	43	tgcactaaaatgcttataattctta	atc	taa
100978	96ORF246	-3	2679..2810	43	attcatcaagaaactatagccggtc	atg	tga
100979	96ORF247	1	34891..35019	42	acatcaagcaaatctggtgtgttag	ttg	taa
100980	96ORF248	2	30668..30796	42	aattattacattaaagctggtgtga	atg	tag
100981	96ORF249	2	31838..31966	42	caaatattagcttgtagtgagttag	atg	taa
100982	96ORF250	2	33539..33667	42	cttaccagaaacagcacaggtagaa	ata	taa
100983	96ORF251	-1	20486..20614	42	cttctgtacgagccacacgcaatga	ttg	tag
100984	96ORF252	-1	15128..15256	42	gatatttcattactagctactacta	ata	tga
100985	96ORF253	-2	41446..41574	42	aaaacctaattcagataaacgataa	ttg	tga
100986	96ORF254	-2	41005..41133	42	gttataaccatgaccggctacaagc	ata	taa
100987	96ORF255	-2	23008..23136	42	aggataaatgacttgaccatctttc	ata	taa
100988	96ORF256	-2	14794..14922	42	ttgtatgcgtcaatgagttggtcga	ttg	tag
100989	96ORF257	-2	8503..8631	42	tacctaacttttttaataatttcta	atg	tga
100990	96ORF258	-3	22143..22271	42	aaacgctttgtaaaatgcctctgca	att	tga
100991	96ORF259	-3	18639..18767	42	cttgtatctattatagagattaacc	att	tag
100992	96ORF260	-3	15624..15752	42	gttttggtaactagccactgtatag	ata	taa
100993	96ORF261	2	18746..18871	41	catattgaggctctaatagagtcac	ata	taa
100994	96ORF262	-1	13067..13192	41	aattaattaattcttctcttgttgg	ttg	taa
100995	96ORF263	-2	18742..18867	41	taacagacacgtctaatcgccttac	att	tga
100996	96ORF264	-2	18376..18501	41	catattatcataaagaacaagtaac	ttg	taa
100997	96ORF265	-2	367..492	41	ctaaacgaaaaagagggtacaatac	atc	tga
100998	96ORF266	-3	32802..32927	41	aggtatatccatttgatacaatact	ttg	taa
100999	96ORF267	-3	10194..10319	41	atcatcgaaaggcgataactcgtta	ttg	tga
101000	96ORF268	1	1159..1281	40	ttattcttcctttttgtaattgtaa	atg	taa
101001	96ORF269	2	10373..10495	40	gacagagttgaaaagaaaatcatga	atg	taa
101002	96ORF270	2	15734..15856	40	ttattcggcgtaatcgcactgatgc	ttg	tag
101003	96ORF271	-1	43451..43573	40	c c tNo shine-dalgarno sequence	att	tga
101004	96ORF272	-1	36959..37081	40	acgctataaaaataacttttattag	atg	tag
101005	96ORF273	-1	35798..35920	40	ctgacgcactttgttggtttgatgc	att	taa

101006	96ORF274	-1	8147..8269	40	tctgtctctctatgtttgttagtct	ctg	tga
101007	96ORF275	-2	43066..43188	40	tttaacttactaattttcttttgat	ata	tga
101008	96ORF276	-2	42535..42657	40	aaataatgtaaattgttttcatagt	att	tag
101009	96ORF277	-2	30628..30750	40	tttgtagtcccgcttctgcaaaagt	ctg	taa
101010	96ORF278	-2	13291..13413	40	ttcgtatcttccaagcaattcattt	ttg	tga
101011	96ORF279	-2	3172..3294	40	cagattgtttagtaacgcctaattt	atc	taa
101012	96ORF280	-3	18804..18926	40	taaataaccaacacgtgtatcaaca	att	tag
101013	96ORF281	-3	15843..15965	40	atttaaaaagtgtattctataacca	atc	tag
101014	96ORF282	-3	8460..8582	40	ttagtcatcactcaattctttttcc	att	taa
101015	96ORF283	-3	7593..7715	40	gatgttgtctacacagtgctaacac	atg	taa
101016	96ORF284	-3	6453..6575	40	aattaatttttaattaccatttcta	att	tga
101017	96ORF285	1	15082..15201	39	caatacttagtcacaacattcaaag	att	taa
101018	96ORF286	1	34444..34563	39	acacaaacgttaatagcaaaagtga	atg	tag
101019	96ORF287	2	27920..28039	39	cctattttagcagttgttgcagtaa	ttg	tag
101020	96ORF288	2	28415..28534	39	atcggctttttaactggcgtaatga	atc	tag
101021	96ORF289	2	38147..38266	39	tatcaaatgcttaatttaggcaagt	atc	tga
101022	96ORF290	3	40917..41036	39	gcaaatttaaacactttcacatcat	atg	taa
101023	96ORF291	-2	38815..38934	39	tctctaaaaacagcttacagcgaac	ata	taa
101024	96ORF292	-2	32671..32790	39	ctataggattataaatcgctgacgt	ata	tga
101025	96ORF293	-2	31216..31335	39	ttgatttgatgtttcttatacttga	ttg	taa
101026	96ORF294	-2	21589..21708	39	gtatcttcatcagaatcgcctaaaa	atc	taa
101027	96ORF295	-2	18976..19095	39	tatcaatatatgctaacctagcacc	ata	taa
101028	96ORF296	-2	11482..11601	39	gccacctcgtactctttttgcaacc	att	taa
101029	96ORF297	-3	12933..13052	39	tcacgaaataatgtttctttaattt	ata	taa
101030	96ORF298	-3	8262..8381	39	gaactgatcttgcttaaatgattta	att	tag
101031	96ORF299	-3	6993..7112	39	cattagcattagcgaatgggtttga	ttg	tga
101032	96ORF300	2	23516..23632	38	actacatctgaacaactaaaatttc	atc	tag
101033	96ORF301	2	25943..26059	38	agattagaagaagaaaaaagaagac	gtg	taa
101034	96ORF302	2	36929..37045	38	tattggggttttgtaacatggggca	atg	tag
101035	96ORF303	3	4476..4592	38	ataaaagctacctagtagcagtact	atg	tga
101036	96ORF304	3	20586..20702	38	tactctaagatagctaaagcaatac	gtg	tga
101037	96ORF305	3	28356..28472	38	cggttaccaatgtgcttgatacgat	ttg	taa
101038	96ORF306	-1	24359..24475	38	acttaaataaaagccgtatcgtgcc	atg	taa
101039	96ORF307	-1	20147..20263	38	ttgtacctatacgagttaactcctt	att	tag
101040	96ORF308	-2	38158..38274	38	ttccgtatccactttctaagaaagc	gtg	tga
101041	96ORF309	-2	35149..35265	38	agcttgtttgtatcgtctttaacga	ata	taa
101042	96ORF310	-2	31423..31539	38	gtaatatgattaggtctcctcttat	ttg	taa
101043	96ORF311	-2	10438..10554	38	cgcctttaaatcgttttaggtcact	atc	taa
101044	96ORF312	-2	1390..1506	38	gagaacaacacaaacattaacaaca	atc	taa
101045	96ORF313	-3	33051..33167	38	acgtcctgtttctagatcgtaatac	ata	tag
101046	96ORF314	-3	25194..25310	38	agcaaaccgttaaagataacattga	atc	taa
101047	96ORF315	-3	6273..6389	38	cattcttgctaacacgtcagattga	ctg	tga
101048	96ORF316	-3	4281..4397	38	ataattcgtattcattaatcattaa	att	tag
101049	96ORF317	1	2260..2373	37	atgactccttttctcatatttcttt	ata	taa
101050	96ORF318	2	21230..21343	37	atttcacacttttttagttgtctct	ttg	taa
101051	96ORF319	3	18018..18131	37	atactgagtcaccaatttaagctcg	atg	tag
101052	96ORF320	3	36972..37085	37	attacagatatcctaagggtttccg	att	taa
101053	96ORF321	-1	36302..36415	37	ctcttgagtttttgacctaattta	atc	taa
101054	96ORF322	-1	32606..32719	37	ccataagttatttctccagttctat	att	taa
101055	96ORF323	-1	11453..11566	37	ttaaaccgttctttttttatcaattc	att	tga
101056	96ORF324	-1	7268..7381	37	tactggttcgccccagtgaagttct	ata	tga
101057	96ORF325	-2	32347..32460	37	ttactgcatttgtatatggcgataa	atc	tag
101058	96ORF326	-2	24682..24795	37	acgtttattacgctcataaagccat	ata	tag
101059	96ORF327	-2	23905..24018	37	aaatggctgtggcgcttgaccatat	gtg	taa
101060	96ORF328	-2	21460..21573	37	agagcactaatacgtttttgttctt	ctg	tga
101061	96ORF329	-2	21208..21321	37	gacttaacttcttcgatattcatat	atc	tga
101062	96ORF330	-2	18085..18198	37	ccagtcgacaccagcaaagtattct	ttg	tag
101063	96ORF331	-2	8170..8283	37	actttgagacgtcgtctgtctctct	atg	tag
101064	96ORF332	-2	5971..6084	37	caatttgttttccgttttctcttag	ttg	tag
101065	96ORF333	-3	37632..37745	37	accttgcttaatcaagtcgtaatta	att	tga
101066	96ORF334	-3	29628..29741	37	ctgagttagtgttgtaaaatgtcat	ttg	tag
101067	96ORF335	-3	7164..7277	37	ttagcggatatccgttttctagtaa	atc	taa
101068	96ORF336	1	22903..23013	36	gtaaaaaaagacaatatgactatta	ctg	tga
101069	96ORF337	1	43258..43368	36	taattgacgtggttatttttaggt	ttg	taa
101070	96ORF338	2	12668..12778	36	gaactggtggaatgggcatggaaca	atc	tag
101071	96ORF339	2	28292..28402	36	ttcactgctttaattcagttgctta	ctg	taa
101072	96ORF340	2	35396..35506	36	ttcctaatgaacataagtcaacggt	att	tga
101073	96ORF341	3	25428..25538	36	actcgagaacaattagaaaaagcaa	ttg	tga
101074	96ORF342	-1	40913..41023	36	tatctgggaaatttaatctaataaa	ata	tga
101075	96ORF343	-1	39173..39283	36	tgccacattttagtgtcaggattga	ttg	taa
101076	96ORF344	-1	37580..37690	36	gggtctacctttaacgtcgtttcag	ata	taa

101077	96ORF345	-1	31556..31666	36	ggattattctttctaataacttcaa	ttg	tga
101078	96ORF346	-1	29972..30082	36	ggctactccttatctaaaatataat	ttg	taa
101079	96ORF347	-1	28787..28897	36	ctgccaaagtctgtagcaattactt	ttg	tga
101080	96ORF348	-1	21839..21949	36	ttaaaatccgataaaataacattgc	ctg	tga
101081	96ORF349	-1	3647..3757	36	taaaacttccgaagttacccagcgt	ttg	tga
101082	96ORF350	-2	40801..40911	36	accattccaattttgcccatatgat	gtg	tag
101083	96ORF351	-2	38953..39063	36	tatcttttaaaattctcgtaatagc	atc	taa
101084	96ORF352	-2	31585..31695	36	tagctgtcatcactagtatttttga	atc	taa
101085	96ORF353	-2	24550..24660	36	atagtccgttttaccgcctcgtact	att	tag
101086	96ORF354	-2	20083..20193	36	atcatcattttgatatttctcaaac	ata	tga
101087	96ORF355	-2	991..1101	36	gcatcttggcagtacgacgtaaaac	atc	tag
101088	96ORF356	-3	38148..38258	36	taagaaagcgtgcgcgatcaaataa	att	tga
101089	96ORF357	-3	8790..8900	36	tgaagttatctagcgctatttttct	ttg	tag
101090	96ORF358	-3	4458..4568	36	ttcataaaagtattctttgtagtat	atg	tag
101091	96ORF359	1	4666..4773	35	ttatcaaaatatacaacttaattaa	atc	tag
101092	96ORF360	1	11569..11676	35	ataaatttaccgaacatgaaaatga	att	tga
101093	96ORF361	2	6122..6229	35	ggaaaacaaattgatgttgtagtga	ttg	taa
101094	96ORF362	-1	40418..40525	35	ttcgtaggtgtcattacttctttaa	ttg	tag
101095	96ORF363	-1	34358..34465	35	gttttgcttgatttcgatttgttga	atg	tga
101096	96ORF364	-1	20654..20761	35	ctatttccactgattccccatctaa	atg	tga
101097	96ORF365	-1	8423..8530	35	tctttttttagagttacgaggtttca	att	tag
101098	96ORF366	-1	2402..2509	35	tgacgtatggcaacattttagatca	atc	taa
101099	96ORF367	-2	36607..36714	35	aaaataaaaagccagtgccgaagca	ctg	tag
101100	96ORF368	-2	27061..27168	35	caaatcgtcctgcagcgttcaataa	atc	tag
101101	96ORF369	-2	26470..26577	35	atgagttgttaagtttaccccaaat	atc	taa
101102	96ORF370	-2	10327..10434	35	ccgtgccatcttctcggtataagta	ata	taa
101103	96ORF371	-2	8650..8757	35	gggtacgggttgttactgttgatat	atc	taa
101104	96ORF372	-3	14382..14489	35	gttcttttaattgatctactgttaa	att	taa
101105	96ORF373	-3	8151..8258	35	atgtttgttagtctctgtgtagtct	atg	taa
101106	96ORF374	-3	5007..5114	35	aaacgatttaagtggaacattattc	ata	taa
101107	96ORF375	2	30563..30667	34	cgattagaaatctttaaaaaaggac	ttg	tga
101108	96ORF376	-1	19916..20020	34	tctatgtcaggtaatttgtcattaa	att	taa
101109	96ORF377	-1	9236..9340	34	cttttctgttagtaattgtttttaa	atc	taa
101110	96ORF378	-1	9026..9130	34	actctttatctttagttgcttttaa	ata	tag
101111	96ORF379	-2	28447..28551	34	cttttgtgataataaagtttagtgc	ttg	tga
101112	96ORF380	-3	40329..40433	34	ccatttaccttcttgagatgttgga	ttg	tga
101113	96ORF381	-3	39801..39905	34	caaaagatgaaggctttttccatac	ttg	taa
101114	96ORF382	-3	33831..33935	34	atgttgtttgtaactcgattaagtt	atc	tga
101115	96ORF383	-3	33687..33791	34	gttattacgtcttaatacttgtgtt	gtg	tag
101116	96ORF384	-3	13530..13634	34	tatacgcactagtactgatcactga	ttg	taa
101117	96ORF385	-3	3843..3947	34	tttgattgattgttctagttaagaa	att	taa
101118	96ORF386	1	12256..12357	33	agtcataaagaagttagcaatgtga	ttg	tag
101119	96ORF387	2	2207..2308	33	tccaagactctttaactgttaactt	atc	tag
101120	96ORF388	2	2519..2620	33	attgttgaatttcgattgatctaaa	atg	tga
101121	96ORF389	2	22517..22618	33	agaagtaaaatgcgtaatgctttag	atg	tag
101122	96ORF390	2	27302..27403	33	ttccaaaattgggctaatagtgtag	ctg	taa
101123	96ORF391	2	32384..32485	33	actaaaaaggttgagaaagctgtag	atg	taa
101124	96ORF392	2	39287..39388	33	aaaaacggtactgtagtatcaatca	atc	tag
101125	96ORF393	3	18153..18254	33	gtagtatatgccgactttgatttga	atg	taa
101126	96ORF394	3	24189..24290	33	tcagaccctaacattaacaaactag	ttg	tga
101127	96ORF395	-1	15266..15367	33	tcgataatttgtatagcttgtttta	atg	tag
101128	96ORF396	-2	32239..32340	33	ttttagtgaaagcatctagtgttga	ata	tag
101129	96ORF397	-2	16123..16224	33	ttatgtgtgcctatcatattaacaa	ttg	tag
101130	96ORF398	-2	13648..13749	33	tctttaactgaatgttgaatagcat	ttg	tag
101131	96ORF399	-2	10987..11088	33	acttctgtaggtattcttatatcaa	ttg	tga
101132	96ORF400	-2	3382..3483	33	cttactggtaattcttcaaaattaa	atg	taa
101133	96ORF401	-3	40794..40895	33	ccatatgatgtgaaagtgtttaaat	ttg	taa
101134	96ORF402	-3	39978..40079	33	atattcctaaatcacttgaacctaa	att	tga
101135	96ORF403	-3	38607..38708	33	atcttcagtgtaaaatcgacagcca	atg	tag
101136	96ORF404	-3	21288..21389	33	cagacaccgtcttaagtccctttag	ata	taa

Table 11

SEQUENCE INFORMATION FOR PHAGES MATCHING WITH TABLE 1

M32695
Bacteriophage PM2 nuclease cleavage site
gi|166145|gb|M32695|BM2NCS [166145]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 nucleotide neighbor)

M32693
Bacteriophage PM2 Hind III fragment 4
gi|166144|gb|M32693|BM24HIND3 [166144]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 nucleotide neighbor)

M32693
Bacteriophage PM2 Hind III fragment 4
gi|166144|gb|M32693|BM24HIND3 [166144]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 nucleotide neighbor)

M32694
Bacteriophage PM2 Hind III fragment 3
gi|166143|gb|M32694|BM23HIND3 [166143]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

M26134
Bacteriophage PM2 structural protein gene containing purine/pyrimidine rich
regions and anti-Z-DNA-IgG binding regions, complete cds
gi|289360|gb|M26134|BM2PROTIV [289360]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

J02452
bacteriophage fi 3'-terminal region rna
gi|215409|gb|J02452|PFITR3 [215409]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

AF020798
Bacteriophage Chp1 genome DNA, complete sequence
gi|217761|dbj|D00624|BCP1 [217761]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 12 protein links, or 1 genome link)

X72793
Clostridium botulinum C phage BONT/C1, ANTP-139, ANTP-33, ANTP-17, ANTP-70
genes and ORF-22
gi|516171|emb|X72793|CBCBONT [516171]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 6 protein links, or 4 nucleotide neighbors)

X51464
Clostridium botulinum D Phage C3 gene for exoenzyme C3
gi|14907|emb|X51464|CBDPE3 [14907]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 2 nucleotide neighbors)

D90210
Bacteriophage c-st (from C. botulinum) C1-tox gene for botulinum C1 neurotoxin
gi|217780|dbj|D90210|CSTC1TOX [217780]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

S49407
type D neurotoxin [bacteriophage d-16 phi, host = C. botulinum, type D, CB16, Genomic, 4087 nt]
gi|260238|gb|S49407|S49407 [260238]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

X53370
Bacteriophage phi29 temperature sensitive mutant TS2(98) DNA polymerase gene
gi|15733|emb|X53370|POTS298 [15733]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 7 nucleotide neighbors)

X53371
Bacteriophage phi29 temperature sensitive mutant TS2(24) DNA polymerase gene
gi|15731|emb|X53371|POTS224 [15731]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 7 nucleotide neighbors)

X05973
Bacteriophage phi29 prohead RNA
gi|15680|emb|X05973|POP29PRO [15680]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, or 4 nucleotide neighbors)

V01155
Left end of bacteriophage phi-29 coding for 15 potential proteins Among
these are the terminal protein and the proteins encoded by the genes 1, 2 (sus), 3, and (probably) 4
gi|15659|emb|V01155|POP29B [15659]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 16 protein links, or 16 nucleotide neighbors)

X73097
Bacteriophage phi-29 left origin of replication
gi|312194|emb|X73097|BP29ORIL [312194]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 5 nucleotide neighbors)

M14430
Bacteriophage phi-29 gene-17 gene, complete cds
gi|215321|gb|M14430|P29G17A [215321]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 6 protein links, or 8 nucleotide neighbors)

M14431
Bacteriophage phi-29 gene-16 gene, complete cds
gi|215319|gb|M14431|P29G16A [215319]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 7 nucleotide neighbors)

M20693
Bacteriophage phi-29 DNA, 3' end
gi|215343|gb|M20693|P29REPINB [215343]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 4 nucleotide neighbors)

M21016
Bacteriophage phi-29 DNA, 5' end
gi|215342|gb|M21016|P29REPINA [215342]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 nucleotide neighbor)

M12456
Bacteriophage phi-29 genes 9, 10 and 11 encoding p9 tail, incomplete, p10
connector, complete, and p11 lower collar, incomplete, respectively
gi|215338|gb|M12456|P29P9 [215338]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 2 nucleotide neighbors)

M14782
Bacillus phage phi-29 head morphogenesis, major head protein, head fiber
protein, tail protein, upper collar protein, lower collar protein, pre-neck
appendage protein, morphogenesis(13), lysis, morphogenesis(15), encapsidation genes, complete cds
gi|215323|gb|M14782|P29LATE2 [215323]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 11 protein links, or 11 nucleotide neighbors)

M26968
Bacteriophage phi-29 (from Bacillus subtilis) proteins p1 delta-1 genes, complete cds, and the sus1(629) mutation
gi|341558|gb|M26968|P29P1D1A [341558]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

J02448
Bacteriophage f1, complete genome
gi|166201|gb|J02448|F1CCG [166201]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 10 protein links, 205 nucleotide neighbors, or 1 genome link)

M24832
Bacteriophage f2 coat protein gene, partial cds
gi|166228|gb|M24832|F2CRNACA [166228]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 4 nucleotide neighbors)

J02451
Bacteriophage fd, strain 478, complete genome
gi|215394|gb|J02451|PFDCG [215394]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,5 MEDLINE links, 10 protein links, 204 nucleotide neighbors, or 1 genome link)

M34834
Bacteriophage fr replicase gene, 5' end
gi|166139|gb|M34834|BFRREGRA [166139]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 9 nucleotide neighbors)

M38325
Bacteriophage fr replicase gene, 5' end
gi|166137|gb|M38325|BFRREGR [166137]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 9 nucleotide neighbors)

M35063
Bacteriophage fr coat protein replicase cistron (R region) RNA
gi|166134|gb|M35063|BFRRCRRA [166134]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 3 nucleotide neighbors)

S66567
alpha-atrial natriuretic factor/coat protein=fusion polypeptide [human,
bacteriophage fr, expression vector pFAN15, PlasmidSyntheticRecombinant, 510 nt]
gi|435742|gb|S66567|S66567 [435742]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 15 nucleotide neighbors)

X15031
Bacteriophage fr RNA genome
gi|15071|emb|X15031|LEBFRX [15071]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 4 protein links, 9 nucleotide neighbors, or 1 genome link)

U51233
Mus musculus neutralizing anti-RNA-bacteriophage fr immunoglobulin variable region light chain (IgM) mRNA, partial cds
gi|1277150|gb|U51233|MMU51233 [1277150]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 1669 nucleotide neighbors)

U51232
Mus musculus neutralizing anti-RNA-bacteriophage fr immunoglobulin variable region heavy chain (IgM) mRNA, partial cds
gi|1277148|gb|U51232|MMU51232 [1277148]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 1073 nucleotide neighbors)

U02303
Bacteriophage If1, complete genome
gi|3676280|gb|U02303|B2U02303 [3676280]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,10 protein links, or 1 genome link)

V00604
Phage M13 genome
gi|14959|emb|V00604|INM13X [14959]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 10 protein links, or 205 nucleotide neighbors)

A32252
Synthetic bacteriophage M13 protein III probe
gi|1567340|emb|A32252|A32252 [1567340]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

A32251
Synthetic bacteriophage M13 protein III probe
gi|1567339|emb|A32251|A32251 [1567339]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

M12465
Bacteriophage M13 mp10 mutations in lac operon
gi|215210|gb|M12465|M13LACMUT [215210]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 215 nucleotide neighbors)

M24177
Synthetic Bacteriophage M13 (clone M13.SV.B12) SV40 early promoter region DNA
gi|209416|gb|M24177|SYNSVB12 [209416]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 nucleotide neighbor)

M24176
Synthetic Bacteriophage M13 (clone M13.SV.B11) SV40 early promoter region DNA
gi|209415|gb|M24176|SYNSVB11 [209415]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 nucleotide neighbor)

M24175
Synthetic Bacteriophage M13 (clone M13.SV.8) SV40 early promoter region DNA
gi|208806|gb|M24175|SYNM13SV8 [208806]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 242 nucleotide neighbors)

M19979
Synthetic hybrids; recombinant DNA from bacteriophage M13 and plasmid pHV33
gi|207813|gb|M19979|SYN33M13M [207813]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 617 nucleotide neighbors)

M19565
Synthetic hybrids; recombinant DNA from bacteriophage M13 and plasmid pHV33
gi|207808|gb|M19565|SYN33M13H [207808]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 567 nucleotide neighbors)

M19564
Synthetic hybrids; recombinant DNA from bacteriophage M13 and plasmid pHV33
gi|207807|gb|M19564|SYN33M13G [207807]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 12 nucleotide neighbors)

M19563
Synthetic hybrids; recombinant DNA from bacteriophage M13 and plasmid pHV33
gi|207806|gb|M19563|SYN33M13F [207806]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 262 nucleotide neighbors)

M19561
Synthetic hybrids; recombinant DNA from bacteriophage M13 and plasmid pHV33
gi|207804|gb|M19561|SYN33M13D [207804]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 27 nucleotide neighbors)

M19560
Synthetic hybrids; recombinant DNA from bacteriophage M13 and plasmid pHV33
gi|207803|gb|M19560|SYN33M13C [207803]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

M19559
Synthetic hybrids; recombinant DNA from bacteriophage M13 and plasmid pHV33
gi|207802|gb|M19559|SYN33M13B [207802]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 227 nucleotide neighbors)

M10568
Bacteriophage M13 replicative form II, replication origin, specific nick location
gi|215220|gb|M10568|M13ORIB [215220]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 650 nucleotide neighbors)

M10910
Bacteriophage M13 gene II regulatory region and M13sj1 mutant
gi|215209|gb|M10910|M13IIREG [215209]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 72 nucleotide neighbors)

M38295
Bacteriophage M13 HaeIII restriction fragment DNA
gi|215208|gb|M38295|M13HAEIII [215208]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 67 nucleotide neighbors)

E02067
DNA encoding a part of Bacteriophage M13 tg 127
gi|2170311|dbj|E02067|E02067 [2170311]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

J02467
Bacteriophage MS2, complete genome
gi|215232|gb|J02467|MS2CG [215232]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,8 MEDLINE links, 4 protein links, 20 nucleotide neighbors, or 1 genome link)

AJ004950
Bacteriophage P1 ban gene
gi|3688226|emb|AJ011592|BP1011592 [3688226]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 protein link)

U88974
Bacteriophage P1 structural lytic transglycosylase (orf47), pep44b (orf44b),
pep44a (orf44a), and pep43 (orf43) genes, complete cds; and pep42 (orf42) gene, partial cds
gi|2661099|gb|AF035607|AF035607 [2661099]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,5 protein links, or 1 nucleotide neighbor)

AJ000741
Bacteriophage P1 darA operon
gi|2462938|emb|AJ000741|BPAJ7641 [2462938]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 10 protein links, or 31 nucleotide neighbors)

X01828
Bacteriophage P1 recombinase gene cin
gi|15133|emb|X01828|MYP1CIN [15133]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 3 nucleotide neighbors)

X98146
Bacteriophage P1 DNA sequence around the Op88 operator
gi|1359513|emb|X98146|BP1OP88OP [1359513]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 nucleotide neighbor)

S61175
immI operon: icd=cell division repressor, ant1=antirepressor {promoters
P51a, P51b} [bacteriophage P1, Genomic, 728 nt]
gi|385908|gb|S61175|S61175 [385908]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 3 nucleotide neighbors)

X87824
Bacteriophage P1 gene 26
gi|861164|emb|X87824|XXBP1G26 [861164]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 protein link)

X15638
Phage P1 DNA for lytic replicon containing promoter P53 and two open reading frames
gi|15735|emb|X15638|PP1LREP [15735]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 24 nucleotide neighbors)

X17512
Bacteriophage P1 DNA for immunity region immI
gi|15479|emb|X17512|P1IMMUNIY [15479]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, or 4 nucleotide neighbors)

X16005
Bacteriophage P1 c1 gene for P1c1 repressor protein
gi|15477|emb|X16005|P1C1 [15477]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 3 nucleotide neighbors)

X03453
Bacteriophage P1 cre gene for recombinase protein
gi|15135|emb|X03453|MYP1CRE [15135]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 12 nucleotide neighbors)

X06561
Bacteriophage P1 c1 gene 5'-region
gi|15128|emb|X06561|MYP1C1 [15128]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 4 protein links, or 6 nucleotide neighbors)

V01534
Bacteriophage P1 genome fragment (IS2 insertion spot). This regions contains
four unidentified reading frames and is known as insertion hot spot for IS2 insertion sequences
gi|15118|emb|V01534|MYOVP1 [15118]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 4 protein links, or 3 nucleotide neighbors)

X56951
Bacteriophage P1 gene10
gi|406728|emb|X56951|BPP1GP10 [406728]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 3 protein links, or 1 nucleotide neighbor)

K02380
Bacteriophage P1 replication region including repA, parA, and parB genes and
incA, incB, and incC incompatibility determinants
gi|215652|gb|K02380|PP1REP [215652]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,5 MEDLINE links, 4 protein links, or 8 nucleotide neighbors)

X87674
Bacteriophage P1 lydA & lydB genes
gi|974763|emb|X87674|BACP1LYD [974763]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link; 2 protein links, or 2 nucleotide neighbors)

X87673
Bacteriophage P1 gene 17
gi|974761|emb|X87673|BACP117 [974761]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 1 nucleotide neighbor)

M16618
Bacteriophage P1 c1 repressor binding sites
gi|215600|gb|M16618|PP1C1 [215600]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 3 nucleotide neighbors)

SEG_PP1CIN
Bacteriophage P1 cin gene encoding recombinase, cixL recombination site, and 5' end of C invertible element
gi|215607|gb||SEG_PP1CIN [215607]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 4 nucleotide neighbors)

K03173
Bacteriophage P1 C invertible element, right end, and cixR recombination site
gi|215606|gb|K03173|PP1CIN2 [215606]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

215605
Bacteriophage P1 cin gene encoding recombinase, cixL recombination site, and 5' end of C invertible element
gi|215605|lcl|X01828 [215605]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

M25470
Bacteriophage P1 tail fiber protein gene, complete cds
gi|341349|gb|M25470|PP1TFPR [341349]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 3 nucleotide neighbors)

M34382
Bacteriophage P1 sim region proteins, complete cds
gi|215661|gb|M34382|PP1SIM [215661]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 protein links)

M81956
Bacteriophage P1 R protein (R) gene, complete cds
gi|215658|gb|M81956|PP1RP [215658]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 4 nucleotide neighbors)

M37080
Bacteriophage P1 mini-P1 plasmid origin of replication
gi|215657|gb|M37080|PP1REPOR [215657]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 46 nucleotide neighbors)

M27041
Bacteriophage P1 ref gene, complete cds
gi|215650|gb|M27041|PP1REF [215650]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 1 nucleotide neighbor)

L01408
Bacteriophage P1 partition protein (parB) gene, 3' end
gi|215642|gb|L01408|PP1PARB [215642]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 41 nucleotide neighbors)

SEG_PP1PAR
Bacteriophage miniplasmid P1 parA gene, 5' end
gi|215639|gb||SEG_PP1PAR [215639]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 48 nucleotide neighbors)

M36425
Bacteriophage miniplasmid P1 parB gene, 3' end
gi|215638|gb|M36425|PP1PAR2 [215638]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

M36424
Bacteriophage miniplasmid P1 parA gene, 5' end
gi|215637|gb|M36424|PP1PAR1 [215637]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

M11129
Bacteriophage P1 miniplasmid origin of replication region
gi|215632|gb|M11129|PP1ORIM [215632]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 43 nucleotide neighbors)

M25414
Bacteriophage P1 c1 repressor binding site, operator 88 (Op88)
gi|215631|gb|M25414|PP1OP88A [215631]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 3 nucleotide neighbors)

M25413
Bacteriophage P1 c1 repressor binding site, operator 68 (Op68)
gi|215630|gb|M25413|PP1OP68A [215630]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

M25412
Bacteriophage P1 c1 repressor binding site, operator 21 (Op21)
gi|215629|gb|M25412|PP1OP21A [215629]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 nucleotide neighbor)

M10510
Bacteriophage P1 recombination site loxR
gi|215628|gb|M10510|PP1LOXR [215628]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 nucleotide neighbor)

M10287
Bacteriophage P1 loxP X loxP recombination site
gi|215627|gb|M10287|PP1LOXPX [215627]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 13 nucleotide neighbors)

M10494
Bacteriophage P1 recombination site loxP
gi|215626|gb|M10494|PP1LOXP [215626]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 134 nucleotide neighbors)

M10511
Bacteriophage P1 recombination site loxL
gi|215625|gb|M10511|PP1LOXL [215625]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 nucleotide neighbor)

M10512
Bacteriophage P1 recombination site loxB
gi|215624|gb|M10512|PP1LOXB [215624]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

M10145
Bacteriophage P1 genome fragment with recombination site loxP
gi|215623|gb|M10145|PP1CREX [215623]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 21 nucleotide neighbors)

M13327
Bacteriophage P1 Cin recombinase activated cross over site, junction IV, clone pSHI326
gi|215622|gb|M13327|PP1CN26IV [215622]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 7 nucleotide neighbors)

M13325
Bacteriophage P1 Cin recombinase activated cross over site, junction II, clone pSHI326
gi|215621|gb|M13325|PP1CN26II [215621]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1401 nucleotide neighbors)

M13323
Bacteriophage P1 Cin recombinase activated cross over site, junction IV, clone pSHI325
gi|215620|gb|M13323|PP1CN25IV [215620]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 7 nucleotide neighbors)

M13321
Bacteriophage P1 Cin recombinase activated cross over site, junction II, clone pSHI325
gi|215619|gb|M13321|PP1CN25II [215619]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1058 nucleotide neighbors)

M13324
Bacteriophage P1 Cin recombinase activated cross over site, junction I, clone pSHI326
gi|215618|gb|M13324|PP1CIR26I [215618]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 7 nucleotide neighbors)

M13319
Bacteriophage P1 Cin recombinase activated cross over site, right junction, clone pSHI327
gi|215617|gb|M13319|PP1CIN27R [215617]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 7 nucleotide neighbors)

M13320
Bacteriophage P1 Cin recombinase activated cross over site, junction I, clone pSHI325
gi|215616|gb|M13320|PP1CIN25I [215616]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 7 nucleotide neighbors)

M13318
Bacteriophage P1 Cin recombinase activated cross over site, left junction, clone pSHI324
gi|215615|gb|M13318|PP1CIN24L [215615]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1370 nucleotide neighbors)

M13317
Bacteriophage P1 Cin recombinase activated cross over site, right junction, clone pSHI323
gi|215614|gb|M13317|PP1CIN23M [215614]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1055 nucleotide neighbors)

M13316
Bacteriophage P1 Cin recombinase activated cross over site, left junction, clone pSHI323
gi|215613|gb|M13316|PP1CIN23L [215613]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 7 nucleotide neighbors)

M13315
Bacteriophage P1 Cin recombinase activated cross over site, right junction, clone pSHI322
gi|215612|gb|M13315|PP1CIN22R [215612]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 7 nucleotide neighbors)

M13314
Bacteriophage P1 Cin recombinase activated cross over site, left junction, clone pSHI322
gi|215611|gb|M13314|PP1CIN22L [215611]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1401 nucleotide neighbors)

M13313
Bacteriophage P1 Cin recombinase activated cross over site, right junction, clone pSHI321
gi|215610|gb|M13313|PP1CIN21R [215610]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 7 nucleotide neighbors)

M13312
Bacteriophage P1 Cin recombinase activated cross over site, left junction, clone pSHI321
gi|215609|gb|M13312|PP1CIN21L [215609]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1058 nucleotide neighbors)

M16568
Bacteriophage P1 c4 repressor gene, complete cds
gi|215603|gb|M16568|PP1C4 [215603]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 4 nucleotide neighbors)

M13326
Bacteriophage P1 Cin recombinase activated cross over site, junction III, clone pSHI326
gi|215602|gb|M13326|PP1C26III [215602]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1192 nucleotide neighbors)

M13322
Bacteriophage P1 Cin recombinase activated cross over site, junction III, clone pSHI325
gi|215601|gb|M13322|PP1C25III [215601]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1231 nucleotide neighbors)

J05651
Bacteriophage P1 modulator protein (bof) gene, complete cds
gi|215598|gb|J05651|PP1BOFY1 [215598]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 3 nucleotide neighbors)

M33224
Bacteriophage P1 regulatory protein (bof) gene, complete cds
gi|215596|gb|M33224|PP1BOFFO [215596]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 3 nucleotide neighbors)

M10288
E.coli/bacteriophage P1 loxR recombination site
gi|146647|gb|M10288|ECOLOXR [146647]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 3 nucleotide neighbors)

M10289
E.coli/bacteriophage P1 loxL recombination site
gi|146646|gb|M10289|ECOLOXL [146646]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 nucleotide neighbors)

M10290
E.coli loxB site, which can recombine with bacteriophage P1 loxP site
gi|146645|gb|M10290|ECOLOXB [146645]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 nucleotide neighbors)

M10287
Bacteriophage P1 loxP X loxP recombination site
gi|215627|gb|M10287|PP1LOXPX [215627]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 13 nucleotide neighbors)

M74046
Bacteriophage P1 pacA and pacB genes, complete cds
gi|215634|gb|M74046|PP1PACAB [215634]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 protein links)

M95666
Bacteriophage P1 gene 10, doc and phd genes, complete cds
gi|463276|gb|M95666|PP1PHDDOC [463276]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 4 protein links, or 1 nucleotide neighbor)

M25604
Bacteriophage Q-beta mutated autonomously replicating sequence MDV1 RNA fragment
gi|556359|gb|M25604|PQBARSMUT [556359]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 8 nucleotide neighbors)

V00643
first half of the phage Q-beta gene for coat protein
gi|15088|emb|V00643|LEQBET [15088]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 4 nucleotide neighbors)

M25167
Bacteriophage Q-beta RNA fragment recovered from replicase binding complex
gi|556362|gb|M25167|PQBREPLICB [556362]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 nucleotide neighbors)

M24876
Bacteriophage Q-beta replicase RNA, 5' end
gi|556360|gb|M24876|PQBREPLICA [556360]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 4 nucleotide neighbors)

M25444
Synthetic bacteriophage Q-beta DNA
gi|209118|gb|M25444|SYNPQBTERM [209118]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 8 nucleotide neighbors)

M25463
Bacteriophage Q-beta self-replicating microvariant (+) RNA
gi|532489|gb|M25463|PQBMVSRRNA [532489]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

M25014
Bateriophage Q-beta RNA replicase gene, 5'end, and maturation protein gene, 3' end
gi|294316|gb|M25014|PQBREPLC [294316]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 2 nucleotide neighbors)

M25065
Bacteriophage Q-beta RNA sequence with putative stem loop
gi|294315|gb|M25065|PQBLOOP [294315]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 3 nucleotide neighbors)

M10265
Bacteriophage Q-beta RNA molecule with the ability to replicate extracellularly
gi|215726|gb|M10265|PQBRNA [215726]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 8 nucleotide neighbors)

M24815
Bacteriophage Q-beta specified replicase subunit RNA,
gi|215725|gb|M24815|PQBREPL [215725]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 4 nucleotide neighbors)

M25461
Bacteriophage Q-beta plus-strand RNA, 5' terminus
gi|215724|gb|M25461|PQBPS5E [215724]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

M25462
Bacteriophage Q-beta plus-strand RNA, 3' terminus
gi|215723|gb|M25462|PQBPS3E [215723]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 8 nucleotide neighbors)

M24871
Bacteriophage Q-beta nanovariant WSIII RNA
gi|215722|gb|M24871|PQBNVWSIC [215722]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 nucleotide neighbors)

M24870
Bacteriophage Q-beta nanovariant WSII RNA
gi|215721|gb|M24870|PQBNVWSIB [215721]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 nucleotide neighbors)

M24869
Bacteriophage Q-beta nanovariant WSI RNA
gi|215720|gb|M24869|PQBNVWSIA [215720]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 nucleotide neighbors)

M10495
Coliphage Q-beta MDV-1(+) RNA
gi|215719|gb|M10495|PQBMDV1A [215719]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 10 nucleotide neighbors)

J02484
bacteriophage qbeta coat protein cistron first half
gi|215717|gb|J02484|PQBCP5 [215717]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 4 nucleotide neighbors)

M57754
Bacteriophage Q-beta minus strand RNA, 5' terminus
gi|215716|gb|M57754|PQBBMS5E [215716]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 8 nucleotide neighbors)

M24297
Bacteriophage Q-beta 5'-terminal region of the minus strand
gi|215715|gb|M24297|PQB5END [215715]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 8 nucleotide neighbors)

M10695
Bacteriophage Q-beta, MDV-1 RNA
gi|215714|gb|M10695|PQB1IR [215714]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, or 12 nucleotide neighbors)

M24827
Bacteriophage R17 A protein gene, 5' end
gi|216078|gb|M24827|R17RNACIS [216078]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 5 nucleotide neighbors)

M24829
Bacteriophage R17 coat protein gene, 5' end
gi|216075|gb|M24829|R17CP5 [216075]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 5 nucleotide neighbors)

J02488
bacteriophage r17 rna synthetase initiation site
gi|216080|gb|J02488|R17RNASYN [216080]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,3 MEDLINE links, 2 protein links, or 6 nucleotide neighbors)

J02487
bacteriophage r17 coat protein initiation site
gi|216073|gb|J02487|R17COATP [216073]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

J02486
bacteriophage r17 a protein initiation site
gi|216071|gb|J02486|R17APROT [216071]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

M24826
Bacteriophage R17 coat protein RNA fragment
gi|216077|gb|M24826|R17CPRAA [216077]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 7 nucleotide neighbors)

M24296
Bacteriophage R17 3'-terminal fragment A RNA
gi|216070|gb|M24296|R173TFA [216070]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 9 nucleotide neighbors)

1TFN
structure refinement for a 24-nucleotide rna hairpin, nmr, minimized average
structure ribonucleic acid, hairpin, bacteriophage r17 mol_id: 1; molecule: r17c; chain: null; engineered: yes
gi|1942336|pdb|1TFN| [1942336]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 structure link)

1RPEA
rna (5'-d(gpgpgpapcpupgpapcpgpapupcpapcpgp cpapgpupcpupapu-3') (24-mer rna
hairpin coat protein binding site for bacteriophage r17) (nmr, minimized average structure)
gi|1421020|pdb|1RHT| [1421020]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 structure link)

M14428
Bacteriophage S13 circular DNA, complete genome
gi|216089|gb|M14428|S13CG [216089]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 12 protein links, 26 nucleotide neighbors, or 1 genome link)

J05393
Bacteriophage T1 DNA N-6-adenine-methyltransferase (M.T1) gene, complete cds
gi|166163|gb|J05393|BT1NAMTA [166163]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 protein links)

L46845
Bacteriophage T2 frd3, frd2 genes, complete cds
gi|951387|gb|L46845|PT2FRD32G [951387]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 protein links, or 17 nucleotide neighbors)

L43611
Bacteriophage T2 fibritin (wac) gene, complete cds
gi|903869|gb|L43611|PT2WAC [903869]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 4 nucleotide neighbors)

M24812
Bacteriophage T2 secondary structure RNA sequence
gi|215796|gb|M24812|PT2RNA [215796]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 4 nucleotide neighbors)

M22342
Bacteriphage T2 DNA-(adenine-N6)methyltransferase (dam) gene, complete cds
gi|215792|gb|M22342|PT2DAM [215792]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 2 nucleotide neighbors)

S57515
orf 61.2 {intergenic region between 41 and 61} [bacteriophage T2, Genomic, 323 nt]
gi|298524|gb|S57515|S57515 [298524]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

X05312
Bacteriophage T2 gene 38 for receptor recognizing protein
gi|15197|emb|X05312|MYT2G38 [15197]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

X04442
Bacteriophage T2 gene 37 for receptor recognizing protein
gi|15195|emb|X04442|MYT2G37 [15195]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

X12460
Bacteriophage T2 gene 32 mRNA for single-stranded DNA binding protein
gi|15192|emb|X12460|MYT2G32 [15192]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 14 nucleotide neighbors)

X57797
Bacteriophage T2 gene for gp12
gi|14875|emb|X56555|BT2GP12 [14875]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 2 nucleotide neighbors)

X01755
Bacteriophage T2 tail fiber gene 36
gi|15189|emb|X01755|MYT2F36 [15189]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

M14784
Bacteriophage T3 strain amNG220B right end, tail fiber protein, lysis protein and DNA packaging proteins, complete cds
gi|215810|gb|M14784|PT3RE [215810]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 9 protein links, or 10 nucleotide neighbors)

SEG_PT3RNAPOL
Bacteriophage T3 RNA polymerase III gene, 5' end
gi|710559|gb||SEG_PT3RNAPOL [710559]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 2 nucleotide neighbors)

M22610
Bacteriophage T3 RNA polymerase III gene, 3' end
gi|340722|gb|M22610|PT3RNAPOL2 [340722]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

M22609
Bacteriophage T3 RNA polymerase III gene, 5' end
gi|340721|gb|M22609|PT3RNAPOL1 [340721]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

X05031
Bacteriophage T3 gene region 1-2.5 with primary origin of replication
gi|15719|emb|X05031|POT3ORI [15719]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 11 protein links, or 5 nucleotide neighbors)

X03964
Bacteriophage T3 early control region pos. 308-810 from genome left end
gi|15718|emb|X03964|POT3EP [15718]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, or 20 nucleotide neighbors)

X17255
Bacteriophage T3 gene 1 to gene 11
gi|15682|emb|X17255|POT3111G [15682]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,4 MEDLINE links, 36 protein links, 17 nucleotide neighbors, or 1 genome link)

X15840
Phage T3 gene 10
gi|15625|emb|X15840|PODT3G10 [15625]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 3 nucleotide neighbors)

X02981
Bacteriophage T3 gene 1 for RNA polymerase
gi|15561|emb|X02981|PODOT3P [15561]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 3 nucleotide neighbors)

J02503
bacteriophage t3 5' end, terminally redundant sequence (trs)
gi|215816|gb|J02503|PT3TRS1 [215816]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

SEG_PT3TRS
bacteriophage t3 5' end, terminally redundant sequence (trs)
gi|215818|gb||SEG_PT3TRS [215818]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

J02504
bacteriophage t3 3' end, terminally redundant sequence (trs)
gi|215817|gb|J02504|PT3TRS2 [215817]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

H YPERLINK http://www.rs.noda.sut.ac.jp/~kunisawa h t tp://www.rs.noda.sut.ac.jp/~kunisawa
Bacteriophage T4 genomic database compiled by Arisaka et al.

X95646
Bacteriophage T5 DNA for region 60.5%-71% of the T5 genome
gi|2791557|emb|AJ001191|BTJ001191 [2791557]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,7 MEDLINE links, 12 protein links, or 6 nucleotide neighbors)

X56847
Bacteriophage T5 genomic region encoding early genes D10-D15
gi|15407|emb|X12930|MYT5D10 [15407]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 5 protein links, or 4 nucleotide neighbors)

AF039886
Bacteriophage T5 subclone T5.5.3r5.18r, single pass sequence, genomic survey sequence
gi|2811154|gb|AF039886|AF039886 [2811154]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF039885
Bacteriophage T5 subclone T5.40f,41f, single pass sequence, genomic survey sequence
gi|2811153|gb|AF039885|AF039885 [2811153]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF039884
Bacteriophage T5 subclone T5.26.fr, single pass sequence, genomic survey sequence
gi|2811152|gb|AF039884|AF039884 [2811152]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF039883
Bacteriophage T5 subclone 10-T5.5.7F, single pass sequence, genomic survey sequence
gi|2811151|gb|AF039883|AF039883 [2811151]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF039882
Bacteriophage T5 subclone 41-T5.5.4BF, single pass sequence, genomic survey sequence
gi|2811150|gb|AF039882|AF039882 [2811150]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF039881
Bacteriophage T5 subclone 39-T5.5.4aF, single pass sequence, genomic survey sequence
gi|2811149|gb|AF039881|AF039881 [2811149]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1
nucleotide neighbor)

AF039880
Bacteriophage T5 subclone 19-T5.7.2r, single pass sequence, genomic survey sequence
gi|2811148|gb|AF039880|AF039880 [2811148]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF039879
Bacteriophage T5 subclone 18-T5.7.2F, single pass sequence, genomic survey sequence
gi|2811147|gb|AF039879|AF039879 [2811147]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF039878
Bacteriophage T5 subclone 11-T5.5.7R, single pass sequence, genomic survey sequence
gi|2811146|gb|AF039878|AF039878 [2811146]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 2
nucleotide neighbors)

AF039877
Bacteriophage T5 subclone T5.4FR, single pass sequence, genomic survey sequence
gi|2811145|gb|AF039877|AF039877 [2811145]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF039876
Bacteriophage T5 subclone 22-T5.16R, single pass sequence, genomic survey sequence
gi|2811144|gb|AF039876|AF039876 [2811144]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF039875
Bacteriophage T5 subclone 21-T5.16R, single pass sequence, genomic survey sequence
gi|2811143|gb|AF039875|AF039875 [2811143]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF039874
Bacteriophage T5 subclone 21-T5.16F, single pass sequence, genomic survey sequence
gi|2811142|gb|AF039874|AF039874 [2811142]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF039873
Bacteriophage T5 subclone 09-T5.6F, single pass sequence, genomic survey sequence
gi|2811141|gb|AF039873|AF039873 [2811141]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF039872
Bacteriophage T5 subclone 09-T5.6R, single pass sequence, genomic survey sequence
gi|2811140|gb|AF039872|AF039872 [2811140]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 2 nucleotide neighbors)

AF039871
Bacteriophage T5 subclone 04-T5.26.R, single pass sequence, genomic survey sequence
gi|2811139|gb|AF039871|AF039871 [2811139]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF039870
Bacteriophage T5 subclone 13-T5.42F, single pass sequence, genomic survey sequence
gi|2811138|gb|AF039870|AF039870 [2811138]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

X69460
Bacteriophage T5 ltf gene for L-shaped tail fibers
gi|15415|emb|X69460|MYT5LTF [15415]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 1 protein link, or 4 nucleotide neighbors)

X03402
Bacteriophage T5 D15 gene for 5' exonuclease
gi|15413|emb|X03402|MYT5EXOG [15413]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 2 nucleotide neighbors)

Z11972
Bacteriophage T5 tRNA-Tyr, tRNA-Glu, tRNA-Trp, tRNA-Phe, tRNA-Cys and
tRNA-Asn genes, and ORFs 91aa, 90aa, 42aa and 172aa
gi|15795|emb|Z11972|T56TRNAG [15795]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 4 protein links, or 3 nucleotide neighbors)

X03898
Bacteriophage T5 genes for tRNA-His, -Ser and -Leu
gi|15786|emb|X03898|STT5RN1 [15786]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 2 MEDLINE links)

X04177
Bacteriophage T5 gene for transfer RNA-Gln
gi|15421|emb|X04177|MYT5TRNQ [15421]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 nucleotide neighbors)

X03899
Bacteriophage T5 genes for tRNA-Val, -Lys, -fMet, -Pro and -Ile3
gi|15787|emb|X03899|STT5RN2 [15787]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

X03798
Bacteriophage T5 gene for tRNA-Asp (GUC)
gi|15472|emb|X03798|NCT5TRDG [15472]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 2 nucleotide neighbors)

Y00364
Bacteriophage T5 tRNA gene cluster (27.8%-22.4%)
gi|15420|emb|Y00364|MYT5TRN [15420]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 13 nucleotide neighbors)

X03140
Bacteriophage T5 DNA with rho-dependent transcription terminator (Hind III-P fragment)
gi|15417|emb|X03140|MYT5RHO [15417]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 2 nucleotide neighbors)

Z35070
Bacteriophage T6 DNA
gi|535228|emb|Z35074|MYEREGBT6 [535228]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

AF060870
Coliphage T6 small subunit distal tail fiber (gene 36) gene, partial cds; and large subunit distal tail fiber (gene 37) and tail fiber adhesin (gene 38) genes, complete cds
gi|3676458|gb|AF052605|AF052605 [3676458]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,3 protein links, or 2 nucleotide neighbors)

Z35072
Bacteriophage T6 DNA encoding ORF19.1 gene and g19 gene
gi|535232|emb|Z35072|MYTAILT6 [535232]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 protein links)

X12488
Bacteriophage T6 gene 32 mRNA for single-stranded DNA binding protein
gi|15843|emb|X12488|MYT6G32 [15843]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 14 nucleotide neighbors)

Z78095
Bacteriophage T6 DNA (1506 bp)
gi|1488562|emb|Z78095|BPHZ78095 [1488562]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 4 nucleotide neighbors)

Z35079
Bacteriophage T6 DNA for Ip5, Ip6
gi|535215|emb|Z35079|MY57BT6 [535215]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

X68725
E.coli bacteriophage T6 gene for beta-glucosyl-HMC-alpha-glucosyl-transferase
gi|296439|emb|X68725|ECT6 [296439]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 1 nucleotide neighbor)

X69894
Bacteriophage T6 alt gene for ADP-Ribosyltransferase
gi|15422|emb|X69894|MYT6ADP [15422]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 1 nucleotide neighbor)

L46846
Bacteriophage T6 frd3, frd2 genes, complete cds
gi|951390|gb|L46846|PT6FRD32G [951390]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 2 protein links)

M27738
Bacteriophage T6 translational repressor protein (regA), complete cds
gi|215993|gb|M27738|PT6REGA [215993]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 5 nucleotide neighbors)

M38465
Bacteriophage T6 DNA ligase gene, complete cds
gi|215991|gb|M38465|PT6LIG55 [215991]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 2 nucleotide neighbors)

V01146
Genome of bacteriophage T7
gi|431187|emb|V01146|T7CG [431187]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,13 MEDLINE links, 60 protein links, 105 nucleotide neighbors, or 1 genome link)

X60322
Bacteriophage alpha3 genes A, B, K, C, D, E, J, F, G, H
gi|14775|emb|X60322|BACALPHA [14775]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 10 protein links, 22 nucleotide neighbors, or 1 genome link)

X13332
Bacteriophage alpha3 DNA for origin of replication
gi|15093|emb|X13332|MIA3ORPL [15093]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

X12611
Bacteriophage alpha3 gene for protein A part., finger domain
gi|15092|emb|X12611|MIA3AFIN [15092]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 6 nucleotide neighbors)

X15721
Bacteriophage alpha3 deletion mutation DNA for the origin region (-ori) of replication
gi|14774|emb|X15721|BA3DMOR9 [14774]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 11 nucleotide neighbors)

X15720
Bacteriophage alpha3 deletion mutant DNA for the origin region (-ori) of replication
gi|14773|emb|X15720|BA3DMOR8 [14773]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 nucleotide neighbor)

X15719
Bacteriophage alpha3 insertion mutant DNA for the origin region (-ori) of replication
gi|14772|emb|X15719|BA3DMOR7 [14772]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 10 nucleotide neighbors)

X15718
Bacteriophage alpha3 deletion mutation DNA for origin region (-ori) of replication
gi|14771|emb|X15718|BA3DMOR6 [14771]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 11 nucleotide neighbors)

X15717
Bacteriophage alpha3 deletion mutatnt DNA for origin region (-ori) of replication
gi|14770|emb|X15717|BA3DMOR5 [14770]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 9 nucleotide neighbors)

X15716
Bacteriophage alpha3 deletion mutant DNA for origin region (-ori) of replication
gi|14769|emb|X15716|BA3DMOR4 [14769]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 10 nucleotide neighbors)

X15715
Bacteriophage alpha3 deletion mutant DNA for origin region (-ori) of of replication
gi|14768|emb|X15715|BA3DMOR3 [14768]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 11 nucleotide neighbors)

X15714
Bacteriophage alpha3 deletion mutant DNA for origin region (-ori) of replication
gi|14767|emb|X15714|BA3DMOR2 [14767]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 11 nucleotide neighbors)

X15713
Bacteriophage alpha3 deletion mutant DNA for the origin region (-ori) of replication
gi|14766|emb|X15713|BA3DMOR1 [14766]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 11 nucleotide neighbors)

X62059
Bacteriophage alpha3 origin of cDNA synthesis (oriGA)
gi|14763|emb|X62059|AL3ORIGA [14763]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 13 nucleotide neighbors)

X62058
Bacteriophage alpha3 origin of cDNA synthesis (oriAA)
gi|14762|emb|X62058|AL3ORIAA [14762]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 13 nucleotide neighbors)

J02444
Bacteriophage alpha3 origin of DNA replication
gi|166103|gb|J02444|AL3ORI [166103]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 12 nucleotide neighbors)

M25640
Bacteriophage alpha-3 H protein gene, complete cds
gi|166101|gb|M25640|AL3HP [166101]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 13 nucleotide neighbors)

M10631
Bacteriophage alpha-3 cleavage site for phage phi-X174 gene A protein
gi|166099|gb|M10631|AL3CSA [166099]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 3 nucleotide neighbors)

X00774
Bacteriophage alpha-3 gene J sequence
gi|15431|emb|X00774|NCBA3J [15431]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 2 nucleotide neighbors)

M25640
Bacteriophage alpha-3 H protein gene, complete cds
gi|166101|gb|M25640|AL3HP [166101]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 13 nucleotide neighbors)

M10631
Bacteriophage alpha-3 cleavage site for phage phi-X174 gene A protein
gi|166099|gb|M10631|AL3CSA [166099]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 3 nucleotide neighbors)

J02459
Bacteriophage lambda, complete genome
gi|215104|gb|J02459|LAMCG [215104]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,87 MEDLINE links, 67 protein links, 190 nucleotide neighbors, or 1 genome link)

J02482
Bacteriophage phi-X174, complete genome
gi|216019|gb|J02482|PX1CG [216019]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,23 MEDLINE links, 11 protein links, 26 nucleotide neighbors, or 1 genome link)

J02454
Bacteriophage G4, complete genome
gi|215415|gb|J02454|PG4CG [215415]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,6 MEDLINE links, 11 protein links, 20 nucleotide neighbors, or 1 genome link)

X60323
Bacteriophage phiK complete genome
gi|1478118|emb|X60323|BPHIKCG [1478118]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,10 protein links, 18 nucleotide neighbors, or 1 genome link)

L42820
Bacteriophage BF23 tail protein (hrs) gene, complete cds
gi|1048680|gb|L42820|BBFHRS [1048680]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 1 nucleotide neighbor)

X54455
Bacteriophage BF23 gene 17 and gene 18
gi|14797|emb|X54455|BF231718G [14797]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 protein links, or 2 nucleotide neighbors)

M37097
Bacteriophage BF23 DNA, right end of terminal repetition
gi|166115|gb|M37097|BBFRIGH [166115]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 nucleotide neighbors)

M37096
Bacteriophage BF23 DNA, left end of terminal repetition
gi|166114|gb|M37096|BBFLEFT [166114]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 nucleotide neighbor)

M37095
Bacteriophage BF23 A2-A3 gene, complete cds, and A1 gene, 5' end
gi|166110|gb|M37095|BBFA2A3 [166110]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 3 protein links, or 1 nucleotide neighbor)

AF056281
Bacteriophage BF23 clone bf23.mac5/6.1, genomic survey sequence
gi|3090930|gb|AF056281|AF056281 [3090930]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056280
Bacteriophage BF23 clone bf23.mac3, genomic survey sequence
gi|3090929|gb|AF056280|AF056280 [3090929]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056279
Bacteriophage BF23 clone bf23.mac18/21.34, genomic survey sequence
gi|3090928|gb|AF056279|AF056279 [3090928]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056278
Bacteriophage BF23 clone bf23.mac16/19.33, genomic survey sequence
gi|3090927|gb|AF056278|AF056278 [3090927]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056277
Bacteriophage BF23 clone bf23.mac16/19-33, genomic survey sequence
gi|3090926|gb|AF056277|AF056277 [3090926]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056276
Bacteriophage BF23 clone bf23.mac12/9-9, genomic survey sequence
gi|3090925|gb|AF056276|AF056276 [3090925]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056275
Bacteriophage BF23 clone bf23.mac11/14-24, genomic survey sequence
gi|3090924|gb|AF056275|AF056275 [3090924]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056274
Bacteriophage BF23 clone bf23.57r64r, genomic survey sequence
gi|3090923|gb|AF056274|AF056274 [3090923]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 3 nucleotide neighbors)

AF056273
Bacteriophage BF23 clone bf23.54fr, genomic survey sequence
gi|3090922|gb|AF056273|AF056273 [3090922]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056272
Bacteriophage BF23 clone bf23.47fr.mac10/7, genomic survey sequence
gi|3090921|gb|AF056272|AF056272 [3090921]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056271
Bacteriophage BF23 clone bf23.23.66r, genomic survey sequence
gi|3090920|gb|AF056271|AF056271 [3090920]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056270
Bacteriophage BF23 clone bf23.23.64f, genomic survey sequence
gi|3090919|gb|AF056270|AF056270 [3090919]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056269
Bacteriophage BF23 clone bf23.23.60r, genomic survey sequence
gi|3090918|gb|AF056269|AF056269 [3090918]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056268
Bacteriophage BF23 clone bf23.23.60f, genomic survey sequence
gi|3090917|gb|AF056268|AF056268 [3090917]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 nucleotide neighbor)

AF056267
Bacteriophage BF23 clone bf23.23.59r, genomic survey sequence
gi|3090916|gb|AF056267|AF056267 [3090916]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056266
Bacteriophage BF23 clone bf23.23.59f, genomic survey sequence
gi|3090915|gb|AF056266|AF056266 [3090915]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056265
Bacteriophage BF23 clone bf23.23.56r, genomic survey sequence
gi|3090914|gb|AF056265|AF056265 [3090914]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056264
Bacteriophage BF23 clone bf23.23.56f, genomic survey sequence
gi|3090913|gb|AF056264|AF056264 [3090913]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056263
Bacteriophage BF23 clone bf23.23.68f55r, genomic survey sequence
gi|3090912|gb|AF056263|AF056263 [3090912]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056262
Bacteriophage BF23 clone bf23.23.43fr.66f, genomic survey sequence
gi|3090911|gb|AF056262|AF056262 [3090911]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056261
Bacteriophage BF23 clone bf23.23.2fr, genomic survey sequence
gi|3090910|gb|AF056261|AF056261 [3090910]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056260
Bacteriophage BF23 clone bf23.23.55.f, genomic survey sequence
gi|3090909|gb|AF056260|AF056260 [3090909]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056259
Bacteriophage BF23 clone bf23.23.53.r, genomic survey sequence
gi|3090908|gb|AF056259|AF056259 [3090908]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056258
Bacteriophage BF23 clone bf23.23.53.f, genomic survey sequence
gi|3090907|gb|AF056258|AF056258 [3090907]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056257
Bacteriophage BF23 clone bf23.23.52.r, genomic survey sequence
gi|3090906|gb|AF056257|AF056257 [3090906]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056256
Bacteriophage BF23 clone bf23.23.52.f, genomic survey sequence
gi|3090905|gb|AF056256|AF056256 [3090905]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056255
Bacteriophage BF23 clone bf23.23.49.r, genomic survey sequence
gi|3090904|gb|AF056255|AF056255 [3090904]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056254
Bacteriophage BF23 clone bf23.23.49.f, genomic survey sequence
gi|3090903|gb|AF056254|AF056254 [3090903]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056253
Bacteriophage BF23 clone bf23.23.48.r, genomic survey sequence
gi|3090902|gb|AF056253|AF056253 [3090902]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056252
Bacteriophage BF23 clone bf23.23.48.f, genomic survey sequence
gi|3090901|gb|AF056252|AF056252 [3090901]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056251
Bacteriophage BF23 clone bf23.23.44.r, genomic survey sequence
gi|3090900|gb|AF056251|AF056251 [3090900]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056250
Bacteriophage BF23 clone bf23.23.41.f, genomic survey sequence
gi|3090899|gb|AF056250|AF056250 [3090899]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056249
Bacteriophage BF23 clone bf23.23.22.a.r, genomic survey sequence
gi|3090898|gb|AF056249|AF056249 [3090898]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056248
Bacteriophage BF23 clone bf23.23.22.a.f, genomic survey sequence
gi|3090897|gb|AF056248|AF056248 [3090897]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

AF056247
Bacteriophage BF23 clone bf23.23.68.r, genomic survey sequence
gi|3090896|gb|AF056247|AF056247 [3090896]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

Z50114
Bacteriophage BF23 DNA for putative tail protein gene
gi|2464952|emb|Z50114|BF23LATE [2464952]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 protein link)

D12824
Bacteriophage BF23 genes for minor tail protein gp24 and major tail protein gp25, complete cds
gi|520578|dbj|D12824|BBF2TAIL [520578]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 3 nucleotide neighbors)

Z34953
Bacteriophage K3 ip9, ip7 and ip8 genes
gi|535261|emb|Z34953|MYK3IP978 [535261]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 1 nucleotide neighbor)

Z35075
Bacteriophage K3 DNA for Ip3 and Ip4
gi|535229|emb|Z35075|MYEORF64K [535229]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 protein links)

X05560
Bacteriophage K3 gene 38 for receptor recognizing protein
gi|15112|emb|X05560|MYK3G38 [15112]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

X04747
Bacteriophage K3 gene 37 for receptor recognizing protein
gi|15110|emb|X04747|MYK3G37 [15110]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 2 nucleotide neighbors)

X01754
Bacteriophage K3 tail fiber gene 36
gi|15108|emb|X01754|MYK3F36 [15108]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 protein links)

M16812
Bacteriophage K3 't' lysis gene, complete cds
gi|215503|gb|M16812|PK3LYST [215503]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 4 nucleotide neighbors)

L46833
Bacteriophage K3 frd3, frd2 genes, complete cds
gi|951377|gb|L46833|PK3FRD32G [951377]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 protein links, or 2 nucleotide neighbors)

L43613
Bacteriophage K3 fibritin (wac) gene, complete cds
gi|903861|gb|L43613|PK3WAC [903861]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 4 nucleotide neighbors)

X01753
Bacteriophage Ox2 tail fiber gene 36
gi|15122|emb|X01753|MYOX2F36 [15122]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

L43612
Bacteriophage Ox2 fibritin (wac) gene, complete cds
gi|903848|gb|L43612|OX2WAC [903848]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 4 nucleotide neighbors)

Z46880
Bacteriophage OX2 stp gene
gi|599663|emb|Z46880|BPOX2STP [599663]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 4 nucleotide neighbors)

X05675
Bacteriophage Ox2 gene 38 for receptor-recognizing protein and flanking regions
gi|15124|emb|X05675|MYOX2G38 [15124]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 1 nucleotide neighbor)

M33533
Bacteriophage RB18 translational repressor protein (regA) and Orf43.1, complete cds
gi|216083|gb|M33533|RB18REGA [216083]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 2 nucleotide neighbors)

AF033329
Bacteriophage RB18 single-stranded binding protein (gene 32) gene, partial cds, and 5' region
gi|2645788|gb|AF033329|AF033329 [2645788]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 11 nucleotide neighbors)

M86231
Bacteriophage RB69 gene 62, 3'end; RegA (regA) gene, complete cds
gi|215354|gb|M86231|P6962REGA [215354]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

AF033332
Bacteriophage RB69 single-stranded binding protein (gene 32) gene, partial cds, and 5' region
gi|2645794|gb|AF033332|AF033332 [2645794]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 12 nucleotide neighbors)

U34036
Bacteriophage RB69 DNA polymerase (43) gene, complete cds
gi|1237125|gb|U34036|BRU34036 [1237125]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

V01145
Bacteriophage H1 genome fragment Each Thymine given in this sequence represents a HMU-residue
(HMU = 5-hydroxymethyluracil)
gi|15557|emb|V01145|PODOH1 [15557]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

X05676
Bacteriophage M1 gene 38 for receptor recognizing protein and flanking regions
gi|15114|emb|X05676|MYM1G38 [15114]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 1 nucleotide neighbor)

AF034575
Bacteriophage M1 putative integrase (int) gene, complete cds, and attP region, complete sequence
gi|2662472|gb|AF034575|AF034575 [2662472]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

AF033321
Bacteriophage M1 single-stranded binding protein (gene 32) gene, partial cds, and 5' region
gi|2645772|gb|AF033321|AF033321 [2645772]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 17 nucleotide neighbors)

X55190
Bacteriophage TuIa 37 and 38 genes for receptor-recognizing proteins 37 and 38 (respectively), partial cds
gi|14860|emb|X55190|BPTUIA [14860]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 2 nucleotide neighbors)

AF033334
Bacteriophage TuIb single-stranded binding protein (gene 32) gene, partial cds, and 5' region
gi|2645798|gb|AF033334|AF033334 [2645798]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 5 nucleotide neighbors)

X55191
Bacteriophage TuIb 37 gene for receptor-recognizing protein 37 (partial cds), 38 gene for receptor-recognizing protein 38, and t gene (partial cds)
gi|14863|emb|X55191|BPTUIB [14863]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 3 nucleotide neighbors)

X13065
Bacteriophage phi80 early region
gi|14800|emb|X13065|BP80ER [14800]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 8 protein links, or 6 nucleotide neighbors)

D00360
Bacteriophage phi80 cor gene
gi|217782|dbj|D00360|P8080COR [217782]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 protein link)

X01639
Bacteriophage phi 80 DNA-fragment with replication origin
gi|15828|emb|X01639|XXPHI80 [15828]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 25 nucleotide neighbors)

X04051
Lambdoid bacteriophage phi 80 int-xis region (integrase-excisionase region)
gi|15770|emb|X04051|STPHI80X [15770]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

X06751
Phage Phi80 DNA for major coat protein
gi|15768|emb|X06751|STPHI80C [15768]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 11 nucleotide neighbors)

X75949
Bacteriophage phi80 DNA for ORF x171.8 and ORF x171.28'
gi|458811|emb|X75949|ECORF171B [458811]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 28 nucleotide neighbors)

L40418
Bacteriophage phi-80 gene, complete cds
gi|1019107|gb|L40418|P80A [1019107]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

M24831
Bacteriophage phi-80 Tyr-tRNA gene, 3' end
gi|215363|gb|M24831|P80TGY [215363]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 43 nucleotide neighbors)

M10670
Bacteriophage phi-80 replication origin
gi|215361|gb|M10670|P80ORI [215361]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 1 nucleotide neighbor)

M24825
Bacteriophage phi-80 RNA fragment
gi|215360|gb|M24825|P80M3A [215360]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 nucleotide neighbor)

M11919
Bacteriophage phi-80 cI immunity region encoding the N gene
gi|215358|gb|M11919|P80CI [215358]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 2 nucleotide neighbors)

M10891
Bacteriophage phi-80 attP site DNA
gi|215357|gb|M10891|P80ATTP [215357]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 nucleotide neighbor)

M19473
Bacteriophage 933J (from E.coli) proviral Shiga-like toxin type 1 subunits A and B genes, complete cds
gi|215072|gb|M19473|J93SLTI [215072]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 2 protein links, or 20 nucleotide neighbors)

Y10775
Bacteriophage 933W ileX, stx2A and stx2B genes
gi|1938206|emb|Y10775|BP933ILEX [1938206]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 protein links, or 36 nucleotide neighbors)

X83722
Bacteriophage 933W slt-IIB gene
gi|1490229|emb|X83722|B933WSLT [1490229]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 protein links, or 20 nucleotide neighbors)

X07865
Bacteriophage 933W slt-II gene for Shiga-like toxin typeII subunit A and B
gi|14892|emb|X07865|BWSLTII [14892]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 protein links, or 29 nucleotide neighbors)

M16625
Bacteriophage H19B (from E.coli) sltIA and sltIB genes encoding Shiga-like toxin I subunits A and B, complete cds
gi|215043|gb|M16625|H19BSLT [215043]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 24 nucleotide neighbors)

M17358
Bacteriophage H19B shiga-like toxin-1 (SLT-1) A and B subunit DNA, complete cds
gi|215046|gb|M17358|H19BSLTA [215046]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 20 nucleotide neighbors)

U29728
Bacteriophage N4 single-stranded DNA-binding protein (N4SSB) gene, complete cds
gi|939708|gb|U29728|BNU29728 [939708]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, or 1 protein link)

J02580
Bacteriophage PA-2 (E.coli porcine strain isolate) Rz gene, 5'end; ORF2, outer membrane porin protein (lc) and ORF1 genes, complete cds
gi|215366|gb|J02580|PA2LC [215366]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 4 protein links, or 4 nucleotide neighbors)

U32222
Bacteriophage 186, complete sequence
gi|3337249|gb|U32222|B1U32222 [3337249]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,6 MEDLINE links, 46 protein links, or 5 nucleotide neighbors)

X51522
Bacteriophage P4 complete DNA genome
gi|450916|emb|X51522|MYP4CG [450916]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,3 MEDLINE links, 13 protein links, 6 nucleotide neighbors. or 1 genome link)

X92588
Bacteriophage 82 orf33, orf151, orf56, orf96, rus, orf45, and Q genes
gi|1051111|emb|X92588|BAC82HOLL [1051111]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,7 protein links, or 1 nucleotide neighbor)

J02803
Bacteriophage 82 antitermination protein (Q) gene, complete cds
gi|215364|gb|J02803|P82Q [215364]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINElink, or 1 protein link)

U02466
Bacteriophage HK022 (cro), (cII) and (O) genes, complete cds, (P) gene, partial cds
gi|407285|gb|U02466|BHU02466 [407285]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 5 protein links, or 1 nucleotide neighbor)

M26291
Bacteriophage D108 regulatory DNA-binding protein (ner) gene, complete cds
gi|166194|gb|M26291|D18NER [166194]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 1 nucleotide neighbor)

M11272
Bacteriophage D108 left-end DNA
gi|166193|gb|M11272|D18LEDNA [166193]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 nucleotide neighbors)

M18902
Bacteriophage D108 kil gene encoding a replication protein, 3' end; and containing three ORFs, complete cds
gi|166191|gb|M18902|D18KIL [166191]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 3 nucleotide neighbors)

M10191
Bacteriophage D108, left end with Mu A protein binding sites L1 and L2
gi|166190|gb|M10191|D18BSL [166190]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 5 nucleotide neighbors)

J02447
bacteriophage d108 gene a 5' end
gi|166189|gb|J02447|D18AAA [166189]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

V00865
Bacteriophage D108 fragment from genes A and ner (C-terminus of ner and N-terminus of A)
gi|15437|emb|V00865|NCD108 [15437]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 protein links)

X01914
Bacteriophage IKe gene for DNA binding protein
gi|14957|emb|X01914|INIKEDBP [14957]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 2 nucleotide neighbors)

AF064539
Bacteriophage N15, complete genome
gi|3192683|gb|AF064539|AF064539 [3192683]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 60 protein links, 26 nucleotide neighbors, or 1 genome link)

U02303
Bacteriophage If1, complete genome
gi|3676280|gb|U02303|B2U02303 [3676280]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,10 protein links, or 1 genome link)

AF007792
Bacteriophage Mu late morphogenetic region
gi|3551775|gb|AF007792|AF007792 [3551775]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 nucleotide neighbor)

U24159
Bacteriophage HP1 strain HP1c1, complete genome
gi|1046235|gb|U24159|BHU24159 [1046235]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,6 MEDLINE links, 41 protein links, 8 nucleotide neighbors, or 1 genome link)

Z71579
Bacteriophage S2 type A 5.6 kb DNA fragment
gi|1679806|emb|Z71579|BPHS1ADNA [1679806]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,3 MEDLINE links, 9 protein links, or 9 nucleotide neighbors)

X53238
Klebsiella sp. bacteriophage K11 gene 1 for RNA polymerase
gi|14984|emb|X53238|KSK11RPO [14984]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 1 nucleotide neighbor)

X85010
Bacteriophage A511 ply511 gene
gi|853748|emb|X85010|BPA511PLY [853748]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 1 nucleotide neighbor)

U29728
Bacteriophage N4 single-stranded DNA-binding protein (N4SSB) gene, complete cds
gi|939708|gb|U29728|BNU29728 [939708]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, or 1 protein link)

J02445
bacteriophage bo1 3'-terminal region rna
gi|166152|gb|J02445|BO1TR3 [166152]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 5 nucleotide neighbors)

L06183
Bacteriophage L5 (from Leuconostoc oenos) genome
gi|289353|gb|L06183|BL5GENM [289353]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 genome link)

AF074945
Mycoplasma arthritidis bacteriophage MAV1, complete genome
gi|3511243|gb|AF074945|AF074945 [3511243]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,15 protein links, 3 nucleotide neighbors, or 1 genome link)

L13696
Bacteriophage L2 (from Mycoplasma), complete genome
gi|289338|gb|L13696|BL2CG [289338]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,3 MEDLINE links, 14 protein links, or 1 genome link)

X80191
Bacteriophage PP7 mRNA for maturation, coat, lysis and replicase proteins
gi|517237|emb|X80191|BPP7PR [517237]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 4 protein links, or 1 genome link)

M19377
Bacteriophage Pf3 from Pseudomonas aeruginosa (New York strain), complete genome
gi|215380|gb|M19377|PF3COMNY [215380]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 9 protein links, or 5 nucleotide neighbors)

M11912
Bacteriophage Pf3 from Pseudomonas aeruginosa (Nijmegen strain), complete genome
gi|215371|gb|M11912|PF3COMN [215371]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 9 protein links, 5 nucleotide neighbors, or 1 genome link)

V00605
Bacteriophage Pf1 gene encoding DNA binding protein
gi|14970|emb|V00605|INOPF1 [14970]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 proteine link, or 1 nucleotide neighbor)

L05626
Bacteriophage PR4 capsid protein (P6) gene, complete cds
gi|215735|gb|L05626|PR4P6MAJA [215735]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 1 nucleotide neighbor)

D13409
Bacteriophage phiCTX (isolated from Pseudomonas aeruginosa) cosR, attP, int genes
gi|217776|dbj|D13409|BPHCOSR [217776]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 3 nucleotide neighbors)

D13408
Bacteriophage phiCTX (isolated from Pseudomonas aeruginosa) cosL, ctx genes
gi|217775|dbj|D13408|BPHCOSLCTX [217775]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, or 3 nucleotide neighbors)

M24832
Bacteriophage f2 coat protein gene, partial cds
gi|166228|gb|M24832|F2CRNACA [166228]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 4 nucleotide neighbors)

S72011
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes,partial cds
gi|2618967|gb|AF017629|AF017629 [2618967]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINElink, 2 protein links, or 44 nucleotide neighbors)

AF017628
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618964|gb|AF017628|AF017628 [2618964]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINElink, 2 protein links, or 44 nucleotide neighbors)

AF017627
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618961|gb|AF017627|AF017627 [2618961]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINElink, 2 protein links, or 44 nucleotide neighbors)

AF017626
Bacteriophage 21 isocitrate dehydrogenase (icd) gene, partial cds; and integrase (int) gene, partial cds
gi|2618958|gb|AF017626|AF017626 [2618958]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 49 nucleotide neighbors)

AF017625
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618955|gb|AF017625|AF017625 [2618955]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINElink, 2 protein links, or 44 nucleotide neighbors)

AF017624
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int)genes, partial cds
gi|2618952|gb|AF017624|AF017624 [2618952]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINElink, 2 protein links, or 44 nucleotide neighbors)

AF017623
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618949|gb|AF017623|AF017623 [2618949]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 44 nucleotide neighbors)

AF017622
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618946|gb|AF017622|AF017622 [2618946]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 44 nucleotide neighbors)

AF017621
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618943|gb|AF017621|AF017621 [2618943]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 44 nucleotide neighbors)

D26449
Bacteriophage PS17 FI gene for tail sheath protein (gpFI) and FII gene for tail tube protein (gpFII), complete cds
gi|452162|dbj|D26449|BPSFIFII [452162]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 2 protein links)

X87627
Bacteriophage D3112 A and B genes
gi|974768|emb|X87627|BPD3112AB [974768]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINElink, 2 protein links, or 1 nucleotide neighbor)

U32623
Bacteriophage D3 transcriptional activator CII (cII) gene, complete cds
gi|984852|gb|U32623|BDU32623 [984852]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 1 nucleotide neighbor)

L34781
Bacteriophage phi 11 holin homologue (ORF3) gene, complete cds and peptidoglycan hydrolase (lytA) gene, partial cds
gi|511838|gb|L34781|BPHHOLIN [511838]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 4 protein links, or 2 nucleotide neighbors)

L14810
Bacteriophage P22 (gp10) gene, complete cds, and (gp26) gene, complete cds
gi|294053|gb|L14810|P22GP1026X [294053]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 2 nucleotide neighbors)

X87420
Bacteriophage ES18 genes 24, c2, cro, c1, 18, and oL and oR operators
gi|1143407|emb|X87420|BPES18GEN [1143407]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,5 protein links, or 9 nucleotide neighbors)

L42820
Bacteriophage BF23 tail protein (hrs) gene, complete cds
gi|1048680|gb|L42820|BBFHRS [1048680]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINElink, 1 protein link, or 1 nucleotide neighbor)

X14980
Bacteriophage PRD1 XV gene for protein P15 (lytic enzyme)
gi|15802|emb|X14980|TEPRD1XV [15802]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINElink, 1 protein link, or 4 nucleotide neighbors)

X06321
Bacteriophage PRD1 gene 8 for DNA terminal protein
gi|15800|emb|X06321|TEPRD18 [15800]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 10 nucleotide neighbors)

X14336
Filamentous Bacteriophage I2-2 genome
gi|14920|emb|X14336|INBI22 [14920]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 9 protein links, 1 nucleotide neighbor, or 1 genome link)

L05001
Bacteriophage X glucosyl transferase gene, complete cds
gi|216044|gb|L05001|PXFCLUSYLT [216044]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

M29479
Bacteriophage p4 sid and psu genes partial cds, and delta gene, complete cds gi|215701|
gb|M29479|PP4SDP [215701]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,3 protein links, or 4 nucleotide neighbors)

SEG_PP4PSUSID
Bacteriophage P4 capsid size determination protein (sid) gene, 5' end
gi|215698|gb||SEG_PP4PSUSID [215698]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

M29650
Bacteriophage P4 polarity suppression protein (psu) gene, complete cds
gi|215697|gb|M29650|PP4PSUSID2 [215697]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

M29651
Bacteriophage P4 capsid size determination protein (sid) gene, 5' end
gi|215696|gb|M29651|PP4PSUSID1 [215696]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

M27748
Bacteriophage P4 gop, beta, and cII genes, complete cds and int gene, 3' end
gi|215691|gb|M27748|PP4GOPBC [215691]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 4 protein links, or 1 nucleotide neighbor)

K02750
Bacteriophage IKe, complete genome
gi|215061|gb|K02750|IKECG [215061]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINElink, 10 protein links, 4 nucleotide neighbors, or 1 genome link)

L40418
Bacteriophage phi-80 gene, complete cds
gi|1019107|gb|L40418|P80A [1019107]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

AF032122
Bacteriophage SfII integrase (int) gene, partial cds; and bactoprenol glucosyl transferase (bgt), and glucosyl tranferase II (gtrII) genes,complete cds
gi|2465412|gb|AF021347|AF021347 [2465412]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINElink, 4 protein links, or 2 nucleotide neighbors)

M35825
Bacteriophage SF6 fragment D lysozyme gene, complete cds
gi|216105|gb|M35825|SF6LYZ [216105]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 protein link)

Z35479
Bacteriophage C16 ip1 gene
gi|534936|emb|Z35479|BC16IP1 [534936]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 2 nucleotide neighbors)

X12638
Bacteriophage 21 DNA for gene 2
gi|296141|emb|X12638|B21GENE2 [296141]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 1 nucleotide neighbor)

X02501
Bacteriophage 21 DNA for left end sequence with genes 1 and 2
gi|15825|emb|X02501|XXPHA21 [15825]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 3 nucleotide neighbors)

M65239
Bacteriophage 21 lysis genes S, R, and Rz, complete cds
gi|215466|gb|M65239|PH2LYSGEN [215466]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 1 nucleotide neighbor)

M58702
Bacteriophage 21 late gene regulatory region
gi|215465|gb|M58702|PH2LATEGE [215465]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

M81255
Bacteriophage 21 head gene operon
gi|215454|gb|M81255|PH2HEADTL [215454]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 10 protein links, or 4 nucleotide neighbors)

M23775
Bacteriophage 21 glycoprotein 1 gene, complete cds, and glycoprotein gene, 5' end
gi|215451|gb|M23775|PH2GPA [215451]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 3 nucleotide neighbors)

M61865
Bacteriophage 21 excisionase (xis), integrase (int) and isocitrate dehydrogenase (icd), complete cds
gi|215448|gb|M61865|PH22XISAA [215448]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 protein links, or 9 nucleotide neighbors)

S72011
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618967|gb|AF017629|AF017629 [2618967]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 44 nucleotide neighbors)

AF017628
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618964|gb|AF017628|AF017628 [2618964]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 44 nucleotide neighbors)

AF017627
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618961|gb|AF017627|AF017627 [2618961]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 44 nucleotide neighbors)

AF017626
Bacteriophage 21 isocitrate dehydrogenase (icd) gene, partial cds; and integrase (int) gene, partial cds
gi|2618958|gb|AF017626|AF017626 [2618958]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 49 nucleotide neighbors)

AF017625
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618955|gb|AF017625|AF017625 [2618955]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 44 nucleotide neighbors)

AF017624
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618952|gb|AF017624|AF017624 [2618952]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 44 nucleotide neighbors)

AF017623
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618949|gb|AF017623|AF017623 [2618949]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 44 nucleotide neighbors)

AF017622
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618946|gb|AF017622|AF017622 [2618946]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 44 nucleotide neighbors)

AF017621
Bacteriophage 21 isocitrate dehydrogenase (icd) and integrase (int) genes, partial cds
gi|2618943|gb|AF017621|AF017621 [2618943]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 44 nucleotide neighbors)

M57455
Bacteriophage 42D (clone pDB17) (from Staphylococcus aureus) staphylokinase gene, complete cds
gi|215344|gb|M57455|P42STK [215344]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 9 nucleotide neighbors)

Y12633
Bacteriophage 85 DNA, promoter sequence of unknown gene
gi|2058285|emb|Y12633|B85PROM [2058285]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

X98146
Bacteriophage P1 DNA sequence around the Op88 operator
gi|1359513|emb|X98146|BP1OP88OP [1359513]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 nucleotide neighbor)

Y07739
Staphylococcus phage Twort holTW, plyTW genes
gi|2764979|emb|Y07739|BPTWGHOLG [2764979]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 2 protein links)

L07580
Bacteriophage phi-11 rinA and rin B genes, required for the activation of Staphylococcal phage phi-11 int expression
gi|166160|gb|L07580|BPHRINAB [166160]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 2 protein links)

M34832
Bacteriophage phi-11 integrase (int) and excisionase (xis) genes, complete cds
gi|166157|gb|M34832|BPHINTXIS [166157]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 2 nucleotide neighbors)

M20394
Bacteriophage phi-11 S.aureus attachment site (attP)
gi|166156|gb|M20394|BPHATTP [166156]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 4 nucleotide neighbors)

X23128
Bacteriophage phi-13 integrase gene
gi|758228|emb|X82312|PHI13INT [758228]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 ptotein link, or 3 nucleotide neighbors)

X61719
S.aureus phi-13 lysogen right chromosome/bacteriophage DNA junction
gi|46625|emb|X61719|SAP13RJNC [46625]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

X61718
S.aureus phi-13 lysogen left chromosomal/bacteriophage DNA junction
gi|46624|emb|X61718|SAP13LJNC [46624]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

X61717
Bacteriophage phi-13 core sequence for attachment
gi|14799|emb|X61717|BP13ATTP [14799]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, or 3 nucleotide neighbors)

U01875
Bacteriophage phi-13 putative regulatatory region and integrase (int) gene, partial cds
gi|437118|gb|U01875|U01875 [437118]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,3 MEDLINE links, or 4 nucleotide neighbors)

X67739
S.aureus Bacteriophage phi-42 attP gene
gi|14809|emb|X67739|BPATTPA [14809]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 3 nucleotide neighbors)

U01872
Bacteriophage phi-42 integrase (int) gene, complete cds
gi|437115|gb|U01872|U01872 [437115]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,3 MEDLINE links, 2 protein links, or 3 nucleotide neighbors)

X94423
Staphylococcus aureus bacteriophage phi-42 DNA with ORFs (restriction modification system)
gi|1771597|emb|X94423|SARMS [1771597]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 protein links, or 1 nucleotide neighbor)

M27965
Bacteriophage L54a (from S.aureus) int and xis genes, complete cds
gi|215096|gb|M27965|L54INTXIS [215096]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, MEDLINE 1 link, 2 protein links, or 3 nucleotide neighbors)

U72397
Bacteriophage 80 alpha holin and amidase genes, complete cds
gi|1763241|gb|U72397|B8U72397 [1763241]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 protein links, or 2 nucleotide neighbors)

AB009866
Bacteriophage phi PVL proviral DNA, complete sequence
gi|3341907|dbj|AB009866|AB009866 [3341907]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,63 protein links, or 1 nucleotide neighbor)

Z47794
Bacteriophage Cp-1 DNA, complete genome
gi|2288892|emb|Z47794|BPCP1XX [2288892]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,3 MEDLINE links, 28 protein links, 1 nucleotide neighbor, or 1 genome link)

SEG_CP7RSIT
Bacteriophage Cp-7 (S.pneumoniae) 5' inverted terminal repeat
gi|166186|gb||SEG_CP7RSIT [166186]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

M11635
Bacteriophage Cp-7 (S.pneumoniae) DNA, 3' inverted terminal repeat
gi|166185|gb|M11635|CP7RSIT2 [166185]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

M11636
Bacteriophage Cp-7 (S.pneumoniae) 5' inverted terminal repeat
gi|166184|gb|M11636|CP7RSIT1 [166184]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

SEG_CP5RSIT
Bacteriophage Cp-5 (S.pneumoniae), 5' inverted terminal repeat
gi|166181|gb||SEG_CP5RSIT [166181]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

M11633
Bacteriophage Cp-5 (S.pneumoniae) 3' inverted terminal repeat
gi|166180|gb|M11633|CP5RSIT2 [166180]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

M11634
Bacteriophage Cp-5 (S.pneumoniae), 5' inverted terminal repeat
gi|166179|gb|M11634|CP5RSIT1 [166179]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

M34780
Bacteriophage Cp-9 muramidase (cpl9) gene
gi|166187|gb|M34780|CP9CPL [166187]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 1 nucleotide neighbor)

M34652
Bacteriophage HB-3 amidase (hbl) gene, complete cds
gi|215055|gb|M34652|HB3HBLA [215055]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

U64984
Streptococcus pyogenes phage T12 repressor, excisionase (xis), integrase(int) and erythrogenic toxin A precursor (speA) genes, complete cds gi|1877426|gb|U40453|SPU40453 [1877426]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 4 protein links, or 22 nucleotide neighbors)

X12375
Phage CP-T1 (Vibrio cholerae) DNA for packaging signal (pac site)
gi|15435|emb|X12375|NCCPPAC [15435]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

AF087814
Vibrio cholerae filamentous bacteriophage fs-2 DNA, complete genome sequence
gi|3702207|dbj|AB002632|AB002632 [3702207]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 9 protein links, or 1 genome link)

D83518
Bacteriophage KVP40 gene for major capsid protein precursor, complete cds
gi|3046858|dbj|D83518|D83518 [3046858]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

AF033322
Bacteriophage PST single-stranded binding protein (gene 32) gene, partial cds, and 5' region
gi|2645774|gb|AF033322|AF033322 [2645774]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 protein link, or 17 nucleotide neighbors)

X94331
Bacteriophage L cro, 24, c2, and c1 genes
gi|1469213|emb|X94331|BLCRO24C [1469213]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 4 protein links)

U82619
Shigella flexneri bacteriophage V glucosyl transferase (gtr), integrase (int) and excisionase (xis) genes, complete cds
gi|2465470|gb|U82619|SFU82619 [2465470]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 8 protein links, or 1 nucleotide neighbor)

Table 12

NCBI *Entrez* Nucleotide QUERY

Key words: bacteriophage and lysis

56 citations found (all selected)

AJ011581

Bacteriophage PS119 lysis genes 13, 19, 15, and packaging gene 3, complete cds
gi|3676084|emb|AJ011581|BPS011581 [3676084]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,4 protein links, or 1 nucleotide neighbor)

AJ011580

Bacteriophage PS34 lysis genes 13, 19, 15, antiterminator gene 23, and packaging gene 3, complete cds
gi|3676078|emb|AJ011580|BPS011580 [3676078]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,5 protein links, or 2 nucleotide neighbors)

AJ011579

Bacteriophage PS3 lysis genes 13, 19, 15, and packaging gene 3
gi|3676073|emb|AJ011579|BPS011579 [3676073]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,4 protein links, or 1 nucleotide neighbor)

AF034975

Bacteriophage H-19B essential recombination function protein (erf), kil protein (kil), regulatory protein cIII (cIII), protein gp17 (17), N protein (N), cI protein (cI), cro protein (cro), cII protein (cII), O protein (O), P protein (P), ren protein (ren), Roi (roi), Q protein (Q), Shiga-like toxin A (slt-IA) and B (slt-IB) subunits, and putative holin protein (S) genes, complete cds
gi|2668751|gb|AF034975| [2668751]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 20 protein links, or 30 nucleotide neighbors)

U37314

Bacateriophage lambda Rz1 protein precursor (Rz1) gene, complete cds
gi|1017780|gb|U37314|BLU37314 [1017780]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 1 protein link, or 9 nucleotide neighbors)

U00005

E. coli hflA locus encoding the hflX, hflK and hflC genes, hfq gene, complete cds; miaA gene, partial cds
gi|436153|gb|U00005|ECOHFLA [436153]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,4 MEDLINE

links, 5 protein links, or 8 nucleotide neighbors)

U32222

Bacteriophage 186, complete sequence
gi|3337249|gb|U32222|B1U32222 [3337249]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,6 MEDLINE links, 46 protein links, or 5 nucleotide neighbors)

AF064539

Bacteriophage N15, complete genome
gi|3192683|gb|AF064539|AF064539 [3192683]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 60 protein links, 26 nucleotide neighbors, or 1 genome link)

AF063097

Bacteriophage P2, complete genome
gi|3139086|gb|AF063097|AF063097 [3139086]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,21 MEDLINE links, 42 protein links, 3 nucleotide neighbors, or 1 genome link)

Z97974

Bacteriophage phiadh lys, hol, intG, rad,and tec genes
gi|2707950|emb|Z97974|BPHIADH [2707950]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 9 protein links, or 1 nucleotide neighbor)

AF059243

Bacteriophage NL95, complete genome
gi|3088545|gb|AF059243|AF059243 [3088545]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 4 protein links, 3 nucleotide neighbors, or 1 genome link)

AF052431

Bacteriophage M11 A-protein, coat protein, A1-protein, and replicase genes, complete cds
gi|2981208|gb|AF052431| [2981208]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 4 protein links, or 8 nucleotide neighbors)

Y07739

Staphylococcus phage Twort holTW, plyTW genes
gi|2764979|emb|Y07739|BPTWGHOLG [2764979]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 2 protein links)

X94331

Bacteriophage L cro, 24, c2, and c1 genes
gi|1469213|emb|X94331|BLCRO24C [1469213]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 4 protein links)

X78410

Bacteriophage phiadh holin and lysin genes
gi|793848|emb|X78410|LGHOLLYS [793848]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

X99260

Bacteriophage B103 genomic sequence
gi|1429229|emb|X99260|BB103G [1429229]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 17 protein links, or 12 nucleotide neighbors)

AJ000741

Bacteriophage P1 darA operon
gi|2462938|emb|AJ000741|BPAJ7641 [2462938]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 10 protein links, or 31 nucleotide neighbors)

X87420

Bacteriophage ES18 genes 24, c2, cro, c1, 18, and oL and oR operators
gi|1143407|emb|X87420|BPES18GEN [1143407]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,5 protein links, or 9 nucleotide neighbors)

L35561

Bacteriophage phi-105 ORFs 1-3
gi|532218|gb|L35561|PH5ORFHTR [532218]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 3 protein links)

D10027

Group II RNA coliphage GA genome
gi|217784|dbj|D10027|PGAXX [217784]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, 5 nucleotide neighbors, or 1 genome link)

V01128

Bacteriophage phi-X174 (cs70 mutation) complete genome
gi|15535|emb|V01128|PHIX174 [15535]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,4 MEDLINE links, 11 protein links, or 26 nucleotide neighbors)

S81763

coat gene...replicase gene [bacteriophage KU1, host=Escherichia coli, group II RNA phage, Genomic RNA, 3 genes, 120 nt]
gi|1438766|gb|S81763|S81763 [1438766]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 1 MEDLINE link)

U38906

Bacteriophage r1t integrase, repressor protein (rro), dUTPase, holin and lysin genes, complete cds
gi|1353517|gb|U38906|BRU38906 [1353517]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 50 protein links, or 3 nucleotide neighbors)

X91149

Bacteriophage phi-C31 DNA cos region
gi|1107473|emb|X91149|APHIC31C [1107473]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 6 protein links, or 1 nucleotide neighbor)

V00642

phage MS2 genome
gi|15081|emb|V00642|LEMS2X [15081]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,8 MEDLINE links, 4 protein links, or 20 nucleotide neighbors)

V01146

Genome of bacteriophage T7
gi|431187|emb|V01146|T7CG [431187]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,13 MEDLINE links, 60 protein links, 105 nucleotide neighbors, or 1 genome link)

X78401

Bacteriophage P22 right operon, orf 48, replication genes 18 and 12, nin region genes, ninG phosphatase, late control gene 23, orf 60, complete cds, late control region, start of lysis gene 13
gi|512343|emb|X78401|POP22NIN [512343]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 13 protein links, or 4 nucleotide neighbors)

Y00408

Bacteriophage T4 gene t for lysis protein
gi|15368|emb|Y00408|MYT4T [15368]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 3 nucleotide neighbors)

Z26590

Bacteriophage mv4 lysA and lysB genes
gi|410500|emb|Z26590|MV4LYSAB [410500]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 4 protein links)

X07809

Phage phiX174 lysis (E) gene upstream region
gi|15094|emb|X07809|MIPHIXE [15094]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 4 nucleotide neighbors)

Z34528

Lactococcal bacteriophage c2 lysin gene
gi|506455|emb|Z34528|LBC2LYSIN [506455]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 4 nucleotide neighbors)

X15031

Bacteriophage fr RNA genome
gi|15071|emb|X15031|LEBFRX [15071]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 4 protein links, 9 nucleotide neighbors, or 1 genome link)

X80191

Bacteriophage PP7 mRNA for maturation, coat, lysis and replicase proteins
gi|517237|emb|X80191|BPP7PR [517237]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 4 protein links, or 1 genome link)

X85010

Bacteriophage A511 ply511 gene
gi|853748|emb|X85010|BPA511PLY [853748]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 1 nucleotide neighbor)

X85009

Bacteriophage A500 hol500 and ply500 genes
gi|853744|emb|X85009|BPA500PLY [853744]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 4 nucleotide neighbors)

X85008

Bacteriophage A118 hol118 and ply118 genes
gi|853740|emb|X85008|BPA118PLY [853740]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 1 nucleotide neighbor)

Z35638

Bacteriophage phi-X174 genes for lysis protein and beta-lactamase
gi|520996|emb|Z35638|BPLYSPR [520996]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 516 nucleotide neighbors)

J02459

Bacteriophage lambda, complete genome
gi|215104|gb|J02459|LAMCG [215104]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,87 MEDLINE links, 67 protein links, 190 nucleotide neighbors, or 1 genome link)

X87674

Bacteriophage P1 lydA & lydB genes
gi|974763|emb|X87674|BACP1LYD [974763]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 2 nucleotide neighbors)

X87673

Bacteriophage P1 gene 17
gi|974761|emb|X87673|BACP117 [974761]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 1 nucleotide neighbor)

M14784

Bacteriophage T3 strain amNG220B right end, tail fiber protein, lysis protein and DNA packaging proteins, complete cds
gi|215810|gb|M14784|PT3RE [215810]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 9 protein links, or 10 nucleotide neighbors)

M11813

Bacteriophage PZA (from B.subtilis), complete genome
gi|216046|gb|M11813|PZACG [216046]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,3 MEDLINE links, 27 protein links, 17 nucleotide neighbors, or 1 genome link)

M16812

Bacteriophage K3 't' lysis gene, complete cds
gi|215503|gb|M16812|PK3LYST [215503]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 4 nucleotide neighbors)

J04356

Bacteriophage P22 proteins 15 (complete cds), and 19 (3' end) genes
gi|215265|gb|J04356|P2215P [215265]

(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 2 nucleotide neighbors)

J04343

Bacteriophage JP34 coat and lysis protein genes, complete cds, and replicase protein gene, 5' end
gi|215076|gb|J04343|JP3COLY [215076]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 2 nucleotide neighbors)

J02482

Bacteriophage phi-X174, complete genome
gi|216019|gb|J02482|PX1CG [216019]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,23 MEDLINE links, 11 protein links, 26 nucleotide neighbors, or 1 genome link)

M99441

Bacteriophage T4 anti-sigma 70 protein (asiA) gene, complete cds and lysis protein, 3' end
gi|215820|gb|M99441|PT4ASIA [215820]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,3 MEDLINE links, 2 protein links, or 2 nucleotide neighbors)

M65239

Bacteriophage 21 lysis genes S, R, and Rz, complete cds
gi|215466|gb|M65239|PH2LYSGEN [215466]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 1 nucleotide neighbor)

M10637

Phage G4 D/E overlapping gene system, encoding D (morphogenetic) and E (lysis) proteins
gi|215427|gb|M10637|PG4DE [215427]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 12 nucleotide neighbors)

J02454

Bacteriophage G4, complete genome
gi|215415|gb|J02454|PG4CG [215415]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,6 MEDLINE links, 11 protein links, 20 nucleotide neighbors, or 1 genome link)

J02580

Bacteriophage PA-2 (E.coli porcine strain isolate) Rz gene, 5'end; ORF2, outer membrane porin protein (lc) and ORF1 genes, complete cds
gi|215366|gb|J02580|PA2LC [215366]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 4 protein links, or 4 nucleotide neighbors)

M14782

Bacillus phage phi-29 head morphogenesis, major head protein, head fiber protein, tail protein, upper collar protein, lower collar protein, pre-neck appendage protein, morphogenesis(13), lysis, morphogenesis(15), encapsidation genes, complete cds
gi|215323|gb|M14782|P29LATE2 [215323]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 11 protein links, or 11 nucleotide neighbors)

M10997

Bacteriophage P22 lysis genes 13 and 19, complete cds
gi|215262|gb|M10997|P221319 [215262]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 3 nucleotide neighbors)

J02467

Bacteriophage MS2, complete genome
gi|215232|gb|J02467|MS2CG [215232]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,8 MEDLINE links, 4 protein links, 20 nucleotide neighbors, or 1 genome link)

M14035

Bacteriophage lambda lysis S gene with mutations leading to nonlethality of S in the plasmid pRG1
gi|215180|gb|M14035|LAMLYS [215180]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 14 nucleotide neighbors)

U04309

Bacteriophage phi-LC3 putative holin (lysA) gene and putative murein hydrolase (lysB) gene, complete cds
gi|530796|gb|U04309|BPU04309 [530796]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

NCBI *Entrez* Nucleotide QUERY

Key word: holin

51 citations found (all selected)

AF034975

Bacteriophage H-19B essential recombination function protein (erf), kil protein (kil), regulatory protein cIII (cIII), protein gp17 (17), N protein (N), cI protein (cI), cro protein (cro), cII protein (cII), O protein (O), P protein (P), ren protein (ren), Roi (roi), Q protein (Q), Shiga-like toxin A (slt-IA) and B (slt-IB) subunits, and putative holin protein (S) genes, complete cds
gi|2668751|gb|AF034975| [2668751]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 20 protein links, or 30 nucleotide neighbors)

U52961

Staphylococcus aureus holin-like protein LrgA (lrgA) and LrgB (lrgB) genes, complete cds
gi|1841516|gb|U52961|SAU52961 [1841516]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

U28154

Haemophilus somnus cryptic prophage genes, capsid scaffolding protein gene, partial cds, major capsid protein precursor, endonuclease, capsid completion protein, tail synthesis proteins, holin, and lysozyme genes, complete cds
gi|1765928|gb|U28154|HSU28154 [1765928]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 13 protein links)

AF032122

Streptococcus thermophilus bacteriophage Sfi19 central region of genome
gi|2935682|gb|AF032122| [2935682]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 14 protein links, or 2 nucleotide neighbors)

AF032121

Streptococcus thermophilus bacteriophage Sfi21 central region of genome
gi|2935667|gb|AF032121|AF032121 [2935667]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 14 protein links, or 2 nucleotide neighbors)

AF021803

Bacillus subtilis 168 prophage SPbeta N-acetylmuramoyl-L-alanine amidase (blyA), holin-like protein (bhlA), holin-like protein (bhlB), and yolK genes, complete cds; and yolJ gene, partial cds
gi|2997594|gb|AF021803|AF021803 [2997594]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 5 protein links, or 1 nucleotide neighbor)

AF057033

Streptococcus thermophilus bacteriophage sfi11 gp502 (orf502), gp284 (orf284), gp129 (orf129), gp193 (orf193), gp119 (orf119), gp348 (orf348), gp53 (orf53), gp113 (orf113), gp104 (orf104), gp114 (orf114), gp128 (orf128), gp168 (orf168), gp117 (orf117), gp105 (orf105), putative minor tail protein (orf1510), putative minor structural protein (orf512), putative minor structural protein (orf1000), gp373 (orf373), gp57 (orf57), putative anti-receptor (orf695), putative minor structural protein (orf669), gp149 (orf149), putative holin (orf141), putative holin (orf87), and lysin (orf288) genes, complete cds
gi|3320432|gb|AF057033|AF057033 [3320432]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,25 protein links, or 1 nucleotide neighbor)

U32222

Bacteriophage 186, complete sequence
gi|3337249|gb|U32222|B1U32222 [3337249]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,6 MEDLINE links, 46 protein links, or 5 nucleotide neighbors)

AB009866

Bacteriophage phi PVL proviral DNA, complete sequence
gi|3341907|dbj|AB009866|AB009866 [3341907]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,63 protein links, or 1 nucleotide neighbor)

AF009630

Bacteriophage bIL170, complete genome
gi|3282260|gb|AF009630|AF009630 [3282260]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,63 protein links, 3 nucleotide neighbors, or 1 genome link)

AF064539

Bacteriophage N15, complete genome

gi|3192683|gb|AF064539|AF064539 [3192683]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 60 protein links, 26 nucleotide neighbors, or 1 genome link)

AF063097

Bacteriophage P2, complete genome
gi|3139086|gb|AF063097|AF063097 [3139086]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,21 MEDLINE links, 42 protein links, 3 nucleotide neighbors, or 1 genome link)

Z97974

Bacteriophage phiadh lys, hol, intG, rad,and tec genes
gi|2707950|emb|Z97974|BPHIADH [2707950]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 9 protein links, or 1 nucleotide neighbor)

X95646

Streptococcus thermophilus bacteriophage Sfi21 DNA; lysogeny module, 8141 bp
gi|2292747|emb|X95646|BSFI21LYS [2292747]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 19 protein links, or 3 nucleotide neighbors)

SEG_LLHLYSIN0

Bacteriophage LL-H structural protein gene, partial cds; minor structural protein gp61 (g57), unknown protein, unknown protein, structural protein (g20), unknown protein, unknown protein, major capsid protein (g34), main tail protein gp19 (g17), holin (hol), muramidase (mur), unknown protein, unknown protein, unknown protein, unknown protein, unknown protein, and unknown protein genes, complete cds; unknown protein gene, partial cds; and unknown protein, unknown protein, unknown protein, unknown protein, unknown protein, minor structural protein gp75 (g70), minor structural protein gp89 (g88), minor structural protein gp58 (g71), unknown protein, unknown protein, unknown protein, and unknown protein genes, complete cds
gi|1004337|gb|SEG_LLHLYSIN0 [1004337]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,4 MEDLINE links, 31 protein links, or 1 nucleotide neighbor)

M96254

Bacteriophage LL-H holin (hol), muramidase (mur), and unknown protein genes, complete cds
gi|1004336|gb|M96254|LLHLYSIN03 [1004336]
(View GenBank report,FASTA report,ASN.1 report, or Graphical view)

Y07740

Staphylococcus phage 187 ply187 and hol187 genes
gi|2764982|emb|Y07740|BP187PLYH [2764982]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 2 protein links)

U88974

Streptococcus thermophilus bacteriophage 01205 DNA sequence
gi|2444080|gb|U88974| [2444080]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 57 protein links, or 6 nucleotide neighbors)

Z99117

Bacillus subtilis complete genome (section 14 of 21): from 2599451 to 2812870
gi|2634966|emb|Z99117|BSUB0014 [2634966]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,233 protein links, 51 nucleotide neighbors, or 1 genome link)

Z99115

Bacillus subtilis complete genome (section 12 of 21): from 2195541 to 2409220
gi|2634478|emb|Z99115|BSUB0012 [2634478]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,244 protein links, 64 nucleotide neighbors, or 1 genome link)

Z99110

Bacillus subtilis complete genome (section 7 of 21): from 1194391 to 1411140
gi|2633472|emb|Z99110|BSUB0007 [2633472]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,226 protein links, 31 nucleotide neighbors, or 1 genome link)

X78410

Bacteriophage phiadh holin and lysin genes
gi|793848|emb|X78410|LGHOLLYS [793848]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

Z93946

Bacteriophage Dp-1 dph and pal genes and 5 open reading frames
gi|1934760|emb|Z93946|BPDP1ORFS [1934760]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 6 protein links)

AF011378

Bacteriophage sk1 complete genome
gi|2392824|gb|AF011378|AF011378 [2392824]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,54 protein links, 2 nucleotide neighbors, or 1 genome link)

Z47794

Bacteriophage Cp-1 DNA, complete genome
gi|2288892|emb|Z47794|BPCP1XX [2288892]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,3 MEDLINE links, 28 protein links, 1 nucleotide neighbor, or 1 genome link)

L35561

Bacteriophage phi-105 ORFs 1-3
gi|532218|gb|L35561|PH5ORFHTR [532218]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 3 protein links)

D49712

Bacillus licheniformis DNA for ORFs, xpaL2 homologous protein and xpaL1 homologous protein, complete and partial cds
gi|1514423|dbj|D49712|D49712 [1514423]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, or 4 protein links)

X90511

Lactobacillus bacteriophage phig1e DNA for Rorf162, Holin, Lysin, and Rorf175 genes
gi|1926386|emb|X90511|LBPHIHOL [1926386]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,4 protein links, or 1 nucleotide neighbor)

X98106

Lactobacillus bacteriophage phig1e complete genomic DNA
gi|1926320|emb|X98106|LBPHIG1E [1926320]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE

link, 50 protein links, or 4 nucleotide neighbors)

U72397

Bacteriophage 80 alpha holin and amidase genes, complete cds
gi|1763241|gb|U72397|B8U72397 [1763241]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 protein links, or 2 nucleotide neighbors)

U38906

Bacteriophage r1t integrase, repressor protein (rro), dUTPase, holin and lysin genes, complete cds
gi|1353517|gb|U38906|BRU38906 [1353517]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 50 protein links, or 3 nucleotide neighbors)

X91149

Bacteriophage phi-C31 DNA cos region
gi|1107473|emb|X91149|APHIC31C [1107473]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 6 protein links, or 1 nucleotide neighbor)

U24159

Bacteriophage HP1 strain HP1c1, complete genome
gi|1046235|gb|U24159|BHU24159 [1046235]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,6 MEDLINE links, 41 protein links, 8 nucleotide neighbors, or 1 genome link)

Z26590

Bacteriophage mv4 lysA and lysB genes
gi|410500|emb|Z26590|MV4LYSAB [410500]
(View GenBank report,FASTA report,ASN.1 report,Graphical view, or 4 protein links)

Z70177

B.subtilis DNA (28 kb PBSX/skin element region)
gi|1225934|emb|Z70177|BSPBSXSE [1225934]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,32 protein links, or 4 nucleotide neighbors)

Z36941

B.subtilis defective prophage PBSX xhlA, xhlB, and xylA genes
gi|535793|emb|Z36941|BSPBSXXHL [535793]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,4 protein links, or 5 nucleotide neighbors)

X89234

L.innocua DNA for phagelysin and holin gene
gi|1134844|emb|X89234|LICPLYHOL [1134844]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 4 nucleotide neighbors)

X85010

Bacteriophage A511 ply511 gene
gi|853748|emb|X85010|BPA511PLY [853748]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 1 nucleotide neighbor)

X85009

Bacteriophage A500 hol500 and ply500 genes
gi|853744|emb|X85009|BPA500PLY [853744]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 4 nucleotide neighbors)

X85008

Bacteriophage A118 hol118 and ply118 genes
gi|853740|emb|X85008|BPA118PLY [853740]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 1 nucleotide neighbor)

L34781

Bacteriophage phi 11 holin homologue (ORF3) gene, complete cds and peptidoglycan hydrolase (lytA) gene, partial cds
gi|511838|gb|L34781|BPHHOLIN [511838]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 4 protein links, or 2 nucleotide neighbors)

U11698

Serratia marcescens SM6 extracellular secretory protein (nucE), putative phage lysozyme (nucD), and transcriptional activator (nucC) genes, complete cds
gi|509550|gb|U11698|SMU11698 [509550]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE

link, 3 protein links, or 1 nucleotide neighbor)

U31763

Serratia marcescens phage-holin analog protein (regA), putative phage lysozyme (regB), and transcriptional activator (regC) genes, complete cds
gi|965068|gb|U31763|SMU31763 [965068]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 3 protein links, or 1 nucleotide neighbor)

X87674

Bacteriophage P1 lydA & lydB genes
gi|974763|emb|X87674|BACP1LYD [974763]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 2 nucleotide neighbors)

L48605

Bacteriophage c2 complete genome
gi|1146276|gb|L48605|C2PVCG [1146276]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,3 MEDLINE links, 39 protein links, 3 nucleotide neighbors, or 1 genome link)

L33769

Bacteriophage bIL67 DNA polymerase subunit (ORF3-5), essential recombination protein (ORF13), lysin (ORF24), minor tail protein (ORF31), terminase subunit (ORF32), holin (ORF37), unknown protein (ORF 1-2,6-12,14-23,25-30,33-36), complete genome
gi|522252|gb|L33769|L67CG [522252]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 37 protein links, 2 nucleotide neighbors, or 1 genome link)

L31348

Bacteriophage Tuc2009 integrase (int) gene, complete cds; lysin (lys) gene, 3' end
gi|508612|gb|L31348|TU2INT [508612]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 3 protein links, or 3 nucleotide neighbors)

L31364

Bacteriophage Tuc2009 holin (S) gene, complete cds; lysin (lys) gene, complete cds
gi|496281|gb|L31364|TU2SLYS [496281]

(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

L31366

Bacteriophage Tuc2009 structural protein (mp2) gene, complete cds
gi|496278|gb|L31366|TU2MP2A [496278]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

L31365

Bacteriophage Tuc2009 structural protein (mp1) gene, complete cds
gi|496276|gb|L31365|TU2MP1A [496276]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, or 1 protein link)

U04309

Bacteriophage phi-LC3 putative holin (lysA) gene and putative murein hydrolase (lysB) gene, complete cds
gi|530796|gb|U04309|BPU04309 [530796]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 2 protein links, or 1 nucleotide neighbor)

Table 14

NCBI *Entrez* Nucleotide QUERY

Key word: bacteriophage and kil

5 citations found (all selected)

AF034975

Bacteriophage H-19B essential recombination function protein (erf), kil protein (kil), regulatory protein cIII (cIII), protein gp17 (17), N protein (N), cI protein (cI), cro protein (cro), cII protein (cII), O protein (O), P protein (P), ren protein (ren), Roi (roi), Q protein (Q), Shiga-like toxin A (slt-IA) and B (slt-IB) subunits, and putative holin protein (S) genes, complete cds
gi|2668751|gb|AF034975| [2668751]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 20 protein links, or 30 nucleotide neighbors)

X15637

Bacteriophage P22 P(L) operon encompassing ral, 17, kil and arf genes
gi|15646|emb|X15637|POP22PL [15646]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 7 protein links, or 2 nucleotide neighbors)

J02459

Bacteriophage lambda, complete genome
gi|215104|gb|J02459|LAMCG [215104]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,87 MEDLINE links, 67 protein links, 190 nucleotide neighbors, or 1 genome link)

M64097

Bacteriophage Mu left end
gi|215543|gb|M64097|PMULEFTEN [215543]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,2 MEDLINE links, 39 protein links, or 15 nucleotide neighbors)

M18902

Bacteriophage D108 kil gene encoding a replication protein, 3' end; and containing three ORFs, complete cds
gi|166191|gb|M18902|D18KIL [166191]
(View GenBank report,FASTA report,ASN.1 report,Graphical view,1 MEDLINE link, 1 protein link, or 3 nucleotide neighbors)


XhoI
BamHI
ORI+
arsR
P
luciF
pT0021
7.6 kb
Kan
HindIII
cat
ORI-
Digestion with
BamHI & HindIII
HA tag
BamHI SalI HindIII
Stop
GATCCCGGTCGACCAAGCTTTACCCATACGACGTCCCAGACTACGCCAGCTGA
GGCCAGCTGGTTCGAAATGGGTATGCTGCAGGGTCTGATGCGGTCGACTTCGA
HindIII
Ligation
XhoI
BamHI
SalI
HindIII
ORI+
arsR
P
HA
pTHA
Kan
HindIII
cat
ORI-

Fig. 1A


XhoI
BamHI
PCR of pT0021 with XhoF & BamHNR
XhoF - 5'-AATT CTCGAG TAAAATAACAT-3'
XhoI
AAATCAGGTGACTGT TGAGAAAAGGAGGCGGATCCCG - BamHNR
Stop of arsR
RBS
BamHI
pT0021
7.6 kb
HindIII
Digestion with
XhoI &BamHI
Ligation
PCR of pT0021 with LucFFB & LucFFH
LucFFB - 5'- CGGGATCCATGAGGGGTTCCGAAGACG
BamHI
Start of LucFF
Original BamHI was modified
Modified between stop of arsR to BamHI
GAAAGTCCAAATTGTAAGCTTGGG - LucFFH
Stop of HindIII LucFF
Digestion with
BamHI& HindIII
Ligation
pTM
7.6 kb
Modified in the vicinity of BamHI
Cloning site for ORFs: BamHI & HindIII
No additional codons in the induced protein
P
arsR
LucFF
CTCGAG
ATG
TGA
GAAAAGGAGGCGGATCC
ATG
TAA GCTT
XhoI
RBS
BamHI
HindIII

Fig. 1B


XhoI
BamHI
SalI
HindIII
ORI+
arsR
p
HA
Kan
pTHA
cat
HindIII
ORI-
ATG
last codon
BamHI
SalI
ORF
Digestion with
BamHI & SalI
Digestion with
BamHI & SalI
Ligation
XhoI
BamHI
ORI+
arsR
p
ORF
Kan
pTHA/ORF
SalI
HindIII
VH
cat
HindIII
ORI-
Verification of pTHA/ORF clones
by PCR and sequencing

Fig. 2

Fig. 3

A) Functional assay on semi-solid support media



B) Functional assay in liquid medium




A. Inhibition of bacterial growth with individual ORFs of a S. aureus bacteriophage
% CFU
0
20
40
60
80
100
120
140
5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34
ORF number

Fig. 4A

Fig. 4B

B. Inhibition of bacterial growth with individual ORFs of a *S. aureus* bacteriophage.



Fig. 4C

C. Inhibition of bacterial growth with individual ORFs of a *S. aureus* bacteriophage.



Fig. 5


Computer System 102
104
106
Processor
108
Main Memory
Secondary Storage Devices 110
BUS
112
Hard Drive
114
Removable Medium Storage Device
116
Removable Storage Medium